

Vol. 00 – No. 00 – Apr 2016 – ISSN. 2502-0943

# Jurnal Katalisator



**Kopertis Wilayah X**  
**Sumatera Barat, Riau, Jambi dan Kepulauan Riau**



Home > Archives > Vol 2, No 1 (2017)

## Vol 2, No 1 (2017) KATALISATOR

### Table of Contents

#### Articles

**PENGARUH FRAKSI ETIL ASETAT DAUN PILADANG (*Solenostemon scutellarioides* (L) Codd) TERHADAP KADAR KOLESTEROL TOTAL TIKUS PUTIH JANTAN**

doi: 10.22216/jk.v2i1.1726

Verawati verawati,  
 Mimi Aria,  
 Iyuni Julia Ningsih

PDF INDONESIA  
1-8

**ANALISA KUALITAS AIR MINUM ISI ULANG DI SEKITAR KAMPUS UNIVERSITAS ISLAM RIAU**

doi: 10.22216/jk.v2i1.1585

Fitri Mairizki

PDF INDONESIA  
9-19

**ANALISIS KANDUNGAN FORMALIN IKAN ASIN KERING DI GASAN GADANG, KABUPATEN PADANG PARIAMAN, SUMATERA BARAT**

doi: 10.22216/jk.v2i1.1878

Yusro Yusro

PDF INDONESIA  
20-28

**ADSORPTION ISOTHERMS OF LEAD ION BY CHITOSAN FROM SHRIMP SHELL**

doi: 10.22216/jk.v2i1.1576

Yenni Rahmadani,  
 Fauzla Rozani,  
 Azimatur Rahmi,  
 Muslim Suardi

ENGLISH PDF  
29-38

**PENGUNAAN SNO<sub>2</sub> DAN TIO<sub>2</sub>-ANATASE SEBAGAI KATALIS DEGRADASI CARBARYL SECARA OZONOLISIS SERTA PENDETEKSIANNYA MENGGUNAKAN SPEKTROFOTOMETER UV-VIS DAN HPLC**

doi: 10.22216/jk.v2i1.1550

Sandra Tri Juli Fendri,  
 Safri Safri,  
 Hamizar Suyani

PDF INDONESIA  
39-52

Published by LLDIKTI Wilayah X

Khatib Sulaiman Street Padang  
West Sumatera

Phone: +62751705637

Fax: +62751705637

Email: jurnal.lldikti10@ristekdikti.go.id

E ISSN : 2502-0943

View My Stats

#### Editorial Team

Reviewers

Focus and Scope

Author guidelines

Open Access Policy

Copyright Policy

Review Policy

Publication Ethics

E-Library

OPEN JOURNAL SYSTEMS

QUESTION AND ASK



USER

Username

Password

Remember me

PLAGIARISM TOOLS



INDEXING BY



PKP INDEX



BASE

SPONSORED MEMBER



KEYWORDS


Analisa kuantitatif Limas Amobidate Aktif  
Analisa Telur Ayam Lemak Bebas  
Bunias, perbaiki daun, saat ini bunias,  
organisasi DPPH Escherichia coli  
HPLC Nitrofen Garam Bekas Sejenis  
Lima Spektrofotometer UV-Vis  
Tee sayuran antioksidan dan  
ground coffee daun kopi, abstrak nitrofen  
Infusasi pH 5 additional ground coffee  
warna

FONT SIZE



JOURNAL CONTENT

Search



## ADSORPTION ISOTHERMS OF LEAD ION BY CHITOSAN FROM SHRIMP SHELL

Yenni Rahmadani<sup>1)</sup>, Fauzia Rozani<sup>1)</sup>, Azimatur Rahmi<sup>2)</sup>, Muslim Suardi<sup>1,2)</sup>

<sup>1)</sup>Faculty of Pharmacy Andalas University Padang 25163, West Sumatera, Indonesia

<sup>2)</sup>Pharmacy Mohammad Natsir University Bukittinggi 26136 West Sumatera, Indonesia

[Azimatur\\_rahmi046@yahoo.co.id](mailto:Azimatur_rahmi046@yahoo.co.id)

Submitted : 16-12-2016, Reviewed: 19-02-2017, Accepted: 24-03-2017

### ABSTRACT

The adsorption activities of chitosan from dried shrimp shells *Metapenaeus monoceros* (Fabrices) has been studied by analyzing its ability to remove lead ion from aqueous solution. This process including (i) isolation of chitosan from shrimp shells by deproteinization with NaOH, demineralization by adding HCl solution, decolorization with sodium hypochloride and deacetylation by adding NaOH, (ii) studied of interaction between chitosan and Pb. The qualitative and quantitative method were used to analyze this chitosan. The isolate of chitosan has 72.39 % degree of deacetylation. This isolate was added into lead solution 10 – 1000 mg/l at pH 5. Furthermore, the solutions were shaken during 24 hours. After separation of chitosan from solution, the filtrate was identified by using Atomic Adsorption Spectrophotometric. The results showed that chitosan from dried shrimp shells can be used as adsorbent of lead ion at pH 5 which followed Freundlich isotherm ( $r > 0.95$ ).

**Keywords :** adsorption, chitosan, *Metapenaeus monoceros* (Fabrices), lead ion

### INTRODUCTION

Pollution in our life increases day by day. The sources of pollution may come from industries, vehicles and waste houses. The effect of pollution causes negative impact for air, soil even of water. Waste metal is the most important pollution because it is not biodegradable. The growth of waste metal toxic contamination in environment were caused by increasing industrial activities and human's life style. Bounding waste metal with organic materials produce complex compounds which have toxic effect for living organisms (Tarigan & Rozak, 2003). One of the most common metal ions which has persistent to contaminate the environment is lead metal ion (Pb) because its non-degradable disposition. Lead metal is usually produced by waste of industries of dry cell battery, paint, ceramic manufacture, and also the vehicle emissions (Sanjaya, 2001). Nowadays researcher concern to study the best ways to prevent or decreasing the number of lead metal in the environment. The obvious reason was lead

ion is toxic for most living thing and it can't be degradable in nature (Badmus,*et.al*, 2007).The accumulation of lead at environment cause damaging brain of young children, malfunctioning of digestion, and blood stream(Naria, 2005).

Common method for decreasing the number of lead metal from environment is adsorption as suggested process for economically viable reason. Some articles have been report the advantages of this method for removal heavy metal at environment, pervade efficient, widely applicable and relatively little sludge(Bernard, E., and Jimoh, 2013).

Adsorption is the adsorb process of solid and gas substances by the surface of adsorbent. It is passed off depend on bonding type. Each materials adsorbent containing variety functional groups which would be attached by chemical bonding(Kusmiyati,*et.al*, 2012). The process of adsorption is cover up the adsorbent surface with molecule layer, the capacity was depend on characteristic of adsorbent, concentration and temperature of the molecules adsorption(Malik, *et.al*, 2006). If some adsorbent was added into solution, it would increase the amount substance at surface adsorbent and concentration of solution until equilibrium between adsorption and desorption rate(Shrestha, *et.al*, 2013).

Material for adsorbent was chosen by the wide surface and mass transfer ability in order to separate samples and adsorbent maximally (Kusmiyati , *et.al*, 2012). Adsorbent is made from bioorganic material or waste of home industries that can be potential to be used. One of material for adsorbent is chitosan. Chitosan is derivate of chitin which isa biopolymer fund in crustaceans. Chitin currently used as medicals application such as supplement dietary because of its fat adsorbing capability, materials for bandages to prevent bleeding, or controlling blood cholesterol(Burrows,*et.al*, 2007).

Chitosan has amino and hydroxyl functional groups which effectively bound the cation of metal ions became complex compound and by comparison with chitin, chitosan is capable for making membrane for the adsorbent substance (Agustina, 2008).

Shrimp is one of large export commodity from marine resources in Indonesia. Waste of shrimp production process such as shells, heads and tails which has been benefited maximal can be used for source of chitosan by isolation treatment. Shrimp shells consist of protein, calcium carbonate and chitin, which content depend on the species of shrimp(Candra *et.al*, 2008).

The isolation process of chitosan has been report in two methods, biological and chemical methods(Arbia, *et.al*, 2013). This research in order to evaluated physical and chemical properties of the isolate of chitosan from dried shrimp shells to be used as adsorbent of lead metal ions solution. Enhance the utilization of shrimp shells and minimize waste shrimp pollution at environment.

## **MATERIAL AND METHOD**

### **Materials**

Atomic Adsorption Spectrophotometric (Merk GBC 932 AA), Fourier Transform Infra Red Spectrophotometric FTIR (Perkin-Elmer Spectrum One), shaker, analytic weight (Metler PM 2000), filter papers, Phmeters E 520 (MetrohmHerisau) Trinocular microscope (Carton), oven (Sharp), Furnace, thermometer, sieve 250 µm, water bath, blender and the glasses ware.

Chitosan (SIGMA® 116H1465), sulphate-acid, nitride acid, Pub(II)nitrate, chloride acid, acetone, sodium hydroxide, sodium hypo chloride, calcium carbonate, magnesium carbonate.

### *Samples preparation*

Shrimps waste was got from Tanah Kongsu fish market Padang West Sumatra. The process begins with cleaning shrimp shell, sun dried for two days and cut it into small pieces. Samples were characterization at Ecology Laboratory Biology Faculty of Andalas University, and the dried shrimp shells was from *Metapenaeus Monoceros* Fabrice's, which usually found at Indonesian waters. It was identified by the rude tough of shells and brown light color.

## **Experimental**

### *Isolation chitosan*

Isolation chitosan refers to Hong method (Khan, *et, al*, 2002; Agustina *et al.*, 2008) First deproteinization dried shrimp shells by adding sodium hydroxide 3.5 % at temperature 65°C for two hours. The residue was washed until neutral pH. Then it continued by carried out chloride acid 1N into residue for 30 minutes, purified chitin by washed with water. The next process was carried out by adding acetone 1: 60 for an hour. Residue was colorless by adding sodium hypo chloride 0.315% for 30 minutes and drained off.

Deacetylation process carried out by adding sodium hydroxide 60% 1: 20 at temperature 100°C for an hour. Crude chitosan dried for 4 hours and powdered into 250 µm sieve.

### **Characterization of chitosan**

Characterization of chitosan from the isolation process consist of the following measurement:

#### *Loss on drying*

The measurement was determined by gravimetric method. Chitosan were heat in to the oven at 105°C until constant weigh

#### Loss on drying

$$= \frac{\text{wight chitosan after dried}}{\text{wight sample chitosan}} \times 100\%$$

#### *Ash measurement*

Sample chitosan was heated in furnace until became charcoal, then it was added by sulfate acid and heated at 800°C until the ash became white powders.

$$\text{Ash value} = \frac{\text{weight of residue}}{\text{weight of sample}} \times 100\%$$

#### *FTIR identification*

Dried powder chitosan and KBr was crushed till homogenous, and pressed in to a thickness pallet. IR spectra functional group of chitosan was obtained with FTIR Spectrophotometric Perkin-Elmer. The result was compared with chitosan (SIGMA® 116H1465).



### *Degree of deacetylation DD*

Degree of deacetylation chitosan was determined in base line method (Khan et al., 2002) by compare adsorption wave at  $1665\text{ cm}^{-1}$  and  $3450\text{ cm}^{-1}$

$$DD = 100 \left( \frac{A_{1665}}{A_{3450}} \times \frac{100}{1,33} \right)$$

$A_{1665}$  and  $A_{3450}$  were the adsorbent of amine  $1665\text{ cm}^{-1}$  and N-acetyl group at  $3450\text{ cm}^{-1}$ . 1,33 was the value which denoted of ratio  $A_{1665}/A_{3450}$  for fully N-acetyl chitosan. Ratio of the deacetylation chitosan was a rectilinear between N-acetyl and amine group (Khan et al., 2002)

### *Protein identification*

Biuret test is used for finding out chitosan free from protein by violet color did not appear.

### *Content of Ca and Mg ion*

The isolate of chitosan was added by HCl solution and after 30 minutes separate it from residue, then the filtrate was measured by Atomic Adsorption Spectrophotometric at  $422,7\text{ nm}$  for Ca ion and  $285,2\text{ nm}$  for Mg ion. Make the calibration curve between standard and sample solution.

### *Distribution of particles*

Particle size was measured by using microscope particle.

### *Adsorbs lead ion with chitosan isolation*

Analysis with batch method, chitosan was added to lead solution in difference concentration at pH 5, the solution was shaken for 24 hours and separate it with sieve. The filtrate was added  $\text{HNO}_3$ . Lead ion which is not absorbed by chitosan was identified with Atomic Adsorption Spectrophotometric, Isotherm adsorption lead metal ion based on Freundlich and Langmuir state that connectivity concentration with adsorption substance.

$$\text{Freunlich Log } C_{\text{ads}} = \log P + \frac{1}{n} \log C_{\text{eq}}$$

Where  $C_{\text{ads}}$  was amount of Pb adsorbed ( $\text{mg}\cdot\text{g}^{-1}$ ),  $C_{\text{eq}}$  was equilibrium concentration in solution ( $\text{mg}\cdot\text{dm}^{-3}$ ),  $1/n$  was Freundlich constant ( $\text{mg}\cdot\text{g}^{-1}$ ), and  $P$  was Freundlich constant ( $\text{g}\cdot\text{dm}^{-3}$ ) (Ramasubramaniam, et, al, 2012)

$$\text{Langmuir } \frac{C_{\text{eq}}}{C_{\text{ads}}} = \frac{1}{b\cdot C_{\text{max}}} + \frac{C_{\text{eq}}}{C_{\text{max}}}$$

where  $C_{\text{max}}$  ( $\text{mg g}^{-1}$ ) was the maximum amount of metal ions adsorbs per unit weight of adsorbent to form a complete monolayer,  $C_{\text{eq}}$  ( $\text{mg L}^{-1}$ ) is the equilibrium concentration of the solution and  $C_{\text{ads}}$  ( $\text{mg g}^{-1}$ ) (Moganavally, et, al, 2015)

## **RESULT AND DISCUSSION**

Chitosan was a biopolymer which was used to adsorb lead metal from solution through the physic and chemical mechanism. Polysaccharide such as hydroxyl and amine from chitosan was the functional groups which could be bounding the metal ion (Younes & Rinaudo, 2015).

First chemical method of isolation chitosan from dried shrimp shells was deproteinization with sodium hydroxide. Protein which has covalent bound with chitin insoluble in base solution became Na-protein which soluble by water (Ridhay, 2016). Sodium hydroxide at high concentration and temperature will accelerate the bonding of protein and NaOH so that the degradation process and the precipitation of proteins became perfection. (Agustina et al., 2008)

Dried shrimp shells consist of primary of minerals inorganic such as calcium carbonate (Marganof, 2003). Demineralization process was used to reduce mineral salts by adding chloride acid solution.



The result of demineralization from chitin was identified by appeared the gas carbon dioxide. Then salts were separated by filtration of solid chitin and washing with deionizer water (Kusumaningsih, Masykur, & Arief, 2004). The demineralization process was depending on the acid solution selection. Islem Younes report that using of formic acid was most aforementioned than chloride acid, but drastic treatment may cause modification such as depolymerization and deacetylation of native chitin. Using chloride acid under 2 to 3 hours stirring was the most achieved method than longer demineralization time would cause polymer degradation, (Younes & Rinaudo, 2015).

The quality of chitin isolation may decrease if still had the pigment colored in it. To remove the pigment is usually use weak oxidation such as sodium hypochlorite. Chitin isolation were identified by reaction iodine from KI to the isolation and gave brown colored which became violet after adding sulfate acid (Agustina et al., 2008)

The transport process of chitosan from chitin calls deacetylation. This process is useful to remove ethyl groups from chitin by adding high concentration of alkali. In this experiment we use sodium hydroxide 60% at 100°C for 60 minutes. The amine group of chitin were hydrolyzed became amine group, the product were chitosan and acetate (Agustina et al., 2008).

The Combination of high concentration of alkali solution and stirrer at high temperature as long as deacetylation process, influence the value deacetylation degree and the quality of isolate of chitosan (Hossain & Iqbal, 2014). The isolate of chitosan was identified include the description, rendement of transformation chitosan from percent of chitosan to chitin samples. Loss on drying was determined by gravimetric method

No	Evaluation	Qualify	Observation
1.	Organoleptic	White yellow powders, tasteless, smell less	White yellow powders, tasteless, smell less
2.	Loss on drying	Maximum 10 %	2.099 %
3.	Ash value	Maximum 2 %	0.3699 %
4.	Protein identification	Biuret test became violet	Violet didn't appear
5.	Content of		
	• Ca		- 0.1619 %
	• Mg		- 0.0702 %

The FT-IR studies with standard chitosan (SIGMA<sup>®</sup>116H1465) with range spectrum 4000-400  $\text{cm}^{-1}$ . The adsorption bands of isolate of chitosan were identical to those of standard chitin. Stretching vibration bands were observed in range 3500-3100 $\text{cm}^{-1}$  related to O-H bond, 3000-2900 $\text{cm}^{-1}$  indicated C-H bond 2877 $\text{cm}^{-1}$  were C-H for aldehyde, and 1700-1600 $\text{cm}^{-1}$  for C=O bond. The spectrum of isolate of chitosan was compared the standard could be indicated that the isolation of chitosan from shrimp shell was success.




Figure 1. FT-IR of isolate of chitosan




Figure 2. FT-IR chitosan standard



The degree of deacetylation of chitosan were related to adsorption bond of wave light  $1655\text{cm}^{-1}$  and  $3450\text{cm}^{-1}$ . Wave light  $1655\text{cm}^{-1}$  is the adsorption of carbonyl N-Acetyl and  $3450\text{cm}^{-1}$  for hydroxyl polysaccharide (Zvezdova, 2010). DD of chitosan were determined by base line method and calculate with equation according Baxter et.al which modification by Domzy and Robert, DD of isolate of chitosan were 72.39% and it have been compatibility with standard from literature as same or as 70% (Khan et al., 2002).

Distribution of particle was identified by using microscope particle for seeing particle size, the average of particle chitosan was got at  $116,489\ \mu\text{m}$ . According to Farmakope Indonesia third edition, the thin powder of isolate of chitosan had standardization for adsorption lead metal ion.




Figure 3. Frequency of particle size of chitosan




Figure 4. Cumulative frequency of particle size of chitosan

Adsorption process was detected by adding some of lead solution pH 5 to isolate of chitosan. The mixture was shaken at 200 rpm for 24 hours. The process was continued by separating the adsorbate and filtrate, lead ion which did not adsorb by chitosan and still at the filtrate was identified using Atomic Adsorption Spectrophotometric. This method is based on relationship between of amount beam energy which adsorb by lead ion from sample (Sikanna, 2015). Parameters for determined the optimum adsorption was depend on pH solution at constant temperature, concentration metal ion and adsorbent (Moganavally et al., 2015).

Concentration of lead ion which did not adsorb by the chitosan was determined with calibration curve, linear concentration and adsorbent at the straight line. Samples solution was determined the adsorption and calculated into calibration curve.




Figure 5. calibration curve standard solution of lead ion in HNO<sub>3</sub> solution,

Amount of lead ion which adsorb by the chitosan was increase with enhance concentration to 10;50;100;200;500 and 1000 mg/l of lead ion solution at pH 5. More concentration of lead solution was more lead ion which could adsorb by the chitosan. At experiment was got 7;21;31;71;123;and 209 mg/l lead ion was adsorb at variation concentration. If the concentration lead solution was increased, chitosan would adsorb more of lead ion, so it was difficult to determine the adsorption capacity of chitosan at lead ion.

Linear plot of curve amount adsorbent every grams of chitosan and logarithm equilibrium of samples concentration were obtained freundlich adsorption isotherm. Coefficient correlation of Freundlich isotherm was  $0,9853 \pm 0,0001$ . And for Langmuir isotherm, coefficient correlation was  $0,8923 \pm 0,0052$ .




Figure 6. Isotherm curve of adsorption lead ion by chitosan at pH 5 using Freundlich isotherm




Figure 7. Isotherm curve of adsorption lead ion by chitosan at pH 5 using Langmuir isotherm

Differenced of coefficient correlation between both of isotherm method was significant. The adsorbent of lead ion at pH 5 was followed Freundlich isotherm ( $r > 0,95$ ). Kinetic adsorption from isotherm Freundlich which  $P$  and  $1/n$  was refers to adsorption intensity and capacity was about  $1,8227 \pm 0,0168$  g/l and  $0,5815 \pm 0,0065$  mg/g each of them.

### Conclusion

Process isolation of chitosan from shrimp shells consist of deproteinization, demineralization, decolorization and deacetylation. Isotherm adsorption of lead ion by chitosan at pH 5 was followed Freundlich isotherm, not for Langmuir isotherm.

### Reference

- Agustina, S., Sintesis, D. A. N., Dari, K., & Udang, K. (2008). Isolasi Kitin, Karakterisasi, Dan Sintesis Kitosan Dari Kulit Udang, 271–278.
- Arbia, W., Arbia, L., Adour, L., & Amrane, A. (2013). Chitin Extraction from Crustacean Shells Using Biological Methods – A Review, 9862(1), 12–25.
- Badmus, M. A. O., Audu, T. O. K., & Anyata, B. U. (2007). Removal of Lead Ion from Industrial Wastewaters by Activated Carbon Prepared from Periwinkle Shells ( *Typanotonus fuscatus* ), 31, 251–263.
- Bernard, E., and Jimoh, A. (2013). Adsorption Of Pb , Fe , Cu , And Zn From Industrial Electroplating Wastewater By Orange Peel, 4(2), 95–103.
- Burrows, F., Louime, C., Abazinge, M., & Onokpise, O. (2007). Extraction and Evaluation of Chitosan from Crab Exoskeleton as a Seed Fungicide and Plant Growth Enhancer, 2(2), 103–111.
- Candra Purnawan, Nurul Hidayat Aprilita, E. S. (2008). The Chitosan Of Shrimp's Shell And Its Application As An Antibacterial Agent On Cotton Fabrics.
- Hossain, M. S., & Iqbal, A. (2014). Production and characterization of chitosan from shrimp waste, 12(1), 153–160.
- Khan, T. A., Peh, K. K., Seng, H., & Centre, C. (2002). Reporting degree of deacetylation

- values of chitosan : the influence of analytical methods, 5(3), 205–212.
- Kusmiyati , Puspita Adi Lystanto, dan K. P. (2012). Pemanfaatan Karbon Aktif Arang Batubara (Kaab) Untuk Menurunkan Kadar Ion Logam Berat Cu<sup>2+</sup> Dan Ag<sup>+</sup> Pada Limbah Cair Industri, 14(1), 51–60.
- Kusumaningsih, T., Masykur, A. B. U., & Arief, U. (2004). Pembuatan Kitosan dari Kitin Cangkang Bekicot ( *Achatina fulica* ) Synthesis of chitosan from chitin of escargot ( *Achatina fulica* ), 2(2), 64–68.
- Malik, R., Ramteke, D. S., & Wate, S. R. (2006). Physico-chemical and surface characterization of adsorbent prepared from groundnut shell by ZnCl<sub>2</sub> activation and its ability to adsorb colour, 13(July), 319–328.
- Marganof. (2003). Potensi Limbah Udang Sebagai Penyerap Logam Berat (Timbal, Kadmium, Dan Tembaga) Di Perairan, 1–12.
- Moganavally, P., Suresh, R., Deepa, M., & Sudha, P. N. (2015). Adsorption studies on the removal of Pb ( II ) ions using carboxymethyl chitosan Schiff base derivatives, 7(5), 1013–1022.
- Naria, E. (2005). Mewaspada Dampak Bahan Pencemar Timbal ( Pb ), 17, 66–72.
- Ramasubramaniam, S., Govindarajan, C., Gomathi, T., & Sudha, P. N. (2012). Removal of Chromium ( VI ) from aqueous solution using chitosan - Starch blend, 4(1), 240–248.
- Ridhay, A. (2016). Pengaruh Waktu Proses Deasetilasi Kitin Dari Cangkang Bekicot ( *Achatina Fulica* ) Terhadap Derajat Deasetilasi [ Effect Of Chitin Deacetylation Processing Times From Shells Of Snails ( *Achatina Fulica* ) To Degree Of Deacetylation ], 2(April), 1–7.
- Sanjaya, I. (2001). Adsorpsi Pb ( II ) oleh Kitosan Hasil Isolasi Kitin Cangkang Kepiting Bakau ( *Scylla sp* ) ( Adsorption of Pb ( II ) by Chitosan Resulted from Bakau Crab ' s Shell ( *Scylla sp* ) Chitin Isolation ), (Ii), 30–36.
- Shrestha, B., Kour, J., Homagai, P. L., Pokhrel, M. R., & Ghimire, K. N. (2013). Surface Modification of the Biowaste for Purification of Wastewater Contaminated with Toxic Heavy Metals — Lead and Cadmium, 2013(July), 178–184.
- Sikanna, R. (2015). Analisis Kandungan Timbal Pada Buah Apel ( *Pyrus Malus . L* ) Yang Dipajangkan Dipinggir Jalankota Palu Menggunakan Metode Spektrofotometriserapan Atom Analysis Of Lead Content In Apple ( *Pyrus Malus . L* ) Which Was Displayed Alongside A Road City Of Palu Using Atomic Absorption Spectrophotometry, 4(1), 32–45.
- Tarigan, Z., & Rozak, A. (2003). Kandungan Logam Berat Pb , Cd , Cu , Zn Dan Ni Dalam Air Laut Dan Sedimen Di Muara Sungai Membramo , Papua Dalam, 7(3), 119–127.
- Younes, I., & Rinaudo, M. (2015). Chitin and Chitosan Preparation from Marine Sources. Structure, Properties and Applications, 1133–1174. <http://doi.org/10.3390/md13031133>
- Zvezdova, D. (2010). Synthesis and characterization of chitosan from marine sources in Black Sea, 65–69.