### INTERNSHIP ACTIVITIES

Mohammad Hafiz Hersyah



### OVERVIEW "INSTANLY PRE-VERIFIABLE PRE-SHARED KEY EXCHANGE FOR CYBER PHYSICAL SYSTEM"

- 1. **Purpose**: The system is projected to be implemented in a WEB-BASED SCADA system for industry machines.
- 2. Connectivity: The connection link is using Bluetooth \*Depends on the version of the Bluetooth.
- 3. Malicious Attempt: The preventif attempt is forgery and eavesdropping.
- **4. Security Aspect**: Depends on the security of a blind signature scheme and DH (Diffie Hellman) key exchange.

# OVERVIEW PROPOSED SCHEME AND IMPLEMENTATION [1] "INSTANLY PRE-VERIFIABLE PRE-SHARED KEY EXCHANGE FOR CYBER PHYSICAL SYSTEM"




Fig. 1 System Architecture of Proposed Scheme






Fig. 2 Implementation of Proposed Scheme



### **CURRENT DESIGN**

HARDWARE DESIGN **RASPBERRY Pi Model B ZIGBEE Android Smartphone** 




### PROPOSED ACTIVITY

#### 1. Conducting Fog Computing


In practical applications, an emerging wave of internet deployment requires mobility support and location awareness. To meet these requirements, a new platform like Fog Computing is designed in.[2] Specifically, the fog is a cloud close to the "ground", and it enables applications on billions of connected devices, which are already connected in the internet of things [IoT], to run directly at the network edge.

## FIG 3. FOG COMPUTING STRUCTURE



### PURPOSE: FOG COMPUTING


• Fog Computing [3] consists of 3 key technologies (1) Belivable decoy generation and distribution technology. (2) Data leakage sensing, defending and tracing technology. (3) Anomaly behaviour modelling and mining technology.




### **ZIGBEE**

The IEEE 802 Standard is a set of networking standards for both wired and wireless network. The Most Known Wireless specifications include 802.11 (Wi-Fi), 802.15.4 (ZigBee) and 802.15.1 (Bluetooth). Currently the focus on IoT and wireless sensor / actuator communication. It needs an efficient power management plan, a low cost of production and needs to support a great number of mobiles node in a simple way. [4]

### ZIGBEE/802.15.4 ARCHITECTURE





#### REFERENCES

- [1] kohei ISOBE, Masami MOHRI, Yoshiaki SHIRAISHI, (2016) "Instantly SelfVerifiable Pre-Shared Key Exchange for Cyber-Physical Systems", in IEICE Technical Report ICSS2015-69(2016-03).
- [2] F.Bonomi, R. Milito, J.Zu, S. Addepalli, (2012) "Fog Computing and its role in the internet of things", in: Proceeding of the first edition of the MCC Workshop on Mobile Cloud Computing ACM 2012, pp 13-16.
- [3] Fei Huayu, He Jun, Wang Menglin (2016) "Research on Fog Computing Based Active Anti-Theft Technology" 8th International Conference on Advances in Information Technology, IAIT 2016, 19-22.
- [4] Amar Abane, Mehammed Daoui, Samia Bouzefrane (2017) "NDNoverZigbee: A Zigbee Support for Named Data Networking" Future Generation Computer System https://doi.org/10.1016