Effect of Wind Angle Direction on Carbon Monoxide (CO) Concentration Dispersion on Traffic Flow in Padang City

by Vera Surtia Bachtiar

Submission date: 06-Mar-2018 12:09PM (UTC+0800) Submission ID: 925875144 File name: 14-Prosiding_-_Bachtiar_2018_IOP_Conf._Ser.__Mater._Sci._Eng.pdf (1,020.08K) Word count: 3026 Character count: 15009 IOP Conference Series: Materials Science and Engineering

PAPER · OPEN ACCESS

Effect of Wind Angle Direction on Carbon Monoxide (CO) Concentration Dispersion on Traffic Flow in Padang City

To cite this article: V S Bachtiar et al 2018 IOP Conf. Ser.: Mater. Sci. Eng. 288 012146

View the article online for updates and enhancements.

This content was downloaded from IP address 180.241.245.69 on 05/02/2018 at 01:24

The 2nd Annual Applied Science and Engineering Conference (AASEC 2017) **IOP** Publishing IOP Conf. Series: Materials Science and Engineering 288 (2017) 012146 doi:10.1088/1757-899X/288/1/012146

Effect of Wind Angle Direction on Carbon Monoxide (CO) **Concentration Dispersion on Traffic Flow in Padang City**

V S Bachtiar^{1*}, P Purnawan², R Afrianita¹ and N Dahlia¹

¹Jurusan Teknik Lingkungan, Universitas Andalas, Indonesia ²Jurusan Teknik Sipil, Universitas Andalas, Indonesia

*vera sb@ft.unand.ac.id

Abstract. This study aims to analyze the relationship between CO concentration and wind direction. Wind direction in this context is the wind angle to the road on the traffic flow in Padang City. Sampling of CO concentration was conducted for 9 days at 3 monitoring points (each 3day point) representing the wind angle to the road (α) i.e. at Jend. A. Yani road (0 degrees), Andalas road (30 degrees) and Prof. Dr. Hamka road (60 degrees), using impinger and analyzed by spectrophotometer. The results of the research in the three monitoring sites showed that the concentration of CO ranged between 137.217 and 600.525 µg/Nm3. The highest and lowest concentrations respectively on Prof. Dr. Hamka road and Jend. A. Yani road. The sampling showed that CO concentrations will be decreased if wind direction is changed from perpendicular wind direction (α 90°) to α 60°, 30°, and 0° respectively by 64.62%, 37.77% and 27.09%. It can be concluded that the wind angle direction to the road affects the CO concentrations in the roadside

1. Introduction

Population in Padang City continues to grow up every year. The increase in population leads to enhance in the number of transportation. The number of motor vehicles in Padang City rise up about 39.8% between 2012 and 2014 [1]. Increasing the number of vehicles impacting air quality in Padang City, one of which enhance the concentration of carbon monoxide (CO) [2]. One of the factors affecting air pollutant concentration is meteorological factor, such as wind direction and wind speed [3]. Wind direction and wind speed determine the spread of CO from the transport sector. The dominant wind direction will carry and distribute the pollutant [4].

CO is a poisonous, colorless, odorless, and tasteless gas. Co is resulting from the incomplete burning of natural gas and any ther material containing carbon, that sources from the internal combustion engine [5]. This gas is hazardous on human respiratory health [6]. CO in formation of carboxyhemglobin (COHb) also contributes to decrease O2 level in blood system [7].

Some studies have been done to determine the CO concentration on the roadside area [8], [9], [10]. In these studies, monitoring were conducted on the roadside that are perpendicular to the dominant wind direction [2], which refers to [11]. However, it is not all off roads are perpendicular to the dominant wind direction, so it is necessary to monitor the influence of the dominant wind direction on Carbon Monoxide (CO) dispersion on roadside area.



Content from this work may be used under the terms of the Creative Commons Attribution 3.0 licence. Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI. Published under licence by IOP Publishing Ltd 1

The purpose of this research is to determine the effect of wind angle to the road, toward CO concentration in the roadside area. The wind angle to the road (hereinafter called α) used in this research are 0°, 30°, and 60°.

2. Methods

2.1 Secondary data collection

Secondary data required in this research are the map of road network of Padang City, traffic characteristic data, wind direction and wind speed data. Wind direction and wind speed were gotten from the Meteorology, Climatology and Geophysics Agency (BMKG) Padang City for years 2012-2016 which will be usefull to determine the dominant wind direction, then, this meteorological data will used as a wind angle reference point of zero degrees.

2.2 Primary data collection

Primary data collected include meteorological conditions, CO concentrations and traffic characteristics. Meteorological conditions measured are temperature (K) and air pressure (mmHg) using pocket weatherman, wind velocity (ms⁻¹) using an anemometer and wind direction using compass. Sampling of CO concentrations is conducted for 1 hour measurement. Sampling of CO was done at 3 point representing wind coming angle to road (α) (see Figure 1), namely at Jend. A. Yani Road with α is 0°, Andalas Road with α is 30° and Prof. Dr. Hamka Road with α is 60°. α values range between 0° and 90°.




Figure 1. sketches of wind angle direction to the road

Measurement of CO using impinger and CO analysis using spectrophotometer. The sampling of CO concentrations was conducted for 9 days for 3 monitoring points. Each monitoring point sampling was conducted for 3 days with measurements every 1 hour for 10 hours/day starting at 07.00- 17.00. Total samples collected for 3 points were 90 samples. Measurement of traffic characteristics including traffic volume, traffic speed and traffic density, which were carried out in conjunction with the measurement of CO concentrations. Measurement of the number of vehicles in 3 CO monitoring locations is done manually at the sampling point using counter.


2.3 Data analysis

Data analysis includes comparison of CO concentration measurement with national air quality standard, analysis of CO concentration relationship with traffic characteristics, such as traffic volume, traffic speed and traffic density. Finally, analyze the decrease in CO concentration due to changes in the wind angle to the road.

3. Results and discussion

3.1. CO concentrations and national air quality standard

The result of CO measurement can be seen in Figure 2. The highest concentration is at Prof. Dr. Hamka Road is $600,525 \ \mu g/Nm3$ and the lowest concentration is at Jend. A. Yani Road equal to $137,053 \ \mu g/Nm3$. The highest CO concentrations for the three study sites were at 16.00-17.00.






Figure 2. CO Concentrations in Three Monitoring Location

Based on [12], the maximum concentration of CO in ambient air can be tolerated by $30,000 \mu g/Nm3$ for 1-hour measurement. Based on the measurements of CO concentration at all three monitoring locations, the CO concentration is still below the standard in [12]. This means, CO on the roadside area in Padang City does not endanger human health.

3.2. Correlation analysis between co concentration and traffic characteristics and wind speed Traffic volume is one of the traffic characteristics that influences CO concentrations in the atmosphere. The correlation between CO concentration and traffic volume can be seen in Figure 3.




Figure 3. Correlation between CO Concentration and Traffic Volume

Based on Figure 3, it can be seen that the relationships between the concentration of CO in the three research sites and traffic volume are very strong, with the value of R2 on Jend. A. Yani Road is 0.9182, on Andalas Road is 0.8672 and on Prof. Dr. Hamka Road is 0.9464 respectly. Meanwhile, the R value of each location are 0.958 on Jend. A. Yani Road, 0.931 on Andalas Road and 0.973 on Prof. Dr. Hamka Road. The correlation indicates that CO concentration is directly proportional to traffic volume, it means that the higher traffic volume will bring about the higher CO concentration and vice versa [2].






Figure 4. Correlation between CO Concentration and Traffic Speed

Figure 4 show the relationship between CO concentration in the three research sites and traffic speed. It can be seen that correlations are very strong, with the value of R2 are 0.8527 (on Jend. A. Yani Road), 0.9174 (on Andalas Road) and 0.8011 (on Prof. Dr. Hamka Road). Meanwhile, R value is -0.923 on Jend. A. Yani Road, -0,958 on Andalas Road, and -0,895 on Prof. Dr. Hamka Road. R values in the three study sites indicate a strong negative correlation between CO concentration and traffic speed. This correlation shows the inverse relationship between CO concentration and traffic speed. If the vehicle speed gets higher, the CO concentration will be lower. If the vehicle speed gets higher, the CO concentration with the research conducted [13], that there is a negative strong relationship between CO concentration and traffic speed.





Figure 5. Correlation between CO Concentration and Traffic Density

Based on Figure 5, we can see the relationship between CO concentratin in the three research sites and traffic density are very strong with R2 on Jend. A. Yani Road is 0.9309, on Andalas Road is 0.9352 and on Prof. Dr. Hamka is 0.9646 respectively. Meanwhile, the r value of each location are, on Jend. A. Yani Road is 0.965, on Andalas Road is 0.967 and Prof. Dr. Hamka Road is 0.973. r values in the three study sites indicate a very strong reinforcement between CO concentration and traffic density.






Figure 6. Correlation between CO Concentration and Wind Speed

Correlation between CO concentration and wind speed is shown in Figure 6. It can be seen that the relationship between CO concentrations in the three research sites and wind speed are very strong with the value of R2 respectively are, on Jend. A. Yani Road equal to 0.8219, on Andalas Road equal to 0.8417 and on Prof. Dr. Hamka Road equal to 0.8981. At the time same, r value of each location is -0.907 on Jend. A. Yani Road, -0.917 on Andalas Road and -0.948 on Prof. Dr. Hamka. r values in the three research sites indicate a very strong negative correlation between CO gas concentration and wind speed. This correlation shows the inverse relationship between CO gas concentration and wind velocity passing through the study site. If wind speed is higher, then CO concentration will be lower. This is in accordance with the research conducted by [14] [15] [16], the relationship between wind speed and pollutant concentration is inversely proportional.

3.3. Reductions of CO concentration against α (the angle between wind direction and the road) One of the factors affecting CO concentration at vehicle emission dispersion is the angle between dominant wind direction and the road [17]. Wind angle to the road affects the level of pollution on the roadside. For more details, it can be seen in Figure 7 and Figure 8.




Figure 7. Reduction of CO Concentration against a on Traffic Volume




Figure 8. Reduction of CO Concentration against a on Traffic Density

Based on Figure 7 and Figure 8, there can be a decrease of CO concentration on traffic volume from $\alpha = 90^{\circ}$ to 60° by 27.09%, $\alpha = 90^{\circ}$ to 30° by 37.77% and $\alpha = 90^{\circ}$ to 0° by 64.62%. Meanwhile, based on traffic density $\alpha = 90^{\circ}$ to 60° equal to 22.95%, $\alpha = 90^{\circ}$ to 30° equal to 38,61% and $\alpha = 90^{\circ}$ to 0° equal to 65,50%. This means that the dominant wind angle can affect CO concentration in the roadside area [17].

4. Conclussion

The relationship of CO concentration to vehicle speed and wind speed is inversely proportional. The relationship of CO concentration to traffic volume, traffic density, and the angle of wind coming to the path (α) is directly proportional. CO concentrations at three sampling points are still below the national air quality standard. The highest concentration is obtained at the highest α (90°) and the lowest concentration is gained at the lowest α (0°). CO concentrations decreased most significantly from $\alpha = 90^{\circ}$ to $\alpha = 0^{\circ}$ is about $\pm 65\%$.

Acknowledgements

This study was funded by Directorate General of Higher Education Ministry Research, Technology and Higher Education (Kemenristek Dikti) in PUPT, under contract No. 14/UN.16.17/PP.UPT/LPPM/2017.


References

- [1] Central Bureau of Statistics of Padang City 2015 Padang in Figures 2015. www.padangkota.bps.go.id. Accessed January 28, 2017.
- [2] Bachtiar V S, Hidayat T, Purnawan P, Laksono H D 2016 Urban Scale Mapping of CO Concentrations due to the Transport Sector in Padang City *Proceeding Fourth International Conference on Sustainable Built Environment* ISSN 2541-223X
- [3] Kim K H, Lee S B, Woo D and Bae G NB 2015 Influence of Wind Direction and Speed on Transport of Particle-Bound PAHs in a Roadway Environment Atmospheric Pollution Research 6 6 1024-1034
- [4] Zhou Y and Levy J I 2007 Factors Influencing the Spatial Extent of Mobile Source Air Air Pollution Impacts: a Meta-Analysis BMC Public Health 7 89
- U S Department of Labor Occupational Safety and Health Administration 2002 What is Carbon Monoxide? https://www.osha.gov/.../data.../carbonmonoxide-factsheet.pdf Accessed: 18/08/2017.
- [6] Zhao Z, Chen R, Lin Z, Cai J, Yang Y, Yang D, Norback D and Kan H 2016 Ambient Carbon Monoxide Associated with Alleviated Respiratory Inflamation in *Healthy Young Adults*. *Enironmental Pollution* 208 Part A 294-298

The 2nd Annual Applied Science and Engineering Conference (AASEC 2017)IOP PublishingIOP Conf. Series: Materials Science and Engineering 288 (2017) 012146doi:10.1088/1757-899X/288/1/012146

- [7] Anonim 2017 Background and Enironmental Exposures to Carbon Monoxide in the United States Toxicological Profile for Carbon Monoxide. Agency for Toxic Substances and Disease Registry. https://www.atsdr.cdc.gov/ToxProfiles/tp201-c2.pdf Accessed: 18/08/2017
- [8] Mishra R K, Shukla A, Parida, M and Pandey G 2016 Urban Roadside Monitoring and Prediction of CO, NO2 and SO2 Dispersion from on-road Vehicles in Megacity Delhi *Transportation Research Part D: Transport and Environment* 46 157-165
- Lau J C, Hung W T, Yuen D D and Cheung C S 2009 Long-Memory Characteristics of Urban Roadside Air Quality *Transportation Research Part D: Transport and Environment* 14 353-359
- [10] Wang J S, Chan T L, Ning Z, Leung C W, Ceung C S and Hung W T 2006 Roadside Measurement and Prediction of CO and PM2.5 Dispersion from On-Road Vehicles in Hong Kong *Transportation Research Part D: Transport and Environment* 11 242-249
- [11] Indonesian National Standard 2005 Determination of Test Sampling Site Roadside Air Quality Monitoring
- [12] Indonesian Government Regulation No 41 1999 Air Pollution Control
- [13] Wang X, Yin H, Ge Y, Yu L, Xu Z, Shi X and Liu H 2013 On-Vehicle Emission Measurement of A Light-Duty Diesel van at Various Speeds at High Altitude Atmospheric Environment 81 263-269
- [14] Cai M, Yin F and Xie M 2009 Prediction of Hourly Air Pollutant Concentrations Near Urban Arterials Using Artificial Neural Network Approach (China: University Guangzhou)
- [15] Bachtiar V S, Raharjo S, Ruslinda Y, Hayati F and Komala D R 2015 Mapping of Ozone Gas (O3) Concentration in Padang City *Procedia Engineering* 125 291-297
- [16] Kim K H, Lee S B, Woo D and Bae G N B 2015 Influence of Wind Direction and Speed on Transport of Particle-Bound PAHs in a Roadway Environment Atmospheric Pollution Research 6 6 1024-1034
- [17] Rehimi F and Landolsi J 2013 The Impact of Traffic Dynamic and Wind Angle on Vehicular Emission Dispersion (Tunisia: Universite de Monastir)

Effect of Wind Angle Direction on Carbon Monoxide (CO) Concentration Dispersion on Traffic Flow in Padang City



Exclude quotes	On	Exclude matches	< 3%
Exclude bibliography	On		