

# INTERNATIONAL JOINT SYMPOSIUM FRONTIER IN BIOMEDICAL SCIENCES: FROM GENES TO APPLICATIONS

Secretariat: Molecular Biology Laboratory Faculty of Medicine Gajah Mada University  
Sekip Utara Yogyakarta 55281 INDONESIA Phone : +62-274-545030 Fax. : +62-274-581876/548846

No : UGM/KU/KOM.KAGAMA/ 826 /IV/10  
Lamp :  
Perihal : Pengantar Proceeding International Joint Symposium

Yogyakarta, 15 April 2010

Kepada Yth :

*Di Yth*

*Bag. Biomedis FK Universitas Andalas*

Dengan hormat,


Dalam rangka Dies Natalis Universitas Gajah Mada yang ke 59 telah diselenggarakan *International Joint Symposium* pada tanggal 24-25 November 2008 yang bertempat di Fakultas Kedokteran UGM dengan tema "*Frontier in Biomedical Sciences: From Genes to Applications*". Seminar ini merupakan kegiatan bersama antara Universitas Gajah Mada, Nara Institute Science and Technology (NAIST) Jepang dan Universiti Sains Malaysia (USM).


Maka bersama dengan surat ini kami sertakan juga buku proceeding kegiatan tersebut dengan No. ISBN 978-979-3177-70-0. Semoga buku proceeding ini dapat bermanfaat dan berguna bukan hanya bagi penulis namun siapa saja yang membacanya.

Mohon maaf atas keterlambatan pengiriman buku proceeding ini.

Atas perhatian dan kerjasamanya kami ucapkan terima kasih.

Ketua Panitia  
*International Joint Symposium*

  
dr. Ahmad Hamim Sadewa, Ph.D.



9

Proceeding of  
**International Joint Symposium**  
Frontier In Biomedical Sciences:  
From Genes to Applications  
November 24 and 25, 2008



8

Faculty of Medicine  
Gadjah Mada University  
Yogyakarta, Indonesia



UNIVERSITI SAINS MALAYSIA

9



**Faculty of Medicine**  
**Gadjah Mada University**  
Sekip Utara Yogyakarta 55281 INDONESIA  
Phone: +62-274-545030  
Fax: +62-274-581876/548846

ISBN 978-979-3177-70-0



9 789793 177700

Proceeding of  
**International Joint Symposium**  
**Frontier In Biomedical Sciences:**  
**From Genes to Applications**  
November 24 and 25, 2008

Faculty of Medicine  
Gadjah Mada University  
Yogyakarta, Indonesia



**Proceeding of International Joint Symposium 2008**

**Dean Faculty of Medicine**

Ali Ghufron Mukti

**Editor**

Arta Farmawati

Ahmad Hamim Sadewa

Mustofa

Indwiani Astuti

Tri Wibawa

Dyah Wulan Anggrahini

**ISBN: 978-979-3177-70-0**

**Published by**

Faculty of Medicine

Gadjah Mada University

Sekip Utara Yogyakarta 55281 INDONESIA

Phone: +62-274-545030

Fax: +62-274-581876/548846

## Table of contents

Background	3
Mechanisms in stepwise acquisition of differentiation potential by neural stem cells Kinichi Nakashima	7
Regulation of $\beta$ -cell development and function by Maf transcription factors Kohsuke Kataoka	14
Down-Regulation of CIBZ, A Novel Substrate of caspase-3, Induces Apoptosis Yu Oikawa, Eishou Matsuda, Tomonori Nishii, Yasumasa Ishida and Masashi Kawaichi	22
Molecular Diagnosis in Acute Leukaemia : Hospital University's experience Rosline Hassan	32
Insertion/Deletion Polymorphism of the ACE Gene In Type 2 Diabetes Mellitus at Sardjito Hospital Yogyakarta, Indonesia. Hemi Sinorita, Maliyah Madiyan, Tasmini, Ahmad Hamim Sadewa	37
The Microsatellite Polymorphism of the CYP11a Gene in Javanese Women with Polycystic Ovary Syndrome Hermanus Suhartono, Dewajani Purnomosari, H. Moh. Hakimi, Sofia Mubarika, Peter Temple Smith.	42
The Protective Effect of Vitamin E to The Sodium Selenite-Induced Cataract On Wistar Rat Pups Agung Aji Brata, Sapto Yuliani, Vivi Sofia	48
Validation of Loss of Heterozygosity (LOH) on Chromosome 18q12 Detected by Single Nucleotide Polymorphism Array (SNPA) Using Microsatellite Analysis in Childhood Acute Lymphoblastic Leukaemia (ALL) Cases Sarina Sulong, Julie Irving, Marian Case, Lynne Minto, Nick Bown, Simon Bailey, Andrew Hall	52
Detection of Mutation on katG S315T and R463L among Isoniazid Resistance Mycobacterium tuberculosis Clinical Isolates from Java Ning Rintiswati, Tri Wibawa	58
The molecular mechanism for Streptococcus intermedius intermedilysin-induced cell death in human cholangiocellular carcinoma cells Heni Susilowati, Hirohiko Okamura, Katsuhiko Hirota, Kaya Yoshida, Keiji Murakami, Atsushi Tabata, Hideaki Nagamune, Tatsuji Haneji, Yoichiro Miyake	63
CYP1A1 Polymorphisms as Genetic Susceptibility of Cancer Swandari Paramita	72

Pathogenicity Characteristic of Avian Influenza Virus Isolated from Various Poultry In 2007 to 2008 Michael Haryadi Wibowo and Khridiana Putri _____	79
Heparin-like Activity of Enzymatically Synthesized Amylose Derivatives Junichi Takahara, Shiho Hirohara, Tsuyoshi Ando, Masao Tanihara _____	86
Construction of ALA Auxotroph of Shigella flexneri 2a as a Potential Vaccine Candidate Mehru Nisha, Manickam Ravichandran, Mohd Zaki Salleh, Lau Hut Yee, Kirnpal-Kaur B.S. _____	94
Morphological Studies of Apoptotic HeLa Cells Death Induced by Eurycomanone Nurkhasanah, Azimahtol Hawariah Lope Pihie, Jalifah Latip _____	100
The Influence of Antibiotics Used to Drug Cost and Length of Stay of Paediatrics Pneumonia Patient in Purbalingga Public Hospital Didik Setiawan, Moeslich Hasanmihardja, Dewi Asiyah, _____	109
Effects of Various Parameters on Yield of 188RE-DTPA Radiopharmaceutical Kit for Therapy Kidney Muhammad Yanis Musdja _____	115
Curcumin Analogue (Pentagamavunon-0) Induces Luteal Cell Apoptosis by Increased BAX/BCL-2 Protein Ratio Restu Syamsul Hadi, Sri Kadarsih Soejono _____	121
Leptospirosis in Dr. Sardjito Teaching Hospital, Yogyakarta 2005–2007 Yanri Wijayanti Subronto _____	128
Grape (Vitis vinifera L.) Seed Effect on Lowering Serum Uric Acid Level in Gout-Animals Model: a preliminary study Sonlimar M., Sarmalina S. _____	133
Electroporation Followed by Intratumoral Injection of pcDNA3.1-p27Kip1 Mutant Type in A Salivary Parotid Gland Cancer Cell Xenograft. Supriatno _____	138
Effect of Sphingosine-1-Phosphate on Mitogen Activated Protein Kinase Cascade: a Role on Its Antiapoptotic Effect Marianti Manggau, Burkhard Kleuser _____	147
Short Communication DNA Methylation of RAR $\beta$ 2 Promotor is Epigenetic Proses on Breast Cancer Muliartha, Wibi Irawan, Fitri Armenia, Asnah _____	152
Short Communication The Application of A Proper Segmentation Method in The Analysis of Head CT-Scan Images Oky Dwi Nurhayati, Adhi Susanto _____	157
Short Communication The Effect of Morinda Citrifolia Linn Extract on Blood MDA level and Catalase Activity in Aloxan-Induced Diabetic Rat Eti Yerizel, Rauza Sukma Rita _____	162
Photo Gallery _____	165
Committee Member _____	167
Schedule _____	168

Short Communication  
The Effect of *Morinda Citrifolia*  
*Linn* Extract on Blood MDA  
level and Catalase Activity in  
Alloxan-Induced Diabetic Rat

**Eti Yerizel, Rauza Sukma Rita**  
Biochemistry Department, Medical Faculty,  
Andalas University Padang

### Introduction

Diabetes mellitus (DM) is a degenerative disease characterized by chronic hyperglycemia with increasing number of patient annually. Chronic hyperglycemia lead to increase oxydative stress which finally causes lipid peroxidation. At the end of the reaction, toxic compounds to cell such as malondialdehyde (MDA), ethane and pentana were produced. To prevent the negative effect of oxidative stress, antioxidant is required. *Morinda citrifolia linn* is one of herbal medicine crop containing antioxidant active agent commonly used by local people in West Sumatra. The effect of *M. citrifolia linn* on blood MDA level and catalase activity in alloxan-induced diabetic rat.

### Methods

This was experimental research design using rat as subjects, carried out at Biochemistry Laboratory of Medical Faculty, Pharmacology and Natural Chemical Substance Laboratories of Mathematic and Natural Science Faculty of Andalas University, Padang, West Sumatra. Subjects were twelve white rat selected at random with body weight range from 200-250 grams, divided into three groups. Negative control group was normal rat, positive control group was alloxan-induced diabetic rat without supplementation, treatment group was alloxan-induced diabetic rat received extract of *M. citrifolia linn* 500 mg/kg.bw/day for 12 days.

Fasting blood glucose level was determined by using glucometer (Gluco-DR). Blood MDA level was determined using thio barbituric acid (TBA) method and catalase activity was determined using colorimetric method. Blood was taken from rat tail.



## Data Analysis

Data analyzed with Anova using SPSS version 15.0. If there were significant difference between groups ( $p < 0,05$ ), analysis was continued with Post Hoc Test Multiple Comparison (Tukey HSD).

## Result

The level of MDA in three group shown in Table 1. Supplementation of *M. citrifolia linn* extract reduced the level of MDA so the level was lower compare with that of positive control ( $p = 0.003$ ). Post Hoc Test Multiple Comparison (Tukey HSD) showed that the difference of blood MDA level was significant between treatment group and negative and positive control group.

Tabel 1. Difference level of blood MDA (nmol/ml) in three group of research.

No	Negative Control	Positive Control	Treatment	P Value
1	3.77	5.265	4.127	
2	4.038	6.112	5.042	
3	4.594	5.332	4.662	0.003
4	4.64	5.71	4.885	
Average	4.216	5.605	4.679	
SD	0.427	0.391	0.4	

The catalase activity of three groups were shown in Table 2. There was significant difference of catalase activity these group, treatment group have the highest activity whereas control negative group has the lowest. Post Hoc Test Multiple Comparison (Tukey HSD) showed differences between control negative group with that of control positive group ( $p < 0.05$ ) and control positive group with treatment group ( $p < 0.03$ ).

Tabel 2. Difference of catalase activity (unit/mg) in the three group of research.

No	Negative Control	Positive Control	Treatment	P Value
1	6.331	5.551	6.453	
2	6.951	4.625	5.367	
3	6.412	5.138	6.843	0.003
4	6.625	4.5	6.594	
Average	6.58	4.954	6.314	
SD	0.277	0.485	0.651	

## Discussion

The average MDA blood level of negative control group has the lowest blood MDA level because at this group rat has not received any treatment. The average of blood MDA level of positive control is highest because this group received alloxan which induced the breakdown of beta cell of pancreas.

Treatment group have average MDA blood level significantly lower than that of positive control group. It indicate that by giving of *M. citrifolia linn* extract (500 mg/kg.bw/day) orally at DM rats for 12 day can reduce MDA blood level significantly. Since MDA is the end product of and a marker of oxidative stress, decrease level of MDA may represent equilibrium state between oxidant and antioxidant system.

The average of catalase activity group of negative control is normal because in this group rats has nor received treatment. The positive control group has the lowest catalase activity compared with that of two other groups because the damage pancreas beta cell result in higher blood glucose level which induced free radical production lead to lower level of antioxidant enzymes such as catalase, super oxide dismutase (SOD), and glutation peroxides (Gpx). The treatment troupe has the highest average of catalase

activity ( $p < 0,05$ ), probably due to the effect *M. citrifolia linn* extract which act as antioxidant. *M. citrifolia linn* extract contains various active substance playing important role for antioxidant, that are vitamin A, vitamin C, selenium and Fe.

## Conclusion

*M. citrifolia linn* extract reduced blood MDA level and increased catalase activity in alloxan-induced diabetic rat.

## References

1. Setiawan, B. and Suhartono, E. (2005). "Stres Oksidatif dan Peran Antioksidan pada Diabetes Melitus." *Majalah Kedokteran Indonesia*, 55, 87-90.
2. Setiawan, S., Suhartono, E., Edyson, et al. (2005). "Uji Aktivitas Antioksidan Jus Buah Mengkudu (*Morinda Citrifolia Linn*) dan Perannya Sebagai Inhibitor Advanced Glycation End Products (AGEs) Akibat Reaksi Glikosilasi." *Berkala Ilmu Kedokteran*, 37.
3. Bartosikova, L., Necas, J., Suchy, V., et al. (2003). "Monitoring of antioxidative ffect of murine in allloxan-induced Diabetes Mellitus in the Laboratory Rat." *Acta Vet Borneo* 72, 191-200.
4. Winarti, C. (2005). "Peluang Pengembangan Minuman Fungsional dari Buah Mengkudu (*Morinda Citrifolia Linn*)." *Jurnal Litbang Pertanian*, 24, 149-153.
5. McLetchie (2002). "Alloxan Diabetes, A Discovery, Albeit A Minor One." *J. Coll. Physic. Edinb.*, 2, 1.
6. Yudkin, J. S. (1992). "Effect of Vitamin C on Glycosylation of Protein." *Diabetes* 41, 167-73.

## Committee Member

### **Steering Committee**

President of Gadjah Mada University  
President of NAIST  
Senior Vice President of Education, Research and  
Community Services of Gadjah Mada University  
Vice President of NAIST  
Dean of FM-GMU  
Vice Dean of Research and Collaboration FM-GMU  
Chairman of GMU Anniversary 2008

### **Coordinator**

Ahmad Hamim Sadewa

### **Vice Coordinator**

Tri Wibawa  
Edy Meiyanto  
Murwantoko

### **Secretary**

Ika Dewi Anna  
Arta Farmawati  
Dyah Laksmi Dewi

### **Treasurer**

Mae Sri Hartati

### **Symposium**

Tri Baskoro TS  
Mustofa  
Retno Sutomo  
Endy Widya Putranto  
Beni Sulistiono  
Flandiana Yogianti  
Diannisa Ikarumi  
Paranita Ferronika  
Arum Tri Wahyuningsih  
Edwin Widyanto Daniwijaya  
Christien Fatmawati

### **Transportation and Accommodation**

Purwanto  
Merryta

### **Secretariat**

Febby Ristiyani  
Theodora Dian A.