

[Search in this journal](#)[Submit your article ↗](#)[Guide for authors ↗](#)

## The 24th CIRP Conference on Life Cycle Engineering

Edited by Shozo Takata, Yasushi Umeda, Shinsuke Kondoh

Volume 61,

Pages 1-804 (2017)

[← Previous vol/issue](#)[Next vol/issue >](#)

Receive an update when the latest issues in this journal are published

[Sign in to set up alerts](#)

### Editorial

---

Editorial *Open access*

#### Preface

Shozo Takata, Yasushi Umeda, Shinsuke Kondoh

Page 1

[Download PDF](#)

### Plenary papers

---

Research article *Open access*

#### An Integrated Framework for Life Cycle Engineering

Michael Z. Hauschild, Christoph Herrmann, Sami Kara

Pages 2-9

[Download PDF](#) Article preview 

Research article *Open access*

### The EU Circular Economy Package – Life Cycle Thinking to Life Cycle Law?

Richard Hughes

Pages 10-16

[Download PDF](#) Article preview 

Research article *Open access*

### Revolutionizing Technology Adoption for the Remanufacturing Industry

N.C.Y. Yeo, H. Pepin, S.S. Yang

Pages 17-21

[Download PDF](#) Article preview 

Research article *Open access*

### Development of 1/N Machines for Optimization of life Cycle Cost Responding to Globally Varying Production Environment

Yasuhiko Yamazaki

Pages 22-27

[Download PDF](#) Article preview 

## *Design for life cycle*


---

Research article *Open access*

### Mapping and Integrating Value Creation Factors with Life-cycle Stages for Sustainable Manufacturing

P. Bilge, S. Emec, G. Seliger, I.S. Jawahir

Pages 28-33

[Download PDF](#) Article preview 

Research article *Open access*

### Assessment of End-of-life Strategies for Automation Technology Components

Mercedes Barkmeyer, Alexander Kaluza, Nico Pastewski, Sebastian Thiede, Christoph Herrmann

Pages 34-39

[Download PDF](#) Article preview 

Research article *Open access*

### Toolbox for Increasing Resource Efficiency in the European Metal Mechanic Sector

Stefan Blume, Denis Kurle, Christoph Herrmann, Sebastian Thiede

Pages 40-45

[Download PDF](#) Article preview 

Research article *Open access*

## Product Life Cycle Planning for Sustainable Manufacturing: Translating Theory into Business Opportunities

W. Haanstra, M.E. Toxopeus, M.R. van Gerrevink

Pages 46-51

[Download PDF](#) Article preview 

Research article *Open access*

## A Case Study on Industrial Collaboration to Close Material Loops for a Domestic Boiler

M.E. Toxopeus, W. Haanstra, M.R. van Gerrevink, R. van der Meide

Pages 52-57

[Download PDF](#) Article preview 

Research article *Open access*

## Parallel Design of a Product and Internet of Things (IoT) Architecture to Minimize the Cost of Utilizing Big Data (BD) for Sustainable Value Creation

Ryan Bradley, I.S. Jawahir, Niko Murrell, Julie Whitney

Pages 58-62

[Download PDF](#) Article preview 

Research article *Open access*

## Design for Changeability: Incorporating Change Propagation Analysis in Modular Product Platform Design

Guenther Schuh, Michael Riesener, Stefan Breunig

Pages 63-68

[Download PDF](#) Article preview 

Research article *Open access*

## Using Design Requirements for Environmental Assessment of Products: A Historical Based Method

Darian Visotsky, Apurva Patel, Joshua Summers

Pages 69-74

[Download PDF](#) Article preview 

Research article *Open access*

## Sustainable Life Cycle Design Using Constraint Satisfaction Problems and Quality Function Deployment

Alexandre Popoff, Dominique Millet

Pages 75-80

[Download PDF](#) Article preview 

Research article *Open access*

## Product Redesign for Improved Value Recovery via Disassembly Bottleneck Identification and Removal

Liang Cong, Fu Zhao, John W. Sutherland

Pages 81-86

[Download PDF](#) Article preview 

Research article *Open access*

## Ecodesign and Energy Labelling: The Role of Virtual Prototyping

Daniele Landi, Andrea Capitanelli, Michele Germani

Pages 87-92

[Download PDF](#) Article preview 

Research article *Open access*

## In Pursuit of Personalization Design

Kazuki Kaneko, Yusuke Kishita, Yasushi Umeda

Pages 93-97

[Download PDF](#) Article preview 

Research article *Open access*

## Evaluation of Design Alternatives of Sensor Embedded End-of-life Products in Multiple Periods

Aditi D. Joshi, Surendra M. Gupta, Aya Ishigaki

Pages 98-103

[Download PDF](#) Article preview 

## *Life cycle simulation & management*

---

Research article *Open access*

## Complexity in a Life Cycle Perspective

Christoph J. Velte, Anja Wilfahrt, Robert Müller, Rolf Steinhilper

Pages 104-109

[Download PDF](#) Article preview 

Research article *Open access*

## A Functional Approach to Life Cycle Simulation for System of Systems

Kazune Kawakami, Shinichi Fukushige, Hideki Kobayashi

Pages 110-115

[Download PDF](#) Article preview 

Research article *Open access*

## Life Cycle Simulation of Mechanical Parts with Part Agents Considering User Behavior

Yumihito Yokoki, Hiroyuki Hiraoka

Pages 116-121

[Download PDF](#) Article preview 

Research article *Open access*

## Procedure Model for Efficient Simulation Studies which Consider the Flows of Materials and Energy Simultaneously

Johannes Stoldt, Matthias Putz

Pages 122-127

[Download PDF](#) Article preview 

Research article *Open access*

## System Lifecycle Management - An Approach for Developing Cybertronic Systems in Consideration of Sustainability Aspects

Martin Eigner, Thomas Dickopf, Hristo Apostolov

Pages 128-133

[Download PDF](#) [Article preview](#) 

Research article *Open access*

## Life Cycle Engineering and Management – Fostering the Management-orientation of Life Cycle Engineering Activities

U. Götze, P. Peças, A. Schmidt, C. Symmank, ... M. Schüller

Pages 134-139

[Download PDF](#) [Article preview](#) 

### *Lifetime*

---

Research article *Open access*

## Uncertainty in Lifespan Estimation and its Potential Impacts on our Social System

Shinsuke Murakami, Haruhisa Yamamoto, Masahiro Oguchi

Pages 140-145

[Download PDF](#) [Article preview](#) 

Research article *Open access*

## Lifetime Distribution of Buildings Decided by Economic Situation at Demolition: D-based Lifetime Distribution

Ichiro Daigo, Kohei Iwata, Masahiro Oguchi, Yoshikazu Goto

Pages 146-151

[Download PDF](#) [Article preview](#) 

Research article *Open access*

## Lifetime Analysis for Electronic Devices in Vietnam

Eiji Yamasue, Jordi Cravioto, Duc Quang Nguyen, Masahiro Oguchi, Ichiro Daigo

Pages 152-154

[Download PDF](#) [Article preview](#) 

Research article *Open access*

## Towards a Circular Economy: Exploring Routes to Reuse for Discarded Electrical and Electronic Equipment

Christine Cole, Alex Gnanapragasam, Tim Cooper

Pages 155-160

[Download PDF](#) [Article preview](#) 

Research article *Open access*

## Effect of a Reusable Unit's Physical Life Distribution on Reuse Efficiency in Environmentally Conscious Products

Susumu Okumura, Yuya Sakaguchi, Yuji Hatanaka, Kazunori Ogohara

Pages 161-165

[Download PDF](#) Article preview 

### Remanufacturing

---

Research article *Open access*

## A Collaborative End of Life platform to Favour the Reuse of Electronic Components

Marco Marconi, Claudio Favi, Michele Germani, Marco Mandolini, Marco Mengarelli

Pages 166-171

[Download PDF](#) Article preview 

Research article *Open access*

## Uncertainty Analysis of Global Reuse Monitoring

Kohei Endo, Masaaki Fuse

Pages 172-176

[Download PDF](#) Article preview 

Research article *Open access*

## A Comparison of Best Practices of Public and Private Support Incentives for the Remanufacturing Industry

T. Guidat, J. Seidel, H. Kohl, G. Seliger

Pages 177-182

[Download PDF](#) Article preview 

Research article *Open access*

## New Opportunities and Incentives for Remanufacturing by 2020's Car Service Trends

Rolf Steinhilber, Alexander Nagel

Pages 183-188

[Download PDF](#) Article preview 

Research article *Open access*

## Combined Two-dimensional Non-renewable Warranty Policy Analysis for Remanufactured Products

Ammar Y. Alqahtani, Surendra M. Gupta, Tetsuo Yamada

Pages 189-194

[Download PDF](#) Article preview 

Research article *Open access*

## Pricing Decision Models for Remanufactured Short-Life Cycle Technology Products with Generation Consideration

Liangchuan Zhou, Surendra M. Gupta, Yuki Kinoshita, Tetsuo Yamada

Pages 195-200

[Download PDF](#) Article preview 

Research article *Open access*

## Quantifying the Cannibalization Effect of Hybrid Manufacturing/Remanufacturing System in Closed-Loop Supply Chain

Takumi Nanasawa, Yasutaka Kainuma

Pages 201-205

[Download PDF](#) Article preview 

Research article *Open access*

## A Design Method of Predecisional Remanufacturing Based on Structural Similarity

Qingdi Ke, Yan Lv, Shouxu Song

Pages 206-211

[Download PDF](#) Article preview 

Research article *Open access*

## Decision Making System for Designing Products and Production Systems for Remanufacturing Activities

Hanna Nurul Ismail, Peggy Zwolinski, Guillaume Mandil, Daniel Brissaud

Pages 212-217

[Download PDF](#) Article preview 

Research article *Open access*

## Optimal Disassembly Scheduling with a Genetic Algorithm

Hideyuki Nonomiya, Yoshitaka Tanimizu

Pages 218-222

[Download PDF](#) Article preview 

Research article *Open access*

## The Advantages of Remanufacturing from the Perspective of Eco-efficiency Analysis: A Case Study

Feri Afrinaldi, Zhichao Liu, Taufik, Hong-Chao Zhang, Alizar Hasan

Pages 223-228

[Download PDF](#) Article preview 

Research article *Open access*

## A Direct Material Reuse Approach Based on Additive and Subtractive Manufacturing Technologies for Manufacture of Parts from Existing Components

Van Thao Le, Henri Paris, Guillaume Mandil, Daniel Brissaud

Pages 229-234

[Download PDF](#) Article preview 

Research article *Open access*

## A Review on In-situ Monitoring and Adaptive Control Technology for Laser Cladding Remanufacturing

Wei-Wei Liu, Zi-Jue Tang, Xu-Yang Liu, Hai-Jiang Wang, Hong-Chao Zhang

Pages 235-240

[Download PDF](#) Article preview 

Research article *Open access*

### Environmental Load Reduction by Customization for Reuse with Additive Manufacturing

Toshitake Tateno, Shinsuke Kondoh

Pages 241-244

[Download PDF](#) Article preview 

Research article *Open access*

### Interlinking Multiple Decision Variables Over Different Life Cycle Stages to Realize Effective Reuse and Recycling from a Strategic Viewpoint

Shinsuke Kondoh, Hitoshi Komoto, Keijiro Masui

Pages 245-250

[Download PDF](#) Article preview 

Research article *Open access*

### Development of a Performance Measurement System for International Reverse Supply Chains

Steffen Butzer, Sebastian Schötz, Matthias Petroschke, Rolf Steinhilper

Pages 251-256

[Download PDF](#) Article preview 

Research article *Open access*

### Key Activities, Decision Variables and Performance Indicators of Reverse Logistics

Kuldip Singh Sangwan

Pages 257-262

[Download PDF](#) Article preview 

## Recycling

---

Research article *Open access*

### Collaboration Platform for Enabling Industrial Symbiosis: Application of the By-product Exchange Network Model

Benjamin Raabe, Jonathan Sze Choong Low, Max Juraschek, Christoph Herrmann, ... Yee Shee Tan

Pages 263-268

[Download PDF](#) Article preview 

Research article *Open access*

### Comparative Study of End-of-Life Vehicle Recycling in Australia and Belgium

Vi Kie Soo, Jef Peeters, Paul Compston, Matthew Doolan, Joost R. Duflou

Pages 269-274

[Download PDF](#) Article preview 

Research article *Open access*



## Development of Resource Efficiency Index for Electrical and Electronic Equipment

Wang Juntao, Nozomu Mishima

Pages 275-280

[Download PDF](#) Article preview 

Research article *Open access*

## A Process Demonstration Platform for Product Disassembly Skills Transfer

Supachai Vongbunyong, Pakorn Vongseela, Jirad Sreerattana-aporn

Pages 281-286

[Download PDF](#) Article preview 

Research article *Open access*

## Improving Mechanical Properties of Recycled Polypropylene-based Composites Using TAGuchi and ANOVA Techniques

Yitao Zheng, Fu Gu, Yanru Ren, Philip Hall, Nicholas J. Miles

Pages 287-292

[Download PDF](#) Article preview 

### Maintenance

---

Research article *Open access*

## Continuous Improvement of Criteria for Condition-based Maintenance by Means of Effects Evaluation of Treatments

Akihiro Morimoto, Yusuke Sato, Shozo Takata

Pages 293-298

[Download PDF](#) Article preview 

Research article *Open access*

## AR-guided Product Disassembly for Maintenance and Remanufacturing

M.M.L. Chang, S.K. Ong, A.Y.C. Nee

Pages 299-304

[Download PDF](#) Article preview 

Research article *Open access*

## Immersive Augmented Reality Environment for the Teleoperation of Maintenance Robots

A.W.W. Yew, S.K. Ong, A.Y.C. Nee

Pages 305-310

[Download PDF](#) Article preview 

Research article *Open access*

## Life Cycle Management of Cutting Tools: Comprehensive Acquisition and Aggregation of Tool Life Data

Dominik Brenner, Fabian Kleinert, Joachim Imiela, Engelbert Westkämper

Pages 311-316


[Download PDF](#) Article preview 

Research article *Open access*

## A Data Driven Model for Predicting Tool Health Condition in High Speed Milling of Titanium Plates Using Real-Time SCADA

Bao Jinsong, Guangchao Yuan, Zheng Xiaohu, Zhang Jianguo, Ji Xia

Pages 317-322

[Download PDF](#) Article preview 

### *CPS for manufacturing*

---

Research article *Open access*

## Methodology for Monitoring Manufacturing Environment by Using Wireless Sensor Networks (WSN) and the Internet of Things (IoT)

Wen Li, Sami Kara

Pages 323-328

[Download PDF](#) Article preview 

Research article *Open access*

## Web-based Component Data for the Commissioning of Machine Tools

Benedikt Klee, Joerg Bauer, Hanqiu Jiang, Juergen Fleischer

Pages 329-334

[Download PDF](#) Article preview 

Research article *Open access*

## The Digital Twin: Realizing the Cyber-Physical Production System for Industry 4.0

Thomas H.-J. Uhlemann, Christian Lehmann, Rolf Steinhilper

Pages 335-340

[Download PDF](#) Article preview 

Research article *Open access*

## A Software Tool for the Analysis and Management of Resource Consumptions and Environmental Impacts of Manufacturing Plants

Claudio Favi, Michele Germani, Marco Mandolini, Marco Marconi

Pages 341-346

[Download PDF](#) Article preview 

Research article *Open access*

## Operation Mode Study in Cloud Manufacturing Ecosystem

Shengkai Chen, Shuiliang Fang, Tao Peng, Renzhong Tang

Pages 347-352

[Download PDF](#) Article preview 

Research article [Open access](#)

## Industrial Symbiosis: Exploring Big-data Approach for Waste Stream Discovery

Bin Song, Zhiquan Yeo, Paul Kohls, Christoph Herrmann

Pages 353-358

[Download PDF](#) [Article preview](#) 

---

### *Monitoring of production systems*

---

Research article [Open access](#)

## A Common Software Framework for Energy Data Based Monitoring and Controlling for Machine Power Peak Reduction and Workpiece Quality Improvements

Christoph J.H. Bauerdick, Mark Helfert, Benjamin Menz, Eberhard Abele

Pages 359-364

[Download PDF](#) [Article preview](#) 

Research article [Open access](#)

## Energy Efficiency in Machine Tool Operation by Online Energy Monitoring Capturing and Analysis

Juergen Lenz, Jan Kotschenreuther, Engelbert Westkaemper

Pages 365-369

[Download PDF](#) [Article preview](#) 

Research article [Open access](#)

## Energy Condition Perception and Big Data Analysis for Industrial Cloud Robotics

Wei Xu, Quan Liu, Wenjun Xu, Zude Zhou, ... Jiwei Hu

Pages 370-375

[Download PDF](#) [Article preview](#) 

Research article [Open access](#)

## Internet-of-Things Enabled Real-time Monitoring of Energy Efficiency on Manufacturing Shop Floors

Yee Shee Tan, Yen Ting Ng, Jonathan Sze Choong Low

Pages 376-381

[Download PDF](#) [Article preview](#) 

Research article [Open access](#)

## Internet of Things for Real-time Waste Monitoring and Benchmarking: Waste Reduction in Manufacturing Shop Floor

NG Yen Ting, TAN Yee Shee, LOW Jonathan Sze Choong

Pages 382-386

[Download PDF](#) [Article preview](#) 

---

### *Energy efficient production*

---

Research article [Open access](#)

## Energy- and Labor-aware Production Scheduling for Sustainable Manufacturing: A Case Study on Plastic Bottle Manufacturing

Xu Gong, Marlies Van der Wee, Toon De Pessemier, Sofie Verbrugge, ... Wout Joseph

Pages 387-392

[Download PDF](#) Article preview 

Research article *Open access*

## Shop-floor Life Cycle Assessment

Felipe Cerdas, Sebastian Thiede, Max Juraschek, Artem Turetsky, Christoph Herrmann

Pages 393-398

[Download PDF](#) Article preview 

Research article *Open access*

## Decision Support for Energy-saving Idle Production Facility Operations in a Production Line Based on an M2M Environment

Hironori Hibino, Kentaro Yanaga

Pages 399-403

[Download PDF](#) Article preview 

Research article *Open access*

## The Automated Evaluation of the Energy Efficiency for Machining Applications based on the Least Energy Demand

S. Kreitlein, M. Scholz, J. Franke

Pages 404-409

[Download PDF](#) Article preview 

Research article *Open access*

## Business Model for Energy Efficiency in Manufacturing

Gökan May, Dimitris Kiritsis

Pages 410-415

[Download PDF](#) Article preview 

Research article *Open access*

## Integration and Interaction of Energy Flexible Manufacturing Systems within a Smart Grid

Fabian Keller, Cedric Schultz, Peter Simon, Stefan Braunreuther, ... Gunther Reinhart

Pages 416-421

[Download PDF](#) Article preview 

Research article *Open access*

## Economic Analysis of Decentralized, Electrical- and Thermal Renewable Energy Supply for Small and Medium-Sized Enterprises

Agnes Pechmann, Maximilian Zarte

Pages 422-427

[Download PDF](#) Article preview 

Research article [Open access](#)

## Decentral Energy Control in a Flexible Production to Balance Energy Supply and Demand

Sebastian Weckmann, Timm Kuhlmann, Alexander Sauer

Pages 428-433

[Download PDF](#) [Article preview](#) 

Research article [Open access](#)

## Augmenting Energy Flexibility in the Factory Environment

Max Weeber, Christian Lehmann, Johannes Böhner, Rolf Steinhilper

Pages 434-439

[Download PDF](#) [Article preview](#) 

Research article [Open access](#)

## Increasing Energy Efficiency in Production Environments Through an Optimized, Hybrid Simulation-based Planning of Production and Its Periphery

Thomas Sobottka, Felix Kamhuber, Wilfried Sihn

Pages 440-445

[Download PDF](#) [Article preview](#) 

### *Planning and evaluation of sustainable production systems*

---

Research article [Open access](#)

## Production Flow Analysis through Environmental Value Stream Mapping: A Case Study of Cover Glass Manufacturing Facility

Yuchu Huang, Masayoshi Tomizuka

Pages 446-450

[Download PDF](#) [Article preview](#) 

Research article [Open access](#)

## Using Graph-based Visualizations to Explore Key Performance Indicator Relationships for Manufacturing Production Systems

Michael P. Brundage, William Z. Bernstein, K.C. Morris, John A. Horst

Pages 451-456

[Download PDF](#) [Article preview](#) 

Research article [Open access](#)

## Sustainability Performance Indicators at Shop Floor Level in Large Manufacturing Companies

Mats Zackrisson, Martin Kurdve, Sasha Shahbazi, Magnus Wiktorsson, ... Andreas Myrelid

Pages 457-462

[Download PDF](#) [Article preview](#) 

Research article [Open access](#)

## Adoption of Integrated Lean-Green-Agile Strategies for Modern Manufacturing Systems

Varinder Kumar Mittal, Rahul Sindhwani, Vivek Kalsariya, Faizan Salroo, ... Punj Lata Singh

Pages 463-468

[Download PDF](#) Article preview 

Research article *Open access*

Utilizing Gaming Technology for Simulation of Urban Production

Max Juraschek, Christoph Herrmann, Sebastian Thiede

Pages 469-474

[Download PDF](#) Article preview 

Research article *Open access*

A Generic Sankey Tool for Evaluating Energy Value Stream in Manufacturing Systems

Wen Li, Sebastian Thiede, Sami Kara, Christoph Herrmann

Pages 475-480

[Download PDF](#) Article preview 

### *Production planning and control*

---

Research article *Open access*

Simulation-based Assessment of Segmentation and Control Strategies within Multi-variant Productions

Steffen Butzer, Sebastian Schötz, Andreas Kruse, Anna-Sophie Freytag, Rolf Steinhilper

Pages 481-486

[Download PDF](#) Article preview 

Research article *Open access*

Benefit Oriented Production Data Acquisition for the Production Planning and Control

Christina Reuter, Felix Brambring, Thomas Hempel, Phil Kopp

Pages 487-492

[Download PDF](#) Article preview 

Research article *Open access*

Cycle-oriented Evaluation of Production Technologies: Extending the Model of the Production Cycle

Christian Dengler, Alexander Schönmann, Boris Lohmann, Gunther Reinhart

Pages 493-498

[Download PDF](#) Article preview 

Research article *Open access*

Generation of Planned Orders and their Matching with Customer Orders in Multi-variant Series Production

Jens Buergin, Julian Beisecker, Sebastian Fischer, Bettina Geier, ... Gisela Lanza

Pages 499-504

[Download PDF](#) Article preview 

Research article *Open access*

## Ensuring Time-saving and Effective Production Planning by Prioritizing Activities based on Company-specific Validation Success Rates

Tobias Steinhäusser, Gunther Reinhart

Pages 505-510

[Download PDF](#) [Article preview](#) 

*Sustainable production processes*

---

Research article *Open access*

## Energy and Cost Estimation of a Feature-based Machining Operation on HRSA

A.E. Bonilla Hernández, Tomas Beno, Claes Fredriksson

Pages 511-516

[Download PDF](#) [Article preview](#) 

Research article *Open access*

## Optimization of Machining Parameters for Improving Energy Efficiency using Integrated Response Surface Methodology and Genetic Algorithm Approach

Kuldip Singh Sangwan, Girish Kant

Pages 517-522

[Download PDF](#) [Article preview](#) 

Research article *Open access*

## Energy-Efficient Cutting Parameters Determination for NC Machining with Specified Machining Accuracy

Dawei Liu, Wei Wang, Lihui Wang

Pages 523-528

[Download PDF](#) [Article preview](#) 

Research article *Open access*

## Multi-objective Tool Sequence Optimization in 2.5D Pocket CNC Milling for Minimizing Energy Consumption and Machining Cost

Lei Wu, Congbo Li, Ying Tang, Qian Yi

Pages 529-534

[Download PDF](#) [Article preview](#) 

Research article *Open access*

## Embodied Energy in Dry Cutting under Consumption of Tool and Materials

Z.Y. Liu, Y.B. Guo, H.J. Cao, G.Y. Zhao, Z.Q. Liu

Pages 535-540

[Download PDF](#) [Article preview](#) 

Research article *Open access*

## Quantifying the Uncertainty Associated with the Material Properties of a Natural Fiber

Sweety Shahinur, AMM Sharif Ullah

Pages 541-546

[Download PDF](#) Article preview 

Research article *Open access*

## An Improved Energy Matching Method to Utilize the Potential Energy of Large-sized Hydraulic Press at Multi-system Level

Lei Li, Haihong Huang, Xinyu Li, Zhifeng Liu

Pages 547-552

[Download PDF](#) Article preview 

Research article *Open access*

## Substitution of Coolant by Using a Closed Internally Cooled Milling Tool

E. Uhlmann, H. Riemer, D. Schröter, F. Sammler, S. Richarz

Pages 553-557

[Download PDF](#) Article preview 

Research article *Open access*

## Functional and Environmental Evaluation of Alternative Disinfection Methods for Cutting Fluids

Nadine Madanchi, Sebastian Thiede, Christoph Herrmann

Pages 558-563

[Download PDF](#) Article preview 

Research article *Open access*

## Energy Efficient Cutting Fluid Supply: The Impact of Nozzle Design

Nadine Madanchi, Marius Winter, Sebastian Thiede, Christoph Herrmann

Pages 564-569

[Download PDF](#) Article preview 

Research article *Open access*

## Qualification of Aqueous Part Cleaning Machines for the Use of Waste Heat in Industrial Production Companies

Felix Junge, Eberhard Abele, Florian Vogel

Pages 570-575

[Download PDF](#) Article preview 

Research article *Open access*

## Highly Iterative Product Development Within The Tool and Die Making Industry

Günther Schuh, Michael Salmen, Thomas Kuhlmann, Jan Wiese

Pages 576-581

[Download PDF](#) Article preview 



---

[< Previous vol/issue](#)

[Next vol/issue >](#)

ISSN: 2212-8271

Copyright © 2021 Elsevier B.V. All rights reserved



Copyright © 2021 Elsevier B.V. or its licensors or contributors.  
ScienceDirect® is a registered trademark of Elsevier B.V.





Ads by Google

Stop seeing this ad

Why this ad? ⓘ

# Procedia CIRP

## COUNTRY

Netherlands



Universities and research institutions in Netherlands

## SUBJECT AREA AND CATEGORY

Engineering  
Control and Systems  
Engineering  
Industrial and Manufacturing  
Engineering

## PUBLISHER

Elsevier BV

## H-INDEX

# 65

## PUBLICATION TYPE

Conferences and Proceedings

## ISSN

22128271

## COVERAGE

2012-2020

**The Results Are In**

CrowdStrike received the highest possible score in 11 criteria.

CrowdStrike®

Open

## INFORMATION

[Homepage](#)

[How to publish in this journal](#)

SCOPE

Procedia CIRP is an open access product focusing entirely on publishing high quality proceedings from CIRP conferences, enabling fast dissemination so that conference delegates can publish their papers in a dedicated online issue on ScienceDirect.

Join the conversation about this journal



Ads by Google

Stop seeing this ad

Why this ad? ⓘ




Ads by Google


Stop seeing this ad

Why this ad? ⓘ

SJR



Total Documents







Total Cites

Self-Cites



Citations per document





**Procedia CIRP**

Not yet assigned quartile

**SJR 2020**  
0.68

powered by scimagojr.com

← Show this widget in your own website


Just copy the code below and paste within your html code:

```
<a href="https://www.scimagojr.com" data-bbox="612 536 757 550">
```

### SCImago Graphica

Explore, visually communicate and make sense of data with our **new free tool**.

Get it



Metrics based on Scopus® data as of April 2021

M **Marva** 4 months ago

Home &gt; Organization

[> Home](#)[> At a Glance](#)[> Call for Participation](#)[> Important Dates](#)[> Submission](#)[> Registration](#)

Organization

[> Venue](#)[> Plenary Lectures](#)[> Program](#)[> Industrial Tour](#)[> Social Program](#)[> Accommodation](#)[> Travel Information](#)[> Contact](#)[> Satellite Seminar  
\(in Japanese\)](#)

## Organization

### Organizers

#### Main Organizer

- [CIRP \(The International Academy for Production Engineering\)](#)

#### Co-organizers

- [Life Cycle Engineering Technical Committee, The Japan Society for Precision Engineering \(JSPE\)](#)
- [The Institute of Life Cycle Assessment, Japan](#)
- [Union of EcoDesigners](#)
- [The Society of Plant Engineers Japan](#)

### Sponsors

#### Gold Sponsors

- [DENSO CORPORATION](#)
- [DMG MORI CO., LTD.](#)
- [Mazak Foundation](#)

#### Financial Supports

- [The Japan World Exposition 1970 Commemorative Fund](#)
- [JSPS Grant-in-Aid for Publication of Scientific Research Results](#)

### Advisory Committee

- Prof. Tamio Arai, Shibaura Institute of Technology / JP
- Mr. Akira Ikeda, Shin-Etsu Denso Co., Ltd. / JP
- Prof. Shuji Owada, Waseda University / JP
- Mr. Koshi Kamigaki, Canon Inc. / JP
- Dr. Hideki Kidohshi, The Japan Research Institute, Ltd. / JP
- Prof. Fumihiko Kimura, The University of Tokyo / JP
- Mr. Koichi Shobatake, TCO2 Co., Ltd. / JP
- Mr. Akira Tateno, IHI Corporation / JP
- Mr. Kenichi Nakajima, Re-Tem Corporation / JP
- Dr. Nobuo Nakamura, a-Socca, Inc. / JP
- Mr. Osamu Namikawa, Hitachi, Ltd. / JP
- Mr. Yuji Noritake, Ricoh Company Ltd. / JP
- Dr. Komei Halada, National Institute for Materials Science / JP
- Mr. Katsumi Fujisaki, Mitsubishi Electric Corporation / JP
- Mr. Makoto Fujishima, DMG Mori Co., Ltd. / JP
- Dr. Shigeru Hosono, NEC Corporation / JP
- Mr. Masanori Minamio, Panasonic Corporation / JP
- Mr. Toshiyuki Muraki, Yamazaki Mazak Corporation / JP
- Mr. Yasuhiko Yamazaki, DENSO Corporation / JP
- Mr. Atsushi Yokoyama, East Japan Railway Company / JP

### International Scientific Committee

- Prof. Reiner Anderl / DE
- Dr. Olga Battaia / FR
- Dr. Thomas Bauer / DE
- Dr. Stefan Braunreuther / DE
- Prof. Daniel Brissaud / FR
- Assoc. Prof. Patricia Ong / SG
- Dr. Tao Peng / CN
- Prof. Shahin Rahimifard / UK
- Prof. Gunther Reinhart / DE
- Prof. Tomohiko Sakao / SE

- Prof. Peter Butala / SI
- Prof. Wim Dewulf / BE
- Prof. Joost Duflou / BE
- Prof. Jorg Franke / DE
- Assoc. Prof. Karl Haapala / US
- Assoc. Prof. Tatsunori Hara / JP
- Prof. Michael Hauschild / DK
- Prof. Christoph Herrmann / DE
- Prof. Sami Kara / AU
- Prof. Fumihiko Kimura / JP
- Prof. Dimitris Kiritsis CH
- Dr. Hitoshi Komoto / JP
- Dr. Sinsuke Kondoh / JP
- Prof. Gisela Lanza / DE
- Dr. Wen Li / AU
- Prof. Terje Lien / NO
- Prof. Mattias Lindahl / SE
- Prof. Paul Mativenga / GB
- Prof. Marion Merklein / DE
- Assoc. Prof. Nariaki Nishino / JP
- Prof. Kuldip Singh Sangwan / IN
- Prof. Johannes Schilp / DE
- Prof. Robert Schmitt / DE
- Dr. Christian Seidel / DE
- Prof. Yoshiki Shimomura / JP
- Dr. Bin Song / SG
- Prof. Rolf Steinhilper / DE
- Prof. Frank Straube / DE
- Dr. Erik Sundin / SE
- Prof. John Sutherland / US
- Prof. Shozo Takata / JP
- Dr. Sebastian Thiede / DE
- Prof. Tullio Tolio / IT
- Prof. Yasushi Umeda / JP
- Dr. Supachai Vongbunyong / TH
- Prof. Lihui Wang / SE
- Prof. Suiran Yu / CN
- Assoc. Prof. Chris Yuan / US
- Assoc. Prof. Fu Zhao / US

---

#### Honorary Conference Chair

- Prof. Hiroyuki Yoshikawa

---

#### Conference Chair

- Prof. Shozo Takata

---

#### Organizing Committee Chair

- Prof. Yasushi Umeda

---

#### Organizing Committee

- |                                       |                                |
|---------------------------------------|--------------------------------|
| • Dr. Shinsuke Kondoh (Program Chair) | • Prof. Toshiya Kaihara        |
| • Dr. Yusuke Kishita (Secretary)      | • Prof. Hideki Kobayashi       |
| • Dr. Hitoshi Komoto (Secretary)      | • Dr. Keijiro Masui            |
| • Assoc. Prof. Shinichi Fukushige     | • Dr. Mitsutaka Matsumoto      |
| • Mr. Katsumi Fujisaki                | • Prof. Nozomu Mishima         |
| • Assoc. Prof. Tatsunori Hara         | • Assoc. Prof. Nariaki Nishino |
| • Prof. Hiroyuki Hiraoka              | • Dr. Tomomi Nonaka            |
| • Assoc. Prof. Masato Inoue           | • Prof. Yoshiki Shimomura      |

---

PAGE TOP



# Document details

1 of 1

Export Download More... >

Procedia CIRP

Volume 61, 2017, Pages 223-228

24th CIRP Conference on Life Cycle Engineering, CIRP LCE 2017; Kamakura; Japan; 8 March 2017 through 10 March 2017; Code 127797

## The Advantages of Remanufacturing from the Perspective of Eco-efficiency Analysis: A Case Study (Conference Paper) (Open Access)

Afrinaldi, F., Liu, Z., Taufik, Zhang, H.-C., Hasan, A.

View additional authors >

Save all to author list

<sup>a</sup>Department of Industrial Engineering, Andalas University, Limau Manis, Padang, 25163, Indonesia

<sup>b</sup>School of Mechanical Engineering, Dalian University of Technology, Liaoning, China

<sup>c</sup>Department of Industrial Engineering, Texas Tech University, Lubbock, TX 79409, United States

View additional affiliations >

### Abstract

This paper presents a comparison of the eco-efficiency of a newly manufactured cylinder block and the eco-efficiency of a remanufactured cylinder block. For the environmental dimension, global warming potentials (GWP) of the cylinder blocks are considered and measured using life cycle assessment (LCA) methodology. For the economic perspective, the prices of the cylinder blocks are taken into account. The eco-efficiency portfolio of the cylinder blocks is constructed through a series of normalization processes. It is found that the remanufactured cylinder block results in a 90% reduction in GWP and a 39% reduction in cost. The value of the GWP to cost relation (R-value) of the cylinder blocks is 0.44 and indicates that cost is more important than GWP by about a factor of 2. Furthermore, the eco-efficiency portfolio shows that the remanufactured cylinder block has a better eco-efficiency by about 62%, if compared to the eco-efficiency of the newly manufactured cylinder block. This study supports the claim stating that remanufacturing is a better end-of-life option in reducing the environmental and economic impacts of products. © 2017 The Authors.

### SciVal Topic Prominence ⓘ

Topic: Global Warming Potential | Cogeneration Plants | Power Markets

Prominence percentile: 35.090 ⓘ

### Author keywords

cost eco-efficiency global warming manufacturing remanufacturing

### Indexed keywords

Engineering controlled terms: Costs Cylinder blocks Cylinders (shapes) Efficiency Global warming Manufacture

### Cited by 5 documents

van Loon, P., Diener, D., Harris, S.

Circular products and business models and environmental impact reductions: Current knowledge and knowledge gaps

(2021) *Journal of Cleaner Production*

Zhang, X., Zhang, M., Zhang, H.

A review on energy, environment and economic assessment in remanufacturing based on life cycle assessment method

(2020) *Journal of Cleaner Production*

Chen, X., Cao, J., Kumar, S.

Government regulation and enterprise decision in China remanufacturing industry: evidence from evolutionary game theory

(2020) *Energy, Ecology and Environment*

View details of all 5 citations

Inform me when this document is cited in Scopus:

Set citation alert > Set citation feed >

### Related documents

Find more related documents in Scopus based on:

Authors > Keywords >

Engineering uncontrolled terms

- Eco-efficiency
- Eco-efficiency analysis
- Economic perspective
- End-of-life options
- Environmental and economic impacts
- Global warming potential
- Normalization process
- remanufacturing

Engineering main heading:

- Life cycle

ISSN: 22128271

Source Type: Conference Proceeding

Original language: English


DOI: 10.1016/j.procir.2016.11.161

Document Type: Conference Paper

Volume Editors: Umeda Y., Kondoh S., Takata S.

Sponsors: Denso, DMG MORI, Mazak Foundation

Publisher: Elsevier B.V.

 Afrinaldi, F.; Department of Industrial Engineering, Andalas University, Limau Manis, Padang, Indonesia;

© Copyright 2017 Elsevier B.V., All rights reserved.

## About Scopus

- What is Scopus
- Content coverage
- Scopus blog
- Scopus API
- Privacy matters

## Language

- 日本語に切り替える
- 切换到简体中文
- 切换到繁體中文
- Русский язык

## Customer Service

- Help
- Contact us

ELSEVIER

[Terms and conditions](#) ↗ [Privacy policy](#) ↗

Copyright © Elsevier B.V. ↗. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

We use cookies to help provide and enhance our service and tailor content. By continuing, you agree to the use of cookies.

 RELX





# LCE-Kamakura

*by* Feri Afrinaldi

---

**Submission date:** 25-Feb-2021 01:56PM (UTC+0800)

**Submission ID:** 1517711554

**File name:** 1-s2.0-S221282711631321X-main.pdf (134.19K)

**Word count:** 3920

**Character count:** 21248

## The advantages of remanufacturing from the perspective of eco-efficiency analysis: A case study

Feri Afrinaldi<sup>a,\*</sup>, Zhichao Liu<sup>b,c</sup>, Taufik<sup>a</sup>, Hong-Chao Zhang<sup>c</sup>, Alizar Hasan<sup>a</sup>

<sup>a</sup>Department of Industrial Engineering, Andalas University, Limau Manis, Padang, 25163, Indonesia

<sup>b</sup>School of Mechanical Engineering, Dalian University of Technology, Liaoning, China

<sup>c</sup>Department of Industrial Engineering, Texas Tech University, Lubbock, TX, 79409, USA

\*Corresponding author. Tel.: +62-812-87291352; fax: +62-751-72566. E-mail address: [feri\\_afrinaldi@ft.unand.ac.id](mailto:feri_afrinaldi@ft.unand.ac.id)

### Abstract

This paper presents a comparison of the eco-efficiency of a newly manufactured cylinder block and the eco-efficiency of a remanufactured cylinder block. For the environmental dimension, global warming potentials (GWP) of the cylinder blocks are considered and measured using life cycle assessment (LCA) methodology. For the economic perspective, the prices of the cylinder blocks are taken into account. The eco-efficiency portfolio of the cylinder blocks is constructed through a series of normalization processes. It is found that the remanufactured cylinder block results in a 90% reduction in GWP and a 39% reduction in cost. The value of the GWP to cost relation ( $R$ -value) of the cylinder blocks is 0.44 and indicates that cost is more important than GWP by about a factor of 2. Furthermore, the eco-efficiency portfolio shows that the remanufactured cylinder block has a better eco-efficiency by about 62%, if compared to the eco-efficiency of the newly manufactured cylinder block. This study supports the claim stating that remanufacturing is a better end-of-life option in reducing the environmental and economic impacts of products.

© 2017 The Authors. Published by Elsevier B.V. This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

Peer-review under responsibility of the scientific committee of the 24th CIRP Conference on Life Cycle Engineering

**Keywords:** cost; eco-efficiency; global warming; manufacturing; remanufacturing

### 1. Introduction

Human activities have a major contribution to greenhouse gases emission. US EPA [1] reported that industrial sector has contributed around 19% to the global level of greenhouse gases emission. According to Afrinaldi et al. [2], among the sector of industry, automotive industry has received more attention.

Using life cycle assessment (LCA) methodology, Li et al. [3] showed that diesel engine manufacturing has a contribution of 51% to the global warming potential (GWP) of the pre-consumer stages (mining, raw materials production, and engine manufacturing) of the life cycle of the engine. Jiang et al. [4] used input-output life cycle assessment (I/O LCA) to measure the environmental impact of diesel engine manufacturing process. Similar to [3], Jiang et al. found that,

among the pre-consumer stages, the manufacturing process accounts for around 44% of total CO<sub>2</sub> emission.

To reduce and ease the environmental impact of the manufacturing process of automotive products, remanufacturing is regarded as one of the best solutions. Remanufacturing is a series of processes, involving disassembly, cleaning, inspection, and repair, aiming to restore the functionality of products that have reached their end-of-life [5]. The environmental benefits of remanufacturing in the automotive sector have been reported by many researchers.

Sutherland et al. [6] found that by remanufacturing a diesel engine, a 90% reduction in energy consumption can be obtained. Dias et al. [7] also reported that 74% and 40% reductions in CO<sub>2</sub> emission and energy consumption, respectively, are resulted from remanufacturing a diesel engine. According to Liu et al. [8], diesel engine

remanufacturing results in a 67% savings in global warming potential (GWP).

Research has also indicated that remanufacturing has a significant benefit from the economic standpoint. Smith and Keoleian [9] reported that the price of remanufactured engine parts is about 30% - 53% lower than the price of the newly manufactured engine parts. Similarly, Deng et al. [10] also found that that remanufacturing process results in an up to 50% cost savings.

From the above literature, it can be seen that most research compared the economic and environmental benefits of remanufacturing as a separate dimension. This paper aims to integrate and simultaneously compare the economic and environmental benefits of the remanufacturing process of automotive products in an efficiency portfolio. The products being compared are a newly manufactured and a remanufactured diesel engine cylinder block.

The eco-efficiency portfolio of the cylinder blocks is constructed through a series of normalization processes. For the environmental perspective, GWP of the cylinder blocks are considered and measured using LCA methodology. For the economic dimension, the prices of the cylinder blocks are taken into account. Finally, a single value representing a combined economic-environmental benefit achieved from remanufacturing a cylinder block is presented.

## 2. Materials and Methods

### 2.1. Goal and scope definition

The goal of this study is to compare the eco-efficiency performance of a newly manufactured and a remanufactured cylinder block. The weight of the cylinder block is 260 kg and made of cast iron. The engine using the cylinder block is a WD615 diesel engine produced in China.


The manufacturing and remanufacturing processes being considered in this study are presented in Fig. 1 and 2, respectively. All processes depicted in the figures occur in China. Producing a new cylinder block and remanufacturing an old cylinder block are the functional units of this study.

Fig. 1 presents that the processes of making a new cylinder block starts with iron ore as raw material and proceeds through sintering, blast furnace, induction molding, casting, and ends with machining. The processes of preparing mold and core are not considered in this study. Furthermore, the transportation activities between processes included in Fig. 1 are also excluded from the analysis. From Fig. 2, it can be seen that the remanufacturing process is preceded by pyrolysis, shot blasting, and cleaning and followed by another cleaning and ended with inspection. Similar to the manufacturing process, transportation activities between processes involved in Fig. 2 are excluded from this study.

### 2.2. Life cycle inventory analysis


The inventory data of producing a new cylinder block are presented in Table 1. The inventory data related to iron ore production, sintering, blast furnace, and induction melting are calculated based on [11,12,13,14]. However, the emission

data for machining processes are generated using GaBi® software based on the information on electricity consumption provided by the manufacturer. According to the manufacturer, the price of a newly manufactured cylinder block is US\$1,346.



Legend: ---- boundary of the study

Fig. 1. Cylinder block manufacturing process



Legend: ---- boundary of the study

Fig. 2. Cylinder block remanufacturing process

In Table 2, the inventory data for cylinder block remanufacturing are presented. Based on the energy consumption information provided by the remanufacturer, the emission data of the remanufacturing process are generated using GaBi® software. According to the remanufacturer, the price of a remanufactured cylinder block is US\$825.

### 2.3. Life cycle impact assessment

According to ISO 14040 [15], life cycle impact assessment has the following mandatory steps: impact category selection, classification, and characterization. The environmental impact category analyzed in this study is the global warming effect of manufacturing and remanufacturing a cylinder block. In the classification step, items in the life cycle inventory tables contributing to the global warming are identified and grouped together. Global warming potential characterization factors for a 100-year time horizon (GWP100) of the IPCC 2007/2001 model [16] are utilized. For the economic dimension, the prices of the cylinder blocks are used to represent their economic impacts.

Additionally, a normalization step is also performed. Since all processes occur in China, then Chinese GWP and GDP per capita in 2012 are used as the normalization reference values. According to the World Bank [17,18], Chinese GWP per capita in 2012 is 9,221 kg CO<sub>2</sub>-eq. and GDP per capita in 2012 is US\$11,220.

Table 1. Life cycle inventory for cylinder block manufacturing

Item	Quantity	Unit
<i>Input</i>		
Energy and fuels		
Coke	150.94	kg
Diesel fuel	6.06E-02	kg
Electricity	420.96	kWh
Pulverized coal	3.16	kg
Materials		
Active lime	23.99	kg
Dolomite	3.74	kg
Iron ore	288.38	kg
Limestone	8.41	kg
Pellets	170.65	kg
Water	1683.79	m <sup>3</sup>
<i>Output</i>		
Emissions to air		
CH <sub>4</sub>	1.11	kg
CO	9.12	kg
CO <sub>2</sub>	685.10	kg
N <sub>2</sub> O	1.78E-02	kg
NH <sub>3</sub>	9.23E-01	kg
NO <sub>x</sub>	6.042	kg
SO <sub>2</sub>	1.64	kg
Product		
New cylinder block	260.00	kg

### 2.4. Eco-efficiency analysis

According to Kicherer et al. [19], eco-efficiency is a cross efficiency measure relating the environmental impacts of products and their economic values. It can be interpreted as the environmental impact level of a product per its netary value. Eco-efficiency focuses on compromising economic

benefits and environmental performance and its objective is to maximize economic benefits and minimize environmental impact [10]. The steps and equations presented in Kicherer et al. [19] are followed to construct the eco-efficiency portfolio of the cylinder blocks.

Table 2. Life cycle inventory for cylinder block remanufacturing

Item	Quantity	Unit
<i>Input</i>		
Energy and fuels		
Diesel fuel	7.50	kg
Electricity	46.00	kWh
Materials		
Cast iron	9.00	kg
Water	3.750	kg
Old cylinder block	±260.00	kg
<i>Output</i>		
Emissions to air		
CH <sub>4</sub>	1.22E-01	kg
CO	1.78E-01	kg
CO <sub>2</sub>	67.24	kg
N <sub>2</sub> O	1.95E-03	kg
NH <sub>3</sub>	1.79E-04	kg
NO <sub>x</sub>	7.41E-01	kg
SO <sub>2</sub>	1.51E-02	kg
Product		
Remanufactured cylinder block	260.00	kg

The steps and equations are the following [19]:

Step 1: Calculate the relation between GWP and cost using equation (1).

$$R_{GWP,C} = \frac{\sum_{i=1}^n NGWP_i / n}{\sum_{i=1}^n NC_i / n} \quad (1)$$

Step 2: Calculate the portfolio positions using equations (2) and (3).

$$PP_{GWP,i} = \frac{NGWP_i}{\sum_{i=1}^n NGWP_i / n} \quad (2)$$

$$PP_{C,i} = \frac{NC_i}{\sum_{i=1}^n NC_i / n} \quad (3)$$

Step 3: Calculate the corrected portfolio positions using equations (4) and (5) and plot the corrected portfolio positions. The plot is known as an eco-efficiency portfolio and its structure is presented in Fig. 3. In the figure, two products are used as the illustration. From the plot, it is known

that product 1 has a better eco-efficiency performance than product 2 because product 1 is located in the more favorable region (lower  $PP'_{GWP}$  and  $PP'_C$  and have a shorter distance to the origin).

$$PP'_{GWP,i} = \frac{\sum_{j=1}^n PP_{GWP,j} / n + \left( PP_{GWP,i} - \sum_{j=1}^n PP_{GWP,j} / n \right) \sqrt{R_{GWP,C}}}{\sum_{j=1}^n PP_{GWP,j} / n} \tag{4}$$

$$PP'_{C,i} = \frac{\sum_{j=1}^n PP_{C,j} / n + \left( PP_{C,i} - \sum_{j=1}^n PP_{C,j} / n \right) \sqrt{R_{GWP,C}}}{\sum_{j=1}^n PP_{C,j} / n} \tag{5}$$

where:

- $i$  = index for the  $i$ th product
- $n$  = number of products being analyzed
- $NGWP_i$  = normalized GWP for the  $i$ th product
- $NC_i$  = normalized cost for the  $i$ th product
- $R_{GWP,C}$  = the relation between GWP and cost
- $PP_{GWP,i}$  = portfolio position for the GWP of the  $i$ th product
- $PP_{C,i}$  = portfolio position for the cost of the  $i$ th product
- $PP'_{GWP,i}$  = corrected portfolio position for the GWP of the  $i$ th product
- $PP'_{C,i}$  = corrected portfolio position for the cost of the  $i$ th product




Fig. 3 Structure of eco-efficiency portfolio

3. Results and discussion

According to the inventory data, it is concluded that by remanufacturing a cylinder block, a 94% savings in energy consumption is obtained. The calculation is done using the energy content and quantity of fuels used in manufacturing and remanufacturing processes. To produce 9 kg cast iron used in the remanufacturing process, approximately a total of 9.3 kg iron ore is required. It means that approximately a 97% savings in iron ore, active lime, dolomite, limestone, and

pellets consumptions is achieved. Cylinder block remanufacturing processes also results in a 57% reduction in water consumption. For the air emissions, 89%, 98%, 90%, 89%, 99%, 88%, and 99% reductions in the amount of CH<sub>4</sub>, CO, CO<sub>2</sub>, N<sub>2</sub>O, NH<sub>3</sub>, NO<sub>x</sub>, and SO<sub>2</sub> emissions are also resulted.

Using GWP characterization factors for a 100-year time horizon, it is found that total GWP of a cylinder block manufacturing process is 711.38 kg CO<sub>2</sub> eq. and GWP of a cylinder block remanufacturing process is 69.95 kg CO<sub>2</sub> eq., which means that the remanufacturing process results in a 90% reduction in GWP. From the economic perspective, a savings of 39% is also achieved by remanufacturing a cylinder block.

Dividing the GWPs and prices of the newly manufactured and remanufactured cylinder blocks with the GWP and GDP per capita of China, the normalized GWP and cost of the cylinder blocks are the following:

- $NGWP_{New}$  = 0.08 inhabitant
- $NGWP_{Remanufactured}$  = 0.01 inhabitant
- $NC_{New}$  = 0.12 inhabitant
- $NC_{remanufactured}$  = 0.07 inhabitant

Using equations (1) - (5), the portfolio positions of the cylinder blocks are presented in Fig. 4.




Fig. 4 Eco-efficiency portfolio of the cylinder block

From the above figure, it is clear that the remanufactured cylinder block has a better eco-efficiency performance. Since the objective is to minimize GWP and cost, then the origin of the plot is the ideal position and the distance from the plotting point to the origin indicates the eco-efficiency index of the cylinder blocks. The distance from the plotting point to the origin for the remanufactured cylinder block is 0.78 and the distance for the newly manufactured cylinder block is 2.06. It means that the remanufactured cylinder block has a better eco-efficiency performance by about 62%. The value of the relation between GWP and cost for the above plot is  $R_{GWP,C} = 0.44$ , which means that, in this case study, cost is more important than GWP by about a factor of 2.

In order to generalize the eco-efficiency performance of the remanufactured cylinder block, a sensitivity analysis is conducted. The focus of the analysis is the effect of the

change in the location of the manufacturing and remanufacturing processes. This implies that the reference values for the normalization process will also be changed. Due to the lack of data, the analysis assumes that the economic impact and GWP of the cylinder blocks do not change. Three scenarios are compared in the analysis:

- Scenario 1: The processes occur in lower-middle-income country and Indonesia is selected.
- Scenario 2: The processes occur in upper-middle-income country and China is selected.
- Scenario 3: The processes occur in high-income country and the U.S is selected.

The country classification is made according to the World Bank country and lending groups [20]. Note that the eco-efficiency analysis for scenario 2 is the original case study discussed in this paper and the results are presented in Fig. 4. Since, for all scenarios, the economic impact and GWP of the cylinder blocks are assumed to be the same, then the economic and GWP savings of remanufacturing for all scenarios are also the same. However, the differences in normalization value have an interesting implication. The results are presented in Table 3.

Table 3. Eco-efficiency performance of the remanufactured cylinder block according to the economic classification of the location where the processes occur

Scenario number (country)	$1/R_{GWP,C}$	% increase in eco-efficiency if the cylinder block is remanufactured
Scenario 1 lower-middle-income country (Indonesia)	2.46	62%
Scenario 2 upper-middle-income country (China)	2.28	62%
Scenario 4 high-income country (U.S)	1.12	64%

From the values of  $1/R_{GWP,C}$ , it can be seen that the importance levels of the economic factor (relative to the GWP) in Indonesia and China are two times the importance level of the economic factor (relative to the GWP) in the U.S. This implies that manufacturing has a greater perceived economic benefit in the lower and middle income countries. In the opposite, the increase in eco-efficiency performance of the remanufactured cylinder blocks in the U.S. is greater than the increases for Indonesia and China. This is because of the normalized values of the GWP for the U.S. is about two and six times lower than the values for China and Indonesia, respectively. Therefore, it can be concluded that the environmental savings from remanufacturing has a higher perceived benefit in the high-income countries. These results are in accordance with the literature saying that the economic benefit will have a greater impact in the developing countries because their highest priority is the economic growth while the developed countries stress on the environmental aspect [2, 21, 22]. It is important to note that the eco-efficiency index also depends on the quality of the data used in making the

calculation [19]. The main challenge is in determining the environmental impact of the products being analyzed. The method is used in this study but still the precision of the results depends on the quality of the inventory data. Therefore, the use of process based LCA is recommended [23]. Furthermore, how the boundary of the system being studied is decided also affects the precision of the inventory data. In the literature, several methodologies have been proposed to decide LCA system boundary, such as the ISO guidelines [15], RMEE method [24], hybrid method [25], and optimization approach [26,27]. Finally, when measuring the eco-efficiency, it is also suggested that the same system boundary must be used for the environmental and economic aspects.

#### 4. Conclusions

This paper has successfully presented the environmental and economic benefits of remanufacturing a cylinder block of a diesel engine. Based on the results of the inventory analysis, it is found that remanufacturing a cylinder block results in an 88% - 99% savings in energy consumption, use of materials, and air emissions. From the economic standpoint, the price of a remanufactured cylinder block is 39% lower than the price of a newly manufactured cylinder block. In terms of GWP, the remanufactured cylinder block produces a 90% reduction. However, after normalizing the impacts, it is found that the cost is relatively more important than GWP by a factor of 2. Finally, in terms of eco-efficiency, a remanufactured cylinder block has a better performance by about 62% compared to a newly manufactured cylinder block. The results of this study are in accordance with the results of previous research stating that remanufacturing is a better end-of-life option in reducing the environmental and economic impacts of products.

#### Acknowledgements

The authors would like to thank Andalas University for its financial support: The 2017 Support for International and National Seminars.

#### References

- [1] US EPA. Global greenhouse gas emissions data. Retrieved from [www.epa.gov/climatechange/ghgemissions/global.html](http://www.epa.gov/climatechange/ghgemissions/global.html) on July 15, 2014.
- [2] Afrinaldi F, Zhang HC, Liu ZC, Hernandez A. Loss and benefit caused by a diesel engine: from the perspective of human health. *Journal of Industrial Ecology* 2016. doi: 10.1111/jiec.12415.
- [3] Li T, Liu, ZC, Zhang, HC, Jiang, QH. Environmental emissions and energy consumptions assessment of a diesel engine from the life cycle perspective. *Journal of Cleaner Production* 2013; 53: 7-12.
- [4] Jiang Q, Li T, Liu Z, Zhang HC, Ren K. Life cycle assessment of an engine with input-output based hybrid analysis method. *Journal of Cleaner Production* 2014; 78: 131-138.
- [5] Williams J, Shu LH, Fenton RG. Analysis of remanufacturer waste streams across product sectors. *CIRP Annals - Manufacturing Technology* 2001; 50(1): 101-104.
- [6] Sutherland J, Adler, D, Haapala K, Kumar, V. A comparison of manufacturing and remanufacturing energy intensities with application to diesel engine production. *CIRP Annals - Manufacturing Technology* 2008; 57: 5-8.
- [7] Dias SA, Kim H., Sivakumar KP, Liu ZC, Zhang HC. Life cycle assessment: A comparison of manufacturing and remanufacturing

- processes of a diesel engine. Proc. 20th CIRP International Conference on Life Cycle Engineering 2013; 675-678.
- [8] Liu, ZC, Jiang QH, Zhang, HC. Life cycle assessment-based comparative evaluation of originally manufactured and remanufactured diesel engines. Journal of Industrial Ecology 2014; 18(4): 567-576.
- [9] Smith VM, Keoleian GA. The value of remanufactured engines. Journal of Industrial Ecology 2004; 8(1-2): 193-221.
- [10] Deng Q, Liu X, Liao H. Identifying critical factors in the eco-efficiency of remanufacturing based on the Fuzzy DEMATEL method. Sustainability 2015, 7(11), 15527-15547.
- [11] Ferreira H., Leite MGP. A life cycle assessment of iron ore mining. Journal of cleaner production 2015; 108: 1081-1091.
- [12] Li ZP, Fan XH, Yang GM., Wei JC, Sun Y, Wang M. Life cycle assessment of iron ore sintering process. Journal of Iron and Steel Research, International 2015; 22(6): 473-477.
- [13] Bieda B. Life cycle inventory processes of the Mittal Steel Poland (MSP) S.A. in Krakow, Poland - blast furnace pig iron production - a case study. Int J LCA 2012; 17(6): 787-794.
- [14] Schifo JF, Radia JT. Theoretical/best practice energy use in metal casting operations. U.S. Department of Energy; 2004.
- [15] International Organization for Standardization. ISO 14040:2006 Environmental management -- Life cycle assessment -- Principles and framework. International Organization for Standardization; 2006.
- [16] IPCC - Intergovernmental Panel on Climate Change. Direct global warming potentials. Retrieved from [https://www.ipcc.ch/publications\\_and\\_data/ar4/wg1/en/ch2s2-10-2.html](https://www.ipcc.ch/publications_and_data/ar4/wg1/en/ch2s2-10-2.html) on March 15, 2016.
- [17] World Bank. Total greenhouse gas emissions (kt of CO2 equivalent). Retrieved from <http://data.worldbank.org/indicator/NY.GDP.PCAP.CD> on March 15, 2016.
- [18] World Bank. GDP per capita (current US\$). Retrieved from <http://data.worldbank.org/indicator/NY.GDP.PCAP.CD> on March 15, 2016.
- [19] Kicherer A, Schaltegger S, Tsochohei H, Pozo BF. Eco-efficiency: Combining life cycle assessment and life cycle costs via normalization. Int J LCA 2007; 12(7): 537-543.
- [20] World Bank. World Bank country and lending groups. Retrieved from <https://datahelpdesk.worldbank.org/knowledgebase/articles/906519-world-bank-country-and-lending-groups> on October 21, 2016.
- [21] Klöpffer W. Life-cycle based methods for sustainable product development. Int J LCA 2003; 8(3): 157-159.
- [22] Norris G. Social impacts in product life cycles – Toward life cycle attribute assessment. Int J LCA 2006; Special Issue (1): 97- 104.
- [23] Saling P, Kicherer A, Dittrich-Krämer B, Wittingler R, Zombik W, Schmidt I, Schrott W, Schmidt S. Eco-efficiency analysis by BASF: The method. Int J LCA 2002; 7(4): 203-218.
- [24] Reynolds M., Fraser R., Checkel D. The relative mass-energy-economic (RMEE) method for system boundary selection. Int J LCA 2000; 5(1): 37 – 46.
- [25] Suh S, Lenzen M, Treloar GJ, Hondo H., Horvath A, Huppes G, Joliet O, Klann U, Krewitt W, Moriguchi Y, Munksgaard J, Norris G. System boundary selection in life-cycle inventories using hybrid approaches. Environmental Science & Technology 2004; 38(3): 657-664.
- [26] Afrinaldi F, Zhang H-C, Carrel J. A binary linear programming approach for lca system boundary identification. Proc. 20th CIRP International Conference on Life Cycle Engineering 2013; 435-440.
- [27] Afrinaldi F, Zhang H-C, Carrel J. A Improved Binary Linear Programming Approach for Life Cycle Assessment System Boundary Identification. Proc. 2013 IEEE International Conference on Industrial Engineering and Engineering Management 2013; 435-440.



## ORIGINALITY REPORT

---

13%

SIMILARITY INDEX

9%

INTERNET SOURCES

10%

PUBLICATIONS

0%

STUDENT PAPERS

---

## PRIMARY SOURCES

---

1

[archive.org](https://archive.org)

Internet Source

1%

---

2

Shitong Peng, Tao Li, Mengmeng Dong, Junli Shi, Hongchao Zhang. "Life cycle assessment of a large-scale centrifugal compressor: A case study in China", Journal of Cleaner Production, 2016

Publication

1%

---

3

Gustavo Sevá-Pereira, Roberta Nascimento Cypreste, Joaquim José Oliveira Filho, Sandra Pedroso de Moraes et al. "Recurrence pattern of rectal cancer after surgical treatment. Analysis of 122 patients in a tertiary care center", Journal of Coloproctology, 2021

Publication

1%

---

4

Leveraging Technology for a Sustainable World, 2012.

Publication

1%

---

5

[ndl.ethernet.edu.et](http://ndl.ethernet.edu.et)

Internet Source

1%

---

6	<a href="http://www.vtt.fi">www.vtt.fi</a> Internet Source	1%
7	<a href="http://repositorio.unican.es">repositorio.unican.es</a> Internet Source	<1%
8	<a href="http://dlutir.dlut.edu.cn">dlutir.dlut.edu.cn</a> Internet Source	<1%
9	<a href="http://www.mattech-journal.org">www.mattech-journal.org</a> Internet Source	<1%
10	<a href="http://slideum.com">slideum.com</a> Internet Source	<1%
11	Xugang Zhang, Mingyue Zhang, Hua Zhang, Zhigang Jiang, Conghu Liu, Wei Cai. "A review on energy, environment and economic assessment in remanufacturing based on life cycle assessment method", Journal of Cleaner Production, 2020 Publication	<1%
12	<a href="http://www.repository.cam.ac.uk">www.repository.cam.ac.uk</a> Internet Source	<1%
13	<a href="http://www.zora.uzh.ch">www.zora.uzh.ch</a> Internet Source	<1%
14	<a href="http://www.ideals.illinois.edu">www.ideals.illinois.edu</a> Internet Source	<1%
15	Fatrias, Dicky, and Yoshiaki Shimizu.	<1%

"Possibilistic programming model for fuzzy multi-objective periodic review inventory in two-stage supply chain", International Journal of Applied Decision Sciences, 2014.

Publication

---

16

De Meester, Steven, Geert Van der Vorst, Herman Van Langenhove, and Jo Dewulf. "Sustainability Assessment Methods and Tools", Management Principles of Sustainable Industrial Chemistry Theories Concepts and Industrial Examples for Achieving Sustainable Chemical Products and Processes from a Non-Technological Viewpoint, 2013.

Publication

---

<1%

17

J. C. Kaiser, N. Riemer, D. A. Knopf. "Detailed heterogeneous oxidation of soot surfaces in a particle-resolved aerosol model", Copernicus GmbH, 2011

Publication

---

<1%

18

[repository.tudelft.nl](http://repository.tudelft.nl)

Internet Source

---

<1%

19

Deng, Qianwang, Xiahui Liu, and Haolan Liao. "Identifying Critical Factors in the Eco-Efficiency of Remanufacturing Based on the Fuzzy DEMATEL Method", Sustainability, 2015.

Publication

---

<1%

20

[www.springerprofessional.de](http://www.springerprofessional.de)

---

Internet Source

<1%

21

Zhichao Liu, Feri Afrinaldi, Hong-Chao Zhang, Qihong Jiang. "Exploring optimal timing for remanufacturing based on replacement theory", CIRP Annals, 2016

Publication

<1%

22

[lcacenter.org](http://lcacenter.org)

Internet Source

<1%

23

[scholar.uwindsor.ca](http://scholar.uwindsor.ca)

Internet Source

<1%

24

[idoc.pub](http://idoc.pub)

Internet Source

<1%

25

[aloki.hu](http://aloki.hu)

Internet Source

<1%

26

Shuji Sakabe, Yasukazu Izawa. "Cross sections for resonant charge transfer between atoms and their positive ions: Collision velocity  $\lesssim 1$  a.u.", Atomic Data and Nuclear Data Tables, 1991

Publication

<1%

27

[ediss.uni-goettingen.de](http://ediss.uni-goettingen.de)

Internet Source

<1%

28

[www.abbplc.com](http://www.abbplc.com)

Internet Source

<1%

---

[www.e3s-conferences.org](http://www.e3s-conferences.org)

29

Internet Source

<1%

---

30

shareok.org

Internet Source

<1%

---

31

Susanti, L.. "A naturally ventilated cavity roof as potential benefits for improving thermal environment and cooling load of a factory building", Energy & Buildings, 201101

Publication

<1%

---

32

Navia, R.. "Recycling contaminated soil as alternative raw material in cement facilities: Life cycle assessment", Resources, Conservation & Recycling, 200610

Publication

<1%

---

33

Sutherland, J.W.. "A comparison of manufacturing and remanufacturing energy intensities with application to diesel engine production", CIRP Annals - Manufacturing Technology, 2008

Publication

<1%

---

34

Suthirat Kittipongvises. "Assessment of Environmental Impacts of Limestone Quarrying Operations in Thailand", Environmental and Climate Technologies, 2017

Publication

<1%

---

---

Exclude quotes      On

Exclude matches      Off

Exclude bibliography      On