IOP Conference Series: Materials Science and Engineering



IOP Conference Series: Materials Science and Engineering


Discontinued in Scopus as of 2021

| COUNTRY | SUBJECT AREA AND CATEGORY | PUBLISHER | H-INDEX |
|----------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|---------------------|-----------------------------------------------------------|
| United Kingdom Universities and research institutions in United Kingdom | Engineering Engineering (miscellaneous) Materials Science Materials Science (miscellaneous) | IOP Publishing Ltd. | 44 |
| PUBLICATION TYPE | ISSN | COVERAGE | INFORMATION |
| Conferences and Proceedings | 17578981, 1757899X | 2009-2020 | Homepage How to publish in this journal mse@iop.org |

SCOPE


The open access IOP Conference Series provides a fast, versatile and cost-effective proceedings publication service for your conference. Key publishing subject areas include: physics, materials science, environmental science, bioscience, engineering, computational science and mathematics.

 \bigcirc Join the conversation about this journal



Total Cites Self-Cites https://www.scimagojr.com/journalsearch.php?q=19700200831&tip=sid

IOP Conference Series: Materials Science and Engineering



Metrics based on Scopus® data as of April 2021

Table of contents

Volume 602 **2019**

Previous issue
 Next issue >

Conference on Innovation in Technology and Engineering Science 8–9 November 2018, Padang, Indonesia

Accepted papers received: 31 July 2019 Published online: 06 September 2019

Open all abstracts

| Preface | | | |
|--------------------------------------|------------------------------------------|-------------------------------------------------------|--------|
| OPEN ACCESS | | | 011001 |
| Welcome Messag | ge | | |
| | View article | PDF | |
| OPEN ACCESS | | | 011002 |
| Peer review state | ment | | |
| ✦ Open abstract | View article | 🔁 PDF | |
| Papers | | | |
| Sustainable Innov | vation in Electrical E | Engineering | |
| OPEN ACCESS | | | 012001 |
| Design and Imple of UHF Partial D | | ostrip Patch Ultra-wide Band Antenna for Detection | |
| Z Nawawi, M A B | Sidik, M I Jambak, N A | Ahmad, M H Ahmad, C L G P Kumar, E P Waldi and Aulia | |
| | View article | 🔁 PDF | |
| OPEN ACCESS | | | 012002 |
| • | y coordination with ork with distributed | grid-connected and islanding capability on generation | |
| Adrianti, S Wahyur | ni and M Nasir | | |
| | View article | 🔁 PDF | |
| | | | |

PRE Site GSEF Sokies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.

| M Muharam and M | Latif | | |
|-------------------------------------------------------|------------------------|-----------------------------------------------------------------------------|--------|
| | View article | 🔁 PDF | |
| OPEN ACCESS | | | 012004 |
| Performance of ir circuit | mpedance measurer | ment algorithm applied in line with a compensation | |
| N Rohadi | | | |
| | View article | 🔁 PDF | |
| OPEN ACCESS | | | 012005 |
| Parametric sensiti compensated line | | L-421 distance relay algorithms used in | |
| N Rohadi | | | |
| | Tiew article | 🔁 PDF | |
| | • | system of gapless arrester based on ZigBee protocol as indicator parameters | 012006 |
| | e | N Riska, Aulia and Darwison | |
| | View article | 🔁 PDF | |
| OPEN ACCESS Condition based 1 | monitoring of gaple | ess surge arrester using electrical and thermal | 012007 |
| parameters | | | |
| Novizon, Z A Malel | k, Syafii, M H Ahmac | l, Aulia and S A Ulfiah | |
| | View article | 🔁 PDF | |
| OPEN ACCESS Power loss estima temperature appro | | housing surge arrester using leakage current and | 012008 |
| Novizon, Z A Malel | k, M H Ahmad, E P V | Valdi, Aulia, H D Laksono and N Riska | |
| | View article | 🔁 PDF | |
| OPEN ACCESS Harmonic analysi | is in electrical syste | em at Andalas University Hospital | 012009 |
| N Afni, R Nazir, E l | P Waldi and A Pawaw | voi | |
| | View article | PDF | |
| OPEN ACCESS | | | 012010 |

The tensile properties of alumina and silica bionanocomposite material for high voltage This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, insulation see our Privacy and Cookies policy.

⊗

| Aulia, E P Waldi, M H Setiawan, A Winarto, Darwison, Novizon, Y Nugraha, Abdurrahman, M A Hafizi and | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| Z Nawawi | |
| | |
| OPEN ACCESS 01 Multichannel audio steganography based on MPEG surround using direct sequence spread spectrum | .2011 |
| M Tomas, Baharuddin and I Elfitri | |
| | |
| Voltage profile evaluation based on power flow analysis using Newton Raphson method: Central and South Sumatera Subsystem | 2012 |
| M A Haq, Syafii, H D Laksono and G Hidayat | |
| + Open abstract | |
| Performance analysis of error control coding and diversity in image transmission on wireless channels | 2013 |
| Baharuddin, M Muharam, H Andre and R Angraini | |
| + Open abstract | |
| Performance evaluation of image transmission using diversity selection combining technique Baharuddin and R Angraini | 2014 |
| + Open abstract | |
| Development of HFCT for partial discharge sensors | 2015 |
| E P Waldi, AY Frenzi, R Fernandez, Darmawan, Darwison, H D Laksono, Aulia, Novizon, A Hazmi, H Abral | et al |
| + Open abstract | |
| OPEN ACCESS 01 Study on static electrification of the PFAE-mineral oil mixture 01 A Rajab, H Gumilang, M Tsuchie, M Kozako, M Hikita and T Suzuki 01 | 2016 |
| ← Open abstract | |
| OPEN ACCESS 01 PWM speed control of dc permanent magnet motor using a PIC18F4550 microcontroller 01 MhW shetuse and Miled By icontinuing to use this site you agree to our use of cookies. To find out more, 01 Stetuse and Cookies policy icontrol of the Warticle PDF | 2017 |

| OPEN ACCESS Partial discharge | characteristics of n | anosilica biopolymer under AC voltage | 012018 |
|--------------------------------------|-----------------------------------------------|----------------------------------------------------------------------|--------|
| _ | | ridya, Novizon, M H Setiawan, Y Nugraha, Abdurrahman, M A | Hafizi |
| and I Jambak | | | |
| | View article | PDF | |
| OPEN ACCESS | | | 012019 |
| Analysis of the upparallel program | nbalanced harmoni | c propagation in a three-phase power system using a | |
| S Yunus, U G S Dir | nata, R Nazir and Auli | a | |
| | View article | PDF | |
| OPEN ACCESS | | | 012020 |
| 1 0 | naracteristics of pre p-ground lightning a | liminary breakdown pulses of hybrid intra cloud– at low lattitude | |
| P Emeraldi, M I Ha | mid and A Hazmi | | |
| | View article | PDF | |
| OPEN ACCESS | | | 01202 |
| Increasing the qu topology implem | • • • | pacity of HERIC PV-Inverter through multilevel | |
| M I Hamid and D A | Ardiansyah | | |
| | View article | 🔁 PDF | |
| OPEN ACCESS | | | 012022 |
| Dipole planar boy | wtie printed antenn | a for ism application | |
| H Andre, R Fernand | dez and Baharuddin | | |
| | View article | PDF | |
| OPEN ACCESS | | | 012023 |
| Improving the qu Lambung Bukit V | • • • | of cinnamon drying process using art cave in | |
| A U Baiqi, P P Utar | mi, D Anugrah, A A F | Fauzan, W S Ningsih and M I Rusydi | |
| + Open abstract | View article | 🔁 PDF | |
| OPEN ACCESS | | | 012024 |
| Design of fuzzy l | ogic controller for | temperature control of small-scale food storage | |
| M Latif, M Muhara | m, Darmawan, Darwi | son and R R Costa | |
| | Tiew article | 🔁 PDF | |
| | | se this site you agree to our use of cookies. To find out more, | 8 |
| SEP ION A COCAC & Sand | Cookies policy. | | 012025 |

| Shape | e object sele | ection usin | g the ch | -square method | |
|--------|---------------|--------------|----------|----------------|--|
| R Kurr | nia, F Kurnia | and Fitrilin | a | | |
| • • | 1 | T | | | |

| | View article | 🔁 PDF | |
|--------------------------------------------------------|------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|---------------------------|
| OPEN ACCESS Characteristics o system | f acoustic signals fr | om lightning using a microphone array observation | 012026 |
| A Hazmi, P Emeral | ldi and M I Hamid | | |
| + Open abstract | View article | PDF | |
| OPEN ACCESS A wireless monit characteristics | coring system for co | mparison photovoltaic and photovoltaic thermal | 012027 |
| Krismadinata, R La | pisa and Asnil | | |
| | View article | PDF | |
| | ntrol based on three ni, Joefrinaldo, Z Rom | EMG signals using an artificial neural network adhon and A Rusydi | 012028 |
| | View article | 🔁 PDF | |
| logic Muhammad Ilhamo | _ | on based on electrooculography using tsugeno fuzzy hri, Rizky Syahreza Ryaldi, Fauzan Akbar, Kojiro Matsuhita and | 012029 d |
| Minoru Sasaki + Open abstract | View article | 🔁 PDF | |
| OPEN ACCESS Towards hand ge | sture-based control | of virtual keyboards for effective communication | 012030 |
| Muhammad Ilhama | li Rusydi, Oktrison, W | illy Azhar, Samuel W Oluwarotimi and Febdian Rusydi | |
| | View article | 🔁 PDF | |
| - | C | or for partial discharge detection mawan, Darwison, H D Laksono, Aulia, A Hazmi, A Andre, H | 012031 Abral <i>et</i> |
| al | | | |
| + Open abstract | Tiew article | PDF | |
| OPEN ACCESS Statisit/Asscontg studyriftrBatarand | | nghioliagequrofilestandrinanafrisolors1855findGasenore, | 012032 |

| 1 | IOP Conference Se | eries: Materials Science and Engineering, Volume 602, 2019 - IOPscience | |
|----------------------------------|---------------------------------------------|----------------------------------------------------------------------------------------------------------------------|----|
| S Yunus, Y I Rahmi | , R Nazir, Aulia and U | J G S Dinata | |
| | Tiew article | PDF | |
| OPEN ACCESS | | | 01 |
| Modification of a | rms patch of double | e layer printed antenna for partial discharge detection | |
| U Khayam and Y M | I Hamdani | | |
| + Open abstract | Tiew article | PDF | |
| OPEN ACCESS Partial discharge | signal denoising hy | using hard threshold and soft threshold methods and | 01 |
| wavelet transform | | using hard threshold and soft threshold methods and | |
| A Zaeni, T Kasnales | stari and U Khayam | | |
| | View article | PDF | |
| OPEN ACCESS | | | 0 |
| • | - | ent of monoester type insulating oil from coconut oil | |
| A Rajab, F E Putra, | J S Ramadhani, M S I | Silitonga, R Kurniawan, K Qibran, M Latif and M I Hamid | |
| + Open abstract | View article | 🔁 PDF | |
| Industrial and Ma | anufacturing System | IS | |
| OPEN ACCESS | | | 01 |
| Formulation of op | | of raw material composition to achieve clinker nen Padang Plant IV) | U |
| S Rijal, A S Indrapr | iyatna and A H B Adi | | |
| | View article | 🔁 PDF | |
| OPEN ACCESS | | | 0 |
| • • | roving suppliers eva study: Andalas Univ | aluation: the case of procurement in educational versity) | |
| M Farid, R A Hadig | guna and I Kamil | | |
| | Tiew article | 🔁 PDF | |
| OPEN ACCESS | | | 01 |
| An evaluation on | Dr. M. Djamil Hos | pital Padang parking lot capacity | |
| Alfadhlani, W S F Y | asrin and F Afrinaldi | | |
| + Open abstract | View article | 🔁 PDF | |
| OPEN ACCESS | | | 01 |
| Analysis of the ar | | | |
| on ISO 9001:201 | 5 | w management systems in the rubber industry based se this site you agree to our use of cookies. To find out more, | |

| | View article | PDF | |
|------------------------------------------------------------|-----------------------|---------------------------------------------------------------------------------|-----------------|
| OPEN ACCESS | | | 012040 |
| | ncies of quick die c | change system in metal stamping process | 012010 |
| R K Arief and Q Nu | rlaila | | |
| | Tiew article | 🔁 PDF | |
| | | effectiveness of manufacturing process - a case Im oil production, Indonesia | 012041 |
| A Susilawati, A Tasr | i and D Arief | | |
| + Open abstract | View article | PDF | |
| OPEN ACCESS Identification crite technology | eria and indicators | of palm oil industrial solid waste processing | 012042 |
| A Ishak and A Y B A | Ali | | |
| | View article | 🔁 PDF | |
| OPEN ACCESS Design of ergonor | nic grated coconut | squeezer | 012043 |
| D C Dewi, Novrianti | i, C Handayani, O Wı | ılandari and I Nurhayati | |
| + Open abstract | View article | PDF | |
| | | cage temperature, chemical properties, and egetable-tanned leather | 012044 |
| E Kasmudjiastuti, B | Pidhatika, G Griyanit | tasari and I F Pahlawan | |
| | Tiew article | PDF | |
| OPEN ACCESS Assessing safety p P Fithri, E Wirdianto | | retreading production employees | 012045 |
| | View article | | |
| + Open abstract | E View article | 🔁 PDF | |
| application of Mix | ked Integer Linear | lel considering raw material availability: An Programming Method | 012046 |
| Jonrinaldi, A H B A | di and R Novira | | |
| + Open abstract | Tiew article | 🔁 PDF | |
| This site uses cookie | | se this site you agree to our use of cookies. To find out more, | 8 012047 |

Designing of welding jig for productivity improvement and cost-savings in thresher's cover assembly: A Case Study on CV Citra Dragon Assembly Plant

| assembly. It case study on CV Child Diagon Assembly Flant | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|
| I H Mulyadi, N T Putri and F Muhammad | |
| + Open abstract 🔄 View article 🄁 PDF | |
| OPEN ACCESS Technical characteristics' determination of crumb rubber product by using quality function deployment (QFD) phase I | 012048 |
| R Ginting and Widodo | |
| ← Open abstract | |
| OPEN ACCESS | 012049 |
| Optimization of significant factors of cement compressive strength at PT Semen Padang | |
| P Fithri, D Meilani, N T Putri and F H Chotimah | |
| + Open abstract 📄 View article 🔁 PDF | |
| OPEN ACCESS Waste assessment using a lean approach in receiving process of container terminal: a case of Teluk Bayur Port | 012050 |
| E Amrina, I Kamil and D Rahmad | |
| ← Open abstract | |
| OPEN ACCESS The evaluation of bullwhip effect on distribution system of a supply chain using centralized demand information method | 012051 |
| I Kholidasari, JR A Bidiawati and M E Sari | |
| + Open abstract | |
| Innovation in Environmental Engineering | |
| OPEN ACCESS The use of protein binder from shaving waste for leather finishing: Judging from the physical, chemical, and morphological properties of lizard skin leather | 012052 |
| S Sutyasmi, I F Pahlawan and G Griyanitasari | |
| ← Open abstract | |
| OPEN ACCESS Food packaging development of bioplastic from basic waste of cassava peel (<i>manihot uttilisima</i>) and shrimp shell | 012053 |
| Dasumiati, N Saridewi and M Malik | |
| + Open abstract 🔄 View article 🎘 PDF | |
| This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, SPENT Reversend Cookies policy. | 012054 |
| | |

Effect of tannery wastewater exposure on chromium detected in the gill of oreochromis niloticus

| T Edwin, T Ihsan a | nd H T Tamsin | | |
|-------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------|------------------------------------------------------------------------------------------------|--------|
| + Open abstract | View article | 🔁 PDF | |
| | household hazardou d recovery) in Padar | ns solid waste (HHSW) with 4R concepts (reduce, ng City, Indonesia | 012055 |
| Y Ruslinda, S Raha | rjo, Y Dewilda, Hiday | atullah and R Aziz | |
| | View article | PDF | |
| OPEN ACCESS | | | 012056 |
| | kdown in Merauke | | |
| M Alahudin, R D L | atuheru and N L S Sur | yaningsih | |
| | View article | PDF | |
| OPEN ACCESS Distribution of or Indonesia | rganic contaminatio | n based on depth stratification in Maninjau Lake, | 012057 |
| P S Komala, A Nur | and I Nazhifa | | |
| | View article | PDF | |
| OPEN ACCESS Effect of pipe dia Osborne Reynold A Nur, R Afrianita + Open abstract | l Apparatus | he properties of fluid in closed channels using | 012058 |
| OPEN ACCESS Study of recyclin | g potential of solid | waste of tourist area in Pariaman City | 012059 |
| R Aziz and Mira | | | |
| | Tiew article | 🔁 PDF | |
| | itional vegetables a d waste on takakura | nd fruits waste on the quality of compost of cassava a composter | 012060 |
| Yommi Dewilda, R | izki Aziz and Restu Ay | yu Handayani | |
| | Tiew article | PDF | |
| OPEN ACCESS | | | 012061 |
| | - | thods on anaerobic mixed microflora for hydrogen | |
| | OD reduction from es. By continuing to us Continuing My H M | domestic effluent se this site you agree to our use of cookies. To find out more, ustafa | 8 |

| - 1 | IOF Contenence Se | enes. Materials Science and Engineering, Volume 002, 2019 - IOF science | |
|-------------------------------------------------------------------|---------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|--------|
| + Open abstract | View article | PDF | |
| OPEN ACCESS Spatial distribution | on of coliform bacte | eria in Batang Arau River, Padang, West Sumatera, | 012062 |
| Indonesia | | | |
| D. Helard, S Indah | and M Wilandari | | |
| | View article | 🔁 PDF | |
| Mechanical and T | Thermal Systems | | |
| OPEN ACCESS | | | 012063 |
| Analysis of crack decomposer equi | | e of stainless steel pipe used in high-pressure | |
| Husaini, M Najib ar | nd I Hasanuddin | | |
| | Tiew article | PDF | |
| OPEN ACCESS The determinatio and 4 kinematic of | - | the performance evaluation of PRoM-120 with 3 | 012064 |
| Adriyan and Sufiya | | | |
| + Open abstract | View article | 🔁 PDF | |
| | | | |
| crystalline water | ristics and phase tra with coal mixtures Harjanto and A Hapid | ansformation of iron ores containing varied | 012065 |
| | View article | 🔁 PDF | |
| | some solution cand n detecting rebar co | idate on the performance of boundary element prrosion | 012066 |
| S Fonna, Gunawarn | nan, S Huzni and A K | Ariffin | |
| | Tiew article | PDF | |
| palm fruit bunche | es, and pineapple le | | 012067 |
| · · · | H Dahlan, Gusriwand | | |
| | Tiew article | PDF | |
| OPEN ACCESS Effect of garlic or | il as lubricant addit | ive.into coconut and palm oils on the physical and | 012068 |
| This site uses cooki tribological prope see our Privacy and | es. By continuing to u erties Cookies policy. | ive into coconut and palm oils on the physical and se this site you agree to our use of cookies. To find out more, | ⊗ |

| | | eries: Materials Science and Engineering, Volume 602, 2019 - IOPscience | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
| D Gasni, D Chandr | a, A A Putra and R Fa | jri | |
| | View article | 🔁 PDF | |
| OPEN ACCESS | | | 0 |
| Natural frequence | ies of twisted cantil | ever beam | |
| J Malta, Jefri, M Bu | ır and E Satria | | |
| + Open abstract | View article | 🔁 PDF | |
| OPEN ACCESS | | | 0 |
| Corrosion Resista | ance of β type titan | ium (TNTZ) in 3%NaCl solution | |
| J Affi, Gunawarman | n, Y Yetri, H Fajri, D . | Juliadmi, N F Nuswantoro, Nurbaiti, S Fonna, D H Tjong and N | И Ма |
| | View article | PDF | |
| OPEN ACCESS | | | 01 |
| Hydroxyapatite (| Coatings on Titaniu | m Alloy TNTZ using Electrophoretic Deposition | |
| Gunawarman, N F I | Nuswantoro, D Juliadi | mi, H Fajri, A Budiman, D H Tjong and M Manjas | |
| + Open abstract | Tiew article | 🔁 PDF | |
| | | | |
| OPEN ACCESS | | | 0 |
| Synthesis and cha | | lcium precursor for hydroxyapatite synthesis from a) using planetary ball mill process | 0 |
| Synthesis and chablood clam shell | (Anadara antiquate | lcium precursor for hydroxyapatite synthesis from a) using planetary ball mill process Juliadmi, N F Nuswantoro, H Fajri, A Ahli, R Gundini and Had | |
| Synthesis and chablood clam shell | (Anadara antiquate | a) using planetary ball mill process | |
| Synthesis and cha blood clam shell Gunawarman, J Aff | (<i>Anadara antiquata</i> fi, Y Yetri, Ilhamdi, D | a) using planetary ball mill process Juliadmi, N F Nuswantoro, H Fajri, A Ahli, R Gundini and Had | di Nu |
| Synthesis and cha blood clam shell Gunawarman, J Aff + Open abstract OPEN ACCESS | (Anadara antiquate fi, Y Yetri, Ilhamdi, D Tiew article g iron nugget from l | a) using planetary ball mill process Juliadmi, N F Nuswantoro, H Fajri, A Ahli, R Gundini and Had | di Nu |
| Synthesis and cha blood clam shell Gunawarman, J Aff + Open abstract OPEN ACCESS Production of pig fruit-bunch comp | (<i>Anadara antiquata</i> fi, Y Yetri, Ilhamdi, D View article g iron nugget from l posites | a) using planetary ball mill process Juliadmi, N F Nuswantoro, H Fajri, A Ahli, R Gundini and Had PDF sow-grade iron ore and pyrolyzed oil-palm-empty- | di Nu |
| Synthesis and cha blood clam shell Gunawarman, J Aff + Open abstract OPEN ACCESS Production of pig fruit-bunch comp | (Anadara antiquate fi, Y Yetri, Ilhamdi, D Tiew article g iron nugget from l | a) using planetary ball mill process Juliadmi, N F Nuswantoro, H Fajri, A Ahli, R Gundini and Had PDF sow-grade iron ore and pyrolyzed oil-palm-empty- | di Nu |
| Synthesis and cha blood clam shell Gunawarman, J Aff + Open abstract OPEN ACCESS Production of pig fruit-bunch comp A Setiawan, R P Su | (Anadara antiquate fi, Y Yetri, Ilhamdi, D I View article g iron nugget from l posites aratha, S Harjanto and | a) using planetary ball mill process Juliadmi, N F Nuswantoro, H Fajri, A Ahli, R Gundini and Had PDF ow-grade iron ore and pyrolyzed oil-palm-empty- E Kusrini | di Nu |
| Synthesis and chi blood clam shell Gunawarman, J Aff + Open abstract OPEN ACCESS Production of pig fruit-bunch comp A Setiawan, R P Su + Open abstract OPEN ACCESS | (Anadara antiquate fi, Y Yetri, Ilhamdi, D Twiew article g iron nugget from 1 posites aratha, S Harjanto and Twiew article aluation of tuned lice | a) using planetary ball mill process Juliadmi, N F Nuswantoro, H Fajri, A Ahli, R Gundini and Had PDF ow-grade iron ore and pyrolyzed oil-palm-empty- E Kusrini | di Nu |
| Synthesis and cha blood clam shell Gunawarman, J Aff + Open abstract OPEN ACCESS Production of pig fruit-bunch comp A Setiawan, R P Su + Open abstract OPEN ACCESS Experimental eva | (Anadara antiquate fi, Y Yetri, Ilhamdi, D Twiew article g iron nugget from 1 posites aratha, S Harjanto and Twiew article aluation of tuned lice nodel | a) using planetary ball mill process Juliadmi, N F Nuswantoro, H Fajri, A Ahli, R Gundini and Had PDF ow-grade iron ore and pyrolyzed oil-palm-empty- E Kusrini PDF | di Nu |
| Synthesis and cha blood clam shell Gunawarman, J Aff + Open abstract OPEN ACCESS Production of pig fruit-bunch comp A Setiawan, R P Su + Open abstract OPEN ACCESS Experimental eva space structure m | (Anadara antiquate fi, Y Yetri, Ilhamdi, D Twiew article g iron nugget from 1 posites aratha, S Harjanto and Twiew article aluation of tuned lice nodel | a) using planetary ball mill process Juliadmi, N F Nuswantoro, H Fajri, A Ahli, R Gundini and Had PDF ow-grade iron ore and pyrolyzed oil-palm-empty- E Kusrini PDF | di Nu 01 |
| Synthesis and cha blood clam shell Gunawarman, J Aff + Open abstract OPEN ACCESS Production of pig fruit-bunch comp A Setiawan, R P Su + Open abstract OPEN ACCESS Experimental eva space structure m L Son, M Bur and A | (Anadara antiquata fi, Y Yetri, Ilhamdi, D Twiew article g iron nugget from 1 posites anatha, S Harjanto and Twiew article aluation of tuned lice hodel A D Andria | a) using planetary ball mill process Juliadmi, N F Nuswantoro, H Fajri, A Ahli, R Gundini and Had PDF dow-grade iron ore and pyrolyzed oil-palm-empty- E Kusrini PDF puid column damper and tuned mass damper in a | di Nu 0 |
| Synthesis and cha blood clam shell Gunawarman, J Aff + Open abstract OPEN ACCESS Production of pig fruit-bunch comp A Setiawan, R P Su + Open abstract OPEN ACCESS Experimental eva space structure m L Son, M Bur and A + Open abstract OPEN ACCESS | (Anadara antiquata fi, Y Yetri, Ilhamdi, D Tie View article g iron nugget from l posites aratha, S Harjanto and Tie View article aluation of tuned lic nodel A D Andria Tie View article | a) using planetary ball mill process Juliadmi, N F Nuswantoro, H Fajri, A Ahli, R Gundini and Had PDF dow-grade iron ore and pyrolyzed oil-palm-empty- E Kusrini PDF puid column damper and tuned mass damper in a | di Nu 0 |
| Synthesis and chi blood clam shell Gunawarman, J Aff + Open abstract OPEN ACCESS Production of pig fruit-bunch comp A Setiawan, R P Su + Open abstract OPEN ACCESS Experimental eva space structure m L Son, M Bur and A + Open abstract OPEN ACCESS Atmospheric corr investigation | (Anadara antiquata fi, Y Yetri, Ilhamdi, D Tie View article g iron nugget from l posites aratha, S Harjanto and Tie View article aluation of tuned lic nodel A D Andria Tie View article | a) using planetary ball mill process Juliadmi, N F Nuswantoro, H Fajri, A Ahli, R Gundini and Had PDF ow-grade iron ore and pyrolyzed oil-palm-empty- E Kusrini PDF puid column damper and tuned mass damper in a PDF tural steel in industrial area: a preliminary | 01 di Nu 01 01 |

| OPEN ACCESS | | | 012076 |
|----------------------------------------------------------------------------|-----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|--------|
| - | | el in reinforced concrete in Kabupaten Bireun: d as a concrete mixture | |
| R D I Kurnia, Suhai | mi, S Huzni and S Fo | nna | |
| | Tiew article | PDF | |
| OPEN ACCESS | | | 012077 |
| Design of solid d | esiccant air condition | oning system | |
| D A Saputra, N A S | aputra, L Susanti, P F | ithri and D I Putra | |
| | View article | 🔁 PDF | |
| OPEN ACCESS Numerical analys areas | is of U-shaped hyst | terisis steel damper with energy absorber for seismic | 012078 |
| E Satria, L Son, M I | Bur, M D Akbar and S | Haris | |
| | Tiew article | PDF | |
| properties of a ge | - | s of Al ₂ O ₃ , SiO ₂ , Caolin, and CaO on the mechanical te with short carbon fiber d S D Yuwono PDF | 012079 |
| carbon reduction | on particle size dist o, A Kawigraha and N | ribution of reduced lateritic nickel ore using biomass | 012080 |
| Open abstract | View article | PDF | |
| OPEN ACCESS The effect of sola D Harun, M I Maula + Open abstract | Ĩ | ormance by variation of the plate shaped | 012081 |
| OPEN ACCESS | performance of the | e semi-cylindrical type of solar concentrator collector | 012082 |
| • | heat storage mater | | |
| D Harun, Zulfadhli | and Akhyar | | |
| | Tiew article | PDF | |
| OPEN ACCESS This site uses cookids see our Privacy and | | se this site you agree to our use of cookies. To find out more, | 012083 |

Analysis cutting forces and surface roughness of fibre reinforced polymer for end mill processes

| | View article | 🔁 PDF | |
|----------------------------------------------------------------|---------------------------------------------------------|-----------------------------------------------------------------|--------|
| OPEN ACCESS | | | 012084 |
| Surface character reinforced partice | | nic coating process on aluminum matrix composite | 012001 |
| H Sukma, D Rahma | alina, B Sulaksono and | I E A Pane | |
| | View article | 🔁 PDF | |
| OPEN ACCESS | | | 012085 |
| The potential of automotive comp | e | tive sago starch reinforced biocomposite to | |
| Nusyirwan, H Abra | l, M Hakim and R Vac | lia | |
| | View article | PDF | |
| OPEN ACCESS | | | 012086 |
| - | - | on the activation energy of the pa6/bagasse composite | |
| S Thalib, S Huzni, | S Fonna, C H Azhari a | nd S Zakaria | |
| | View article | 🔁 PDF | |
| OPEN ACCESS | | | 012087 |
| Hardness and imp | pact energy absorbe | ed produced by Q&T steel and DQ&T teel | |
| Yurianto, Pratikto, S | S Rudy, S Wahyono, Y | Eflita, S Agus and U Yusuf | |
| | View article | 🔁 PDF | |
| OPEN ACCESS | | | 012088 |
| Mechanical prop | erties of mild steel t | by adding Theobroma Cacao Peels Extract (TCPE) | |
| Y Yetri, Gunawarm | an, R Hidayati and A | Zamri | |
| | Tiew article | PDF | |
| OPEN ACCESS | | | 012089 |
| The needs to inve spring | estigate the effect of | f road surface vibrations to the fatigue life of a coil | |
| M Ali, Husaini, T B | E Putra and N Ali | | |
| | View article | PDF | |
| OPEN ACCESS | | | 012090 |
| | | coated by bioceramic HA in artificial saliva at | |
| fluctuating tempe This site uses cooki ReMuhappivaeynawa | eratures es. By continuing to u acmaniand Midgiri | se this site you agree to our use of cookies. To find out more, | ⊗ |

-

| + Open abstract View article PDF | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------|--------|
| OPEN ACCESS In vitro of Mg-1.6 Gd alloys after hot extruded for biomaterial application | 012091 |
| O Susanti, E W Bachtiar, S Harjanto and Gunawarman | |
| + Open abstract 🔄 View article 🎘 PDF | |
| OPEN ACCESS Effect of coating time and protective current on thickness of paint layer of Steel ST-37 by continuous painting | 012092 |
| Z Mansjur, Arrijani and M F Suharto | |
| + Open abstract 🔄 View article 🄁 PDF | |
| OPEN ACCESS Effect of Pouring Temperatures on Porosity and Mechanical Properties of Gravity Die Casting Magnesium Alloy | 012093 |
| I P Nanda, M H Jahare, M H Idris, S B Kumar, M H Hassim and A Arafat | |
| ← Open abstract | |
| OPEN ACCESS Mechanical and degradation properties of zinc adopted magnesium alloys for biomedical application | 012094 |
| I P Nanda, M H Hassim, M H Idris, M H Jahare, S S Abdulmalik and A Arafat | |
| + Open abstract 🔄 View article 🏷 PDF | |
| Sustainable Civil Engineering Solutions | |
| OPEN ACCESS The Effects of the distance between ground-sill and double cylinder-piers against the scour patterns | 012095 |
| M Mera and M Thaahaa | |
| ← Open abstract | |
| OPEN ACCESS Analytical Network Process (ANP) for priority setting of strategic roads handling at Tebo Regency | 012096 |
| Yosritzal, J Permana, B Istijono, B Hidayat, T Ophiyandri and H Gunawan | |
| + Open abstract 🔄 View article 🔁 PDF | |
| OPEN ACCESS Simulation of the effect of floodway on Batang Kandis River flood control | 012097 |
| Thisidie SuMaronokierd Balcino tinuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy. | ⊗ |

| + Open abstract | View article | 🔁 PDF | |
|--------------------------------------------------------------------|----------------------|---------------------------------------------------------------------------------|--------|
| the implementation | n of construction m | tion of Construction Management System (CMS) in nanagement | 012098 |
| B Hidayat, A Suraji a | and R Frankly | | |
| | Tiew article | 🔁 PDF | |
| OPEN ACCESS | | | 012099 |
| - | | and designing intersection at concourse between lanamu-Tebing Tinggi Highway | |
| Amrizal and A H S H | Iarahap | | |
| | Tiew article | 🔁 PDF | |
| OPEN ACCESS | s of stormay com | nosita navamant | 012100 |
| | s of stormpav comp | | |
| | | H W Ibrahim, M R Kabit, L S Tirau, R A Chan and R Buking | |
| | View article | PDF | |
| OPEN ACCESS | | | 012101 |
| | • | r community development projects to improve the Vest Sumatra Province | |
| G Vitri and H Herma | n | | |
| | View article | PDF | |
| OPEN ACCESS | | | 012102 |
| The Study Of Rive Batang Kuranji Ri | e | Bed-load Transport In The Middle Segment Of The | |
| Junaidi, E D E Putra, | A Junaidi, Sunaryo a | nd Nurhamidah | |
| | View article | 🔁 PDF | |
| OPEN ACCESS Determining the provincial government | | development according to the West Sumatera | 012103 |
| R D Susanti, Purnaw | an and Yossyafra | | |
| | View article | 🔁 PDF | |
| A E Nasution, R Kur | niawan and R Thamri | | 012104 |
| • Open abstract This site uses cookies see our Privacy and C | | PDF e this site you agree to our use of cookies. To find out more, | ⊗ |

| OPEN ACCESS | | | 012105 |
|------------------------------------------------------------------------------|--------------------------------------------|------------------------------------------------------------------------------------------------------|--------|
| U 1 | • | ranking of provincial bridge maintenance in West Fuzzy Analytical Hierarchy Process and VIKOR-Mod | |
| Yossyafra, N Angel | ia, Yosritzal, Meyadtri | and D I Mazni | |
| | Tiew article | PDF | |
| | | x asphalt polymer using Bayat natural zeolite | 012106 |
| A T Handayani, S N | Peni and H Pandita | | |
| | View article | 🔁 PDF | |
| • | balance on Lake N B Istijono and Junaid | Ianinjau, West Sumatera i | 012107 |
| + Open abstract | View article | PDF | |
| OPEN ACCESS Seismic retrofittin building of Anda Fauzan, F A Ismail | las University | oncrete jacketing and shear wall on dental hospital | 012108 |
| | View article | PDF | |
| JOURNAL LINK | S | | |
| Journal home | | | |
| Information for orga | anizers | | |
| Information for auth | iors | | |
| Search for published | d proceedings | | |
| Contact us | | | |
| Reprint services fro | m Curran Associates | | |
| | | | |
| | | | |

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.

⊗

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.

https://iopscience.iop.org/issue/1757-899X/602/1

⊗



PROGRAM BOOK THE 1ST CONFERENCE ON INNOVATION IN TECHNOLOGY AND ENGINEERING SCIENCE

Grand Inna Padang Hotel, West Sumatera, Indonesia November 8th - 9th, 2018



Vardāh

Supported by



Committees

General Chairs:

Prof. Dr. Tafdil Husni, SE, MBA Ir. Insannul Kamil, M.Eng, Ph.D, IPM

Organizing Chair:

Prof. Dr. Eng. Gunawarman, MT

Co-Chair:

Aulia, M.Eng. Ph.D

Secretary:

Dr. Oknovia Susanti, M.Eng

Financial:

Ir. Taufik, MT Ashari Darmawan, M.Kom Ahmad Dahlan, SH

Secretariat:

Dr. Eng. Muhammad Ilhamdi Rusydi Dr. Eng. Shinta Indah Masrilayanti, Ph.D Heru Dibyo Laksono, MT Berry Yuliandra, MT Yul Hizhar, M.Eng Andrivof, M.Kom Merry Nursanti, S.Si

Programs:

Elita Amrina, Ph.D Elsa Eka Putri, Ph.D Difana Meilani, MISD Naviri Novrianda, A.Md

Editors:

Benny Hidayat, Ph.D Dr. Eng. Junaidi Dr. Eng. Abdul Rajab Dr. Eng. Zulkarnaini Hilma Raimona Zadry, Ph.D Nurhamidah, MT

Website:

Ikhwan Arief, M.Sc Handoko, MS

Rooms & Transportations:

Fitra Mauledi, S.Sos Risfi Yarsih Alfitriasdi, SH Amril Am Roby Sugara

Logistics:

Sri Hastuti, S.Pt Desmawati m. Yazid Yulastri

Promotions:

Dr. Is Prima Nanda, MT Prof. Dr. Bambang Istijono, ME Prima Fithri, MT Dr. Eng. Eka Satria Devi Chandra, Ph.D Taufika Ophyandri, Ph.D Sabril Haris, Ph.D Jonrinaldi, Ph.D Dr. Eng. Dicky Fatrias Dr. Eng. Slamet Raharjo Prof. Dr. Eng. Ariadi Hazmi Muhammad Imran Hamid, Ph.D

Keynote Speakers



Prof. Dr. Hadi Nur

Director, Centre for Sustainable Nanomaterials, Ibnu Sina Institute for Scientific and Industrial Research, Universiti Teknologi Malaysia

"Unveiling the Structure-activity Relationship in Material Science: Some Examples in Photocatalyst and Catalyst Materials"

Prof. Dr. Andrivo Rusydi

National University of Singapore NUS Nanoscience & Nanotechnology Initiative "More than Moore and Beyond"





Ir. Insannul Kamil, M.Eng, Ph.D, IPM

Dean, Faculty of Engineering, Universitas Andalas Director, Center for Innovation Studies (CINS) Universitas Andalas "The Roles of Dams on Sustainable Water, Food and Energy Security Issues: A Global Perspective for Indonesia"

Prof. Dr. David Zhang

University of Exeter, United Kingdom Director, Exeter Manufacturing and Enterprise Centre (XMEC)

"Metal 3D Printing: New Technology Advances and Future Management Research to Open up its Potential"





Prof. Dr. Hikita Masayuki Kyushu Institute of Technology, Japan

"Electrical Insulation Technology in Power Apparatus and Power Electronics"



Document details

| l of l ᅴ Export ᅶ Download More > | Cited by 0 | documents |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|--------------------------|
| IOP Conference Series: Materials Science and Engineering Volume 602, Issue 1, 6 September 2019, Article number 012038 Ist Conference on Innovation in Technology and Engineering Science, CITES 2018; Padang, West Sumatera; Indonesia; 8 November 2018 through 9 November 2018; Code 152222 | is cited in Sco | |
| An evaluation on Dr. M. Djamil Hospital Padang parking lot capacity (Conference Paper) (Open Access) | Set citation alert > | Set citation feed > |
| Alfadhlani, Yasrin, W.S.F., Afrinaldi, F. 2 | Related do | cuments |
| View additional authors 🧹 교 Save all to author list | Find more rel Scopus based | ated documents in on: |
| Department of Industrial Engineering, Faculty of Engineering, Universitas Andalas, Padang , West Sumatra, 25163, Indonesia | Authors > K | eywords > |
| View additional affiliations 🤝 | | |
| Abstract | | |
| Parking is an element that cannot be separated from a facility, including hospitals. Dr. M. Djamil General Hospital, | | |

one of the health facilities located in Padang, should have an adequate parking space according to the standard designed for parking facilities. This research is conducted to evaluate the condition of the hospital parking facilities, started by calculating the existing capacity of the parking facility for motorcycles and cars. The next step is estimating the demand for parking spaces based on a one-week observation. Finally, the capacity is compared to the demand for parking areas. It was found 319 and 551 parking spaces available for cars and motorcycles. While based on the observation, it is also known that the maximum demands are 453 and 1038 spaces for cars and motorcycles, respectively. Furthermore, the current parking layout condition has not met the standard yet. This study proposes two kinds of improvement. First, additional parking lots are required, and it is designed based on the demand-capacity comparison. Second, the management of the hospital is suggested to regulate the number of vehicles that can park in the hospital parking area. The main contribution of this paper is on the parking lot design alternatives provided to the hospital. © 2019 IOP Publishing Ltd.

SciVal Topic Prominence 🕞

Topic: Parking | Architectural Phenomenon | Cruising

| Prominence percentile: | 97.468 | (j |
|------------------------|--------|----|
| | | |

Indexed keywords

| Engineering controlled terms: | Engineering research Facilities Motorcycles |
|-----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Engineering uncontrolled terms | Design alternatives Existing capacity General hospitals Health facilities (Maximum demand) Number of vehicles Parking facilities Parking spaces |

氚

| Engineering main heading: | Hospitals | | |
|------------------------------|-----------|--|--|
| | | | |
| | | | |

ISSN: 17578981 Source Type: Conference Proceeding Original language: English DOI: 10.1088/1757-899X/602/1/012038 Document Type: Conference Paper Publisher: Institute of Physics Publishing

္က Alfadhlani, ; Department of Industrial Engineering, Faculty of Engineering, Universitas Andalas, Padang , West Sumatra, Indonesia;

© Copyright 2019 Elsevier B.V., All rights reserved.

About Scopus

What is Scopus Content coverage Scopus blog Scopus API Privacy matters

Language

日本語に切り替える 切换到简体中文 切換到繁體中文 Русский язык

Customer Service

Help Contact us

ELSEVIER

Terms and conditions Privacy policy

Copyright © Elsevier B.V >. All rights reserved. Scopus® is a registered trademark of Elsevier B.V. We use cookies to help provide and enhance our service and tailor content. By continuing, you agree to the use of cookies.

RELX

IOP Conf Ser by Feri Afrinaldi

Submission date: 02-Mar-2021 02:11PM (UTC+0800) Submission ID: 1522076466 File name: Alfadhlani_2019_IOP_Conf._Ser.-_Mater._Sci._Eng._602_012038.pdf (400.89K) Word count: 3184 Character count: 15607



CERTIFICATE



This is to certify that


FERI AFRINALDI

has participated in the

CONFERENCE ON INNOVATION IN TECHNOLOGY AND ENGINEERING SCIENCE (CITES 2018)

as Moderator

November 8th – 9th, 2018 in Padang, Indonesia



Conference on Innovation in Technology and Engineering Science

IOP Publishing

IOP Conf. Series: Materials Science and Engineering 602 (2019) 012038 doi:10.1088/1757-899X/602/1/012038

An evaluation on Dr. M. Djamil Hospital Padang parking lot capacity

Alfadhlani¹, W S F Yasrin¹, and F Afrinaldi¹

¹Department of Industrial Engineering, Faculty of Engineering, Universitas Andalas, Padang 25163, West Sumatra, Indonesia

E-mail: alfadhlani@ft.unand.ac.id

Abstract. Parking is an element that cannot be separated from a facility, including hospitals. Dr. M. Djamil General Hospital, one of the health facilities located in Padang, should have an adequate parking space according to the standard designed for parking facilities. This research is conducted to evaluate the condition of the hospital parking facilities, started by calculating the existing capacity of the parking facility for motorcycles and cars. The next step is estimating the demand for parking spaces based on a one-week observation. Finally, the capacity is compared to the demand for parking areas. It was found 319 and 551 parking spaces available for cars and motorcycles. While based on the observation, it is also known that the maximum demands are 453 and 1038 spaces for cars and motorcycles, respectively. Furthermore, the current parking layout condition has not met the standard yet. This study proposes two kinds of improvement. First, additional parking lots are required, and it is designed based on the demand-capacity comparison. Second, the management of the hospital is suggested to regulate the number of vehicles that can park in the hospital parking area. The main contribution of this paper is on the parking lot design alternatives provided to the hospital.

1. Introduction

The issue of parking space is one of the most expensive problems and requires more space than ever [1]. According to Chrest, et al. [2] the parking arrangement has its own characteristics, so it requires a specific focus compared to other construction of facilities in a building. The design of the parking lot should consider some aspects such as traffic around both inside and outside parking areas, exits and entrances, pedestrian areas, security, structural durability, and signs [2]. There have been abundant literature and standards that can be used in designing parking lot facilities. Milošević et al. [3] explored the effects of changing trees positions on the comfort of the parking lot users. Rea et al. [4] proposed a model to recommend parking lot lighting brightness by considering users' perception of security. Due to the growth of electric vehicle usage, Zhang and Li [5] applied an optimization approach to managing a parking lot used for electric vehicle charging.

Hospital is one of the public facilities people mostly use. The services and facilities provided by a hospital become one of the satisfaction aspects of the visitors. The availability of adequate parking lots which does not disrupt the surrounding traffic becomes very important. The absence of adequate parking space will end up to a possibility of visitors parking their vehicles on the roadside or in any improper places; this can lead to the obstruction of traffic to the hospital which is supposed to be minimal barriers.



Content from this work may be used under the terms of the Creative Commons Attribution 3.0 licence. Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI. Published under licence by IOP Publishing Ltd 1

Conference on Innovation in Technology and Engineering Science

IOP Publishing

IOP Conf. Series: Materials Science and Engineering 602 (2019) 012038 doi:10.1088/1757-899X/602/1/012038

Dr. M. Djamil General Hospital is located in Padang, West Sumatra. As a public hospital, Dr. M Djamil Hospital has excessive visitors. However, parking service facilities are seen as insufficient to accommodate all vehicles belonging to visitors or hospital personnel, particularly during rush hour times. This problem can be seen as of vehicles parked outside the parking area, no parking signs, and the arrangement is barely proper. In addition to the unavailability of standardized parking facilities, visitors parked vehicles in an improper way. Not only motorcycles, but cars were also parked carelessly and disrupt the traffic. Meanwhile, the road that is being used as a parking area should not be a parking area, because it is the main road to the Emergency Installation passed by the ambulance. Based on those problems as well as observations and short interviews conducted on hospital visitors, it is necessary to evaluate the parking space and the capacity of available parking space around the hospital. Furthermore, this article will provide several improvement opportunities by providing creative design solutions for the hospital parking lot. The solutions consider parking lot standards that are applicable in Indonesia.

2. Evaluation of the condition of parking facilities

2.1. Calculation of existing parking capacity

The data required in this research included daily observation data of one-week parking observation, the number of active employee in Dr. M. Djamil Hospital, the number of bed, the number of visitors in outpatient installation, and layout of Dr. M. Djamil Hospital. The condition for car and motorcycle parking lot is considerably different. Car parking lot has parking line while motorcycle parking lot doesn't. This made the calculation for existing capacity in car parking lot was based on direct counting on the line, while for motorcycle parking lot, there was no parking line, so the calculation was based on the standard size. The sed on the observation, it is shown in Table 1 the existing parking capacity of the motorcycle in six parking lots. Parking lot 4 and parking lot 5 does not require an alley because it only consists of one layer of parking.

| No. Parking lot | | arking lot Area | | One Alle | Alley | Parking | Capacity |
|-----------------|---------------|----------------------|---------------------|------------------------------|--------------|------------------------------------|-------------------------------------|
| | | Length (m) [a] | Width (m) [b] | parking space size [c] | width [d] | area width [e] e=(axb)-(axd) | (parking unit) [f] f = e/c |
| 5 1 | Parking lot 1 | 60 | 8.2 | 0.75 x 2m | 4.2 | 240 | <u>1 – e/c</u> 160 |
| 2 | Parking lot 2 | 55 | 7.5 | 0.75 x 2m | 3.5 | 220 | 146 |
| 3 | Parking lot 3 | 21 | 5.4 | 0.75 x 2m | 1.4 | 84 | 56 |
| 4 | Parking lot 4 | 21.7 | 2 | 0.75 x 2m | 0 | 43.4 | 28 |
| 5 | Parking lot 5 | 20 | 2 | 0.75 x 2m | 0 | 40 | 26 |
| 6 | Parking lot 6 | 35 | 10.6 | 0.75 x 2m | 4.8 | 203 | 135 |
| | | | Total | | | | 551 |

Table 1. Recapitulation of parking space capacity for motorcycle

While in Table 2 shows the information on the capacity of car parking in the parking lot at Dr. M. Djamil Hospital.

Conference on Innovation in Technology and Engineering Science IOP Conf. Series: Materials Science and Engineering 602 (2019) 012038 doi:10.1088/1757-899X/602/1/012038

| Table 2. Recapitul | ation of parking sp | pace capacity for car |
|--------------------|---------------------|-----------------------|
|--------------------|---------------------|-----------------------|

| No | Parking lot | Capacity |
|----|----------------|-----------------|
| | 4 | (Parking units) |
| 1 | Parking lot 7 | 130 |
| 2 | Parking lot 8 | 98 |
| 3 | Parking lot 9 | 45 |
| 4 | Parking lot 10 | 16 |
| 5 | Parking lot 11 | 30 |
| | Total | 319 |

2.2. Parking demand calculation

Parking demand calculation was done hourly for one week, starting at 7:00 a.m. to 5:00 p.m. The number of vehicles parked at night was not observed directly, but the accumulation amount was calculated in the morning before the observation begins. Based on a one-week observation, the average number of vehicles and the maximum accumulation of vehicles for each day was calculated and shown in Table 3.

. . . .

| No | Day | Average | | a | Maximum ccumulation |
|----|-----------|---------|------------|-----|------------------------|
| | - | Car | Motorcycle | Car | Motorcycle |
| 1 | Saturday | 249.9 | 586.0 | 347 | 770 |
| 2 | Sunday | 184.6 | 553.1 | 248 | 741 |
| 3 | Monday | 399.1 | 760.6 | 453 | 916 |
| 4 | Tuesday | 304.9 | 870.4 | 336 | 1038 |
| 5 | Wednesday | 273.1 | 759.2 | 325 | 826 |
| 6 | Thursday | 356.1 | 858.4 | 389 | 968 |
| 7 | Friday | 246.6 | 783.8 | 296 | 887 |

In table 3, it can be seen that the largest value of average for parking cars is 399.1 units, while for motorcycles is 870.4 units. If parking lot capacity takes into account the maximum accumulation of vehicles parked at a time, then the demand for the parking lot for cars is 453 spaces, while for motorcycles is 1038 spaces. Table 4.4 shows the comparison for demand and capacity of the parking lot.

Table 4. Demand and capacity comparison

| | Car (Units) | Motorcycle (Units) |
|--------------------|-------------|--------------------|
| Demand observation | 453 | 1038 |
| Existing capacity | 319 | 551 |
| Deficiency | 134 | 487 |

3. The proposed design of parking layout

3.1. Design of standardized parking layout

The next step is to design the parking layout based on the Technical Guidelines for Designing Parking Facilities by the Directorate General of Land Transportation [6] and refers to the value of existing capacity and demand based on direct observation. In this design, the parking pattern used for motorcycle parking lot is a pattern with 90° angle. As for the car parking lots are designed using all angles; 90°, 60°, 45°, and 30°, except for parking lot 10 which is designed in the parallel pattern. The calculation for the motorcycle has no difference with the previous calculation, which is 551 spaces because the calculation was already based on the standard. But for the car, there were four

recommendation designs. All parking pattern was tried and calculated how much it could accommodate by using the pattern. The results are shown in Table 5.

| | | | | | | Parking | Pattern | | | | |
|-------------------|---------------|----------------------|--------------------|------------------|----------------------|------------------|----------------------|------------------|----------------------|------------------|----|
| | Available | 9 |)0° | (| 50° | 4 | l5° | 3 | 30° | | 0° |
| Parking Lot | Length (m) | Std. Width (m) | idth Parking Width | Parking Units | Std. Width (m) | Parking Units | Std. Width (m) | Parking Units | Std. Width (m) | Parking Units | |
| Parking Lot 7 | 300 | | 130 | | 98 | | 79 | | 58 | | |
| Parking Lot 8 | 184 | | 78 | | 57 | | 44 | - | 32 | | |
| Parking Lot 9 | 69 | 2.3 | 30 | 3 | 21 | 3.7 | 17 | 5 | 12 | | |
| Parking Lot 11 | 45 | | 19 | | 13 | | 10 | | 7 | | |
| Parking Lot 10 | 48 | - | - | - | - | - | - | - | - | 6 | 8 |
| Total (Parking Ur | nits) | 265 | | 197 | | 158 | | 117 | | | |

| Table 5. | Recapitulation of parking pattern trial | |
|----------|-----------------------------------------|--|
| | | |

Std. Width = Standard Width

3.2. The alternative act of improvement

The next stage is to propose some alternatives acts of improvement to make a better parking facility at Dr. M. Djamil Hospital. Here are the two alternatives:

3.2.1. Additional Parking ot(s)

The calculations showed that the maximum demand for the car is 453 spaces and for a motorcycle is 1038 spaces. To meet the parking demand, the hospital needs to provide additional land with the following details

1. Motorcycle

The number of parking capacity for the motorcycle was attained based on standardized parking calculation because motorcycle parking lots have not had the parking line yet. See Table 4; there is a deficiency of motorcycle parking lots, which are 487 spaces. One parking space with the 90° angle, a length of 2 m and a width of 0.75 m, will get a parking area of 1.5 m2. If it takes 487 spaces to meet the demand, then the total area of additional land would be equal to 730.5 m2.

2. Car

Unlike the motorcycle, there are four scenarios for car parking lots. Each scenario will make different additional parking area if applied. Table 6 shows the space deficiency of each parking pattern.

| Parking Pattern | Capacity (Parking Units) | Demand (Parking Units) | Deficiency (Parking Units) |
|--------------------|-----------------------------|------------------------------|----------------------------------|
| 90° | 265 | 453 | 188 |
| 60° | 197 | 453 | 256 |
| 45° | 158 | 453 | 295 |
| 30° | 117 | 453 | 336 |

Table 6. Demand and capacity comparison for car

Based on the space deficiency shown in Table 6, here are the additional parking area widths that should be provided according to the chosen parking pattern refers to the standard parking guidelines by Directorate General of Land Transportation [6]:

Conference on Innovation in Technology and Engineering Science

a. One parking space with the 90° angle, the standard length and width are 5.4 m x 2.3 m, it will be obtained the parking space equal to 12.42 m². It takes 188 spaces to meet the demand, so the total area of additional land would be equal to 2,334.96 m².

IOP Conf. Series: Materials Science and Engineering 602 (2019) 012038 doi:10.1088/1757-899X/602/1/012038

- b. One parking space with 60° angle, the standard length and width are 5.95 m x 3 m, so the parking space would be equal to 17.85 m², in Table 6, it is known that deficiency of parking lot for car with 60° angle is 256 spaces, so the total area of additional land would be 4,569.6 m².
- c. If the 45° angle is used in designing a parking space, it will use the standard length and width are 5.65 m x 3.7 m, so the wide of parking space equal to 20.91 m², because the demand deficiency is 295 spaces, then total area of additional land would be 6,168.45 m².
- d. The standard length and width for parking pattern 30° are 5 m x 4.85 m, so the wide of parking space equal to 24.25 m². It takes 336 spaces to meet the demand, so the total area of additional land would be 336 x 24.25 m² or equal to 8,148 m².

3.2.2. Restrictions on the number of vehicles

There are some managerial alternatives that the hospital could consider. First is the restriction on the number of vehicles by considering mass transportation for the employee; the second is the escalation on parking price

- 1. Restricting the number of vehicles. Employee and medical staff arguably has a significant portion into the parking ratio. Based on calculation with two approaches Chrest et al. [1] and Directorate General of Land Transportation [6], employees take up to 62% of the current parking area. This can be a reference for the hospital to consider a regulation that employees are not allowed to bring their vehicle if they work at first and second shift because which of them are usually the shift where the peak time happens, therefore, the hospital would provide mass transportation to and from hospital that will accommodate all employees. If this plan is applied, about 60% of the parking area would be available for other users.
- 2. Escalating parking price. Parking rates at the hospital are Rp. 3,000 for car vehicles and Rp. 2,000 for motorcycle vehicles. The rate does not increase based on the time but remains per visit. So, an hour's parking will be as costly as a day of parking. Increasing parking rates after a few hours can be an alternative to discourage visitors to park the vehicle in a long-term. According to the US Department of Transportation [7], escalating price often used in off-street parking, escalating rates increase the longer a vehicle is parked at a location. The rate structure is designed to discourage long-term parking, thereby increasing parking turnover and availability. To determine how much parking rate for the first hour and the price change for the following hour(s), the value of ATP (Ability to Pay) and WTP (Willingness to Pay) with reference to Tamin [8], can be used.

4. Conclusion

This article discusses about evaluation of parking lot capacity of Dr. M. Djamil Hospital. The evaluation task were started by calculating the existing capacity of parking facility for motorcycle and car, and then calculating the demand based on a one week observation. Finally, the capacity was compared to the demand on parking area. The conclusions that can be obtained from this study are: 1) The condition of motorcycle parking is not based on standard yet, because there is no parking line so it is difficult for the service providers to know the capacity of available parking space; 2) The amount of parking space that can accommodate motorcycle according to the standard of the available land area is 551 spaces, while the maximum demand is 1038 spaces; 3) The condition of the car parking lot already has a parking line, however, during busy times, parking area that should be only one layer made into two layers, thereby it will be reducing the width of the road/alley; 4) The number of parking spaces that can accommodate car according to the existing condition is as much as 319 spaces, while the maximum demand is 453 spaces; 5) According to standard-based layout arrangement for car, it can be concluded that the wider the parking angle, the more convenient the driver would be, but it also gave the less parking space, vice versa. There are four scenarios that this study built for the hospital to choose the parking pattern they want to apply. These scenarios are based on the parking angle. For the

Conference on Innovation in Technology and Engineering Science

IOP Conf. Series: Materials Science and Engineering 602 (2019) 012038 doi:10.1088/1757-899X/602/1/012038

same parking land size, 90° angle would make up to 265 parking spaces, 60° would make 197 parking spaces, 45° would make 158 parking spaces, and 30° would make 117 parking spaces; 6) Planning on the proposed layout improvement is done by referring to the Directorate General of Land Transportation regulation (1996), after evaluating the current condition of parking lot, there are no space elimination for parking area of motorcycle. But for car, there is a reduction in parking spaces caused by adjustments to standard sizes. The reduction of parking space for car is varied based on the plied parking pattern; 7) This study proposes some alternatives of additional areas for parking lot according to the standards of Directorate General of Land Transportation (1996), with various parking pattern for car. This proposed improvement would give different parking space and different total area needed, and 8) This study also proposes managerial alternatives which are vehicle regulation for employee and escalating parking price to discourage long-term parking. The main contribution of this paper is on the several creative design solutions provided for the hospital parking lot.

5. References

- [1] Apple J M 1997 Plant Layout and Material Handling 3rd ed Wiley
- [2] Chrest, et al. 2001 Parking Structures_Planning, Design, Construction, Maintenance and Repair Springer the US
- [3] Directorate General of Land Transportation 1996 The Technical Guidelines for Designing Parking Facilities Directorate General of Land Transportation (in Indonesian)
- [4] Milošević D D, Bajšanski I V and Savić S M 2017 Influence of changing trees locations on thermal comfort on street parking lot and footways Urban forestry & urban greening 23 113-124
- [5] Rea M S, Bullough J D and Brons J A 2017 Parking lot lighting based upon predictions of scene brightness and personal safety Lighting Research & Technology 49(3) 293-304.
- [6] Tamin, OZ 2008 Planning, Modeling and Transportation Engineering ITB Bandung (in Indonesian)
- US Department of Transportation 2012 Contemporary Approaches to Parking Pricing FHWA Washington DC
- [8] Zhang L and Li Y 2017 Optimal management for parking-lot electric vehicle charging by twostage approximate dynamic programming IEEE Transactions on Smart Grid 8(4) 1722-1730

6

| IOP (| Conf Ser | | | | |
|----------|------------------------------------|-----------------------------------------------------------------------------------------------|------------------------------------------------------|--------------------------|------|
| ORIGINAL | LITY REPORT | | | | |
| SIMILAR | % RITY INDEX | 10% INTERNET SOURCES | 5% PUBLICATIONS | 0% STUDENT PAP | PERS |
| PRIMARY | SOURCES | | | | |
| 1 | doi.org | e | | | 5% |
| 2 | conferen | e.ft.unand.ac. | id | | 2% |
| 3 | docplaye | | | | 1% |
| 4 | WWW.Ci.g | glendora.ca.us | | | 1% |
| 5 | www2.st | ockton.edu | | | 1% |
| 6 | Andrians "Evaluati mall usin | enny Sentia, Nis syah, Rizfa Ram on of random p ng integer linear Conferences, 20 | adhani Pulunga barking layout : r programing", | SBA | 1% |
| 7 | Advertisi | Simon. "How to ng Investment' tising, 2015 | | • • | <1% |

9

www.muchgames.com

<1% <1%

S. M. Wilkinson, J. E. Alarcon, R. Mulyani, J. Whittle, S. C. Chian. "Observations of damage to buildings from M w 7.6 Padang earthquake of 30 September 2009", Natural Hazards, 2012 Publication

| Exclude quotes | On | Exclude matches | Off |
|----------------------|----|-----------------|-----|
| Exclude bibliography | On | | |