

Andrew Y.C. Nee · Bin Song · Soh-Khim Ong *Editors*

Re-engineering Manufacturing for Sustainability

Proceedings of the 20th CIRP
International Conference on Life Cycle Engineering,
Singapore 17–19 April, 2013

Andrew Y.C. Nee, Bin Song, and Soh-Khim Ong (Eds.)

Re-engineering Manufacturing for Sustainability

Proceedings of the 20th CIRP International Conference
on Life Cycle Engineering, Singapore 17–19 April, 2013

Editors

Prof. Andrew Y.C. Nee
Mechanical Engineering
National University of Singapore
Singapore

Prof. Soh-Khim Ong
Mechanical Engineering
National University of Singapore
Singapore

Dr. Bin Song
Institute of Manufacturing Technology
(SIMTech)
Singapore

ISBN 978-981-4451-47-5

ISBN 978-981-4451-48-2 (eBook)

DOI 10.1007/978-981-4451-48-2

Springer Singapore Heidelberg New York Dordrecht London

Library of Congress Control Number: 2013933984

© Springer Science+Business Media Singapore 2013

This work is subject to copyright. All rights are reserved by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed. Exempted from this legal reservation are brief excerpts in connection with reviews or scholarly analysis or material supplied specifically for the purpose of being entered and executed on a computer system, for exclusive use by the purchaser of the work. Duplication of this publication or parts thereof is permitted only under the provisions of the Copyright Law of the Publisher's location, in its current version, and permission for use must always be obtained from Springer. Permissions for use may be obtained through RightsLink at the Copyright Clearance Center. Violations are liable to prosecution under the respective Copyright Law.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

While the advice and information in this book are believed to be true and accurate at the date of publication, neither the authors nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Printed on acid-free paper

Springer is part of Springer Science+Business Media (www.springer.com)

Preface

For two decades, the CIRP Life Cycle Engineering (LCE) Conference has continued its steady course since its creation. It has grown significantly beyond its original scopes and objectives and has seen researchers in this field doubled and tripled in the last 10 years. Sustainable manufacturing is a major initiative of almost all the manufacturing industries worldwide, in an effort to prolong the life of products, reduce the use of toxic materials and carbon footprint, conserve energy, not only for meeting the needs of the manufacturers and consumers, but also the multi-stakeholders in the entire business chain.

In 2013, Singapore has the honor of hosting the 20th CIRP LCE, with its organizers from SIMTech, the Singapore Institute of Manufacturing Technology and the National University of Singapore. For Singapore, this is a major CIRP event since the General Assembly which was held in 1994.

The conference has accepted some 117 papers from 28 countries. All the papers have been subject to the rigorous peer review and revision process by experts in the field. The topics covered in LCE2013 include Sustainable design – approaches and methodologies, methods and tools; Methods and tools for resource efficient manufacturing; technologies for energy efficient machine tools; Sustainable manufacturing process – machining, cleaning, coating, forming and molding; Analysis and tools for reuse and recycling; Supply chain management; Sustainability analysis – methodologies and tools, various case studies; Sustainability management; Remanufacturing – business and management, design and analysis, process technologies, reliability assessment; Social sustainability.

Keynote speeches will be delivered by eminent researchers in the field of LCE: Prof Shahin Rahimifard from Loughborough University, Prof Nabil Nasr from Rochester Institute of Technology, Prof I S Jawahir from University of Kentucky, Prof Zhang Hong-Chao from Texas Tech University.

We would like to thank all the reviewers, authors, support from the National University of Singapore and SIMTech, and all the participants for making LCE2013 a real success. We understand that some participants travel no less than some 15 hours to come to Singapore, and it could also be their very first visit. We wish them a most pleasant stay, and enjoy the food, culture, and the latest attractions in Singapore, in addition to fruitful discussion at the Conference.

Andrew Y.C. Nee, NUS
Bin Song, SIMTech
Soh-Khim Ong, NUS
2013

Organization

Committees

Prof. Andrew Y.C. NEE
Dr. Bin SONG

Organizing Committee

| | |
|------------------|-------------------|
| Ms Sam CHAN | Dr. Hui Mien LEE |
| Dr. Kiah Mok GOH | Dr. Chee Wai SHI |
| Dr. Feifei HE | Dr. Xianting ZENG |

International Scientific Committee

| | |
|--------------------|-----------------------|
| Prof. L. Alting | Prof. H. Meier |
| Prof. A. Bernard | Prof. L. Morselli |
| Prof. P. Blecha | Prof. N. Nasr |
| Prof. H. Bley | Prof. A. Nee |
| Prof. B. Bras | Prof. A. Ometto |
| Prof. D. Brissaud | Prof. S. Ong |
| Prof. P. Butala | Prof. R. Prakash |
| Prof. S. Butdee | Prof. S. Rahimifard |
| Prof. J. Chen | Prof. K. Sangwan |
| Prof. W. Dewulf | Prof. M. Santochi |
| Prof. D. Dimitrov | Prof. G. Seliger |
| Prof. D. Dornfeld | Prof. M. Shpitalni |
| Prof. J. Dufflou | Prof. W. Sihn |
| Prof. W. ElMaraghy | Prof. S. Suh |
| Prof. K. Feldmann | Prof. E. Sundin |
| Prof. P. Gu | Prof. J. Sutherland |
| Prof. M. Hauschild | Prof. S. Takata |
| Prof. C. Herrmann | Prof. C. Tan |
| Prof. I. Jawahir | Prof. S. Tichkiewitch |
| Prof. J. Jeswiet | Prof. T. Tomiyama |
| Prof. S. Kara | Prof. M. Tseng |
| Prof. F. Kimura | Prof. K. Ueda |
| Prof. W. Knight | Prof. Y. Umeda |
| Prof. J. LEE | Prof. H. Brussel |
| Prof. T. Lien | Prof. E. Westkaemper |
| Prof. M. Lindahl | Prof. H. Zhang |
| Prof. W. LU | |

Table of Contents

Keynote

| | |
|--|---|
| How to Manufacture a Sustainable Future for 9 Billion People in 2050 | 1 |
| <i>Shahin Rahimifard, Leila Sheldrick, E. Woolley, J. Colwill, M. Sachidananda</i> | |

Sustainable Design - Approaches and Methodologies

| | |
|---|----|
| On the Potential of Design Rationale for Ecodesign | 9 |
| <i>Miriam Kozemjakin da Silva, Tatiana Reyes Carrillo, Sébastien Remy</i> | |
| Applying Unit Process Life Cycle Inventory (UPLCI) Methodology in Product/Packaging Combinations | 15 |
| <i>Ellen Oude Luttikhuis, Marten E. Toxopeus, Michael Overcash</i> | |
| Towards an Increased User Focus in Life Cycle Engineering | 21 |
| <i>Johannes Daae, Casper Boks</i> | |
| Quantitative Design Modification for the Recyclability of Products | 27 |
| <i>Shinichi Fukushige, Takahiro Mizuno, Eisuke Kunii, Yuki Matsuyama, Yasushi Umeda</i> | |
| Evolution in Ecodesign and Sustainable Design Methodologies | 35 |
| <i>Leila Sheldrick, Shahin Rahimifard</i> | |
| Integration of Environmental Aspects in Product Development and Ship Design | 41 |
| <i>Karin Källmar, Therese Karlsson Sundqvist, Erik Sundin</i> | |
| Cradle to Cradle in Product Development: A Case Study of Closed-Loop Design | 47 |
| <i>Ingrid de Pauw, Elvin Karana, Prabhu Kandachar</i> | |
| Aligning Product Design Methods and Tools for Sustainability | 53 |
| <i>Sebastian Nahkala</i> | |
| Managing Eco Design and Sustainable Manufacturing | 59 |
| <i>Denis Boret Cordoba, Alireza Veshagh</i> | |
| An Evaluation Scheme for Product-Service System Models with a Lifecycle Consideration from Customer's Perspective | 69 |
| <i>Kwang-Jae Kim, Chie-Hyeon Lim, Jun-Yeon Heo, Dong-Hee Lee, Yoo-Suk Hong, Kwangtae Park</i> | |
| Life-Cycle Oriented Decision Support for the Planning of Fleets with Alternative Powertrain Vehicles | 75 |
| <i>Mark Mennenga, Sebastian Thiede, Christoph Herrmann</i> | |

Sustainable Design - Methods and Tools

| | |
|---|----|
| A Case-Based Reasoning Approach to Support the Application of the Eco-Design Guidelines | 81 |
| <i>Michele Germani, Marco Mandolini, Marco Marconi, Alessandro Morbidoni, Marta Rossi</i> | |
| Integrated Software Platform for Green Engineering Design and Product Sustainability | 87 |
| <i>Michele Germani, Maud Dufrene, Marco Mandolini, Marco Marconi, Peggy Zwolinski</i> | |
| Integrating Information in Product Development | 93 |
| <i>Erik Lejon, Michael Lundin, Peter Jeppsson, Mats Näsström</i> | |
| Life Cycle Oriented Evaluation of Product Design Alternatives Taking Uncertainty into Account | 99 |
| <i>Danina Rossi, Wilfried Sihm</i> | |

| | |
|---|-----|
| Environmental Impact of Body Lightweight Design in the Operating Phase of Electric Vehicles | 105 |
| <i>Günther Schuh, Kai Korthals, Matthias Backs</i> | |
| Combining Five Criteria to Identify Relevant Products Measures for Resource Efficiency of an Energy Using Product | 111 |
| <i>Fulvio Ardente, Fabrice Mathieux, Marco Recchioni</i> | |
| Structure for Categorization of EcoDesign Methods and Tools | 117 |
| <i>Mattias Lindahl, Sara Ekermann</i> | |

Methods and Tools for Resource Efficient Manufacturing

| | |
|--|-----|
| RFID Integrated Adaption of Manufacturing Execution Systems for Energy Efficient Production | 123 |
| <i>Rolf Steinhilper, Stefan Freiburger, Frank Kübler, Johannes Böhner</i> | |
| Optimising Compressed Air System Energy Efficiency – The Role of Flow Metering and Exergy Analysis | 129 |
| <i>Paul Harris, Sean Nolan, Garret E. O'Donnell, Craig Meskell</i> | |
| Benchmark of Existing Energy Conversion Efficiency Definitions for Pneumatic Vacuum Generators | 135 |
| <i>Florian Fritz, Christian von Grabe, Harald Kuolt, Hubertus Murrenhoff</i> | |
| A Model for Predicting Theoretical Process Energy Consumption of Rotational Parts Using STEP AP224 Features | 141 |
| <i>M. Ural Uluer, H. Özgür Ünver, Kadir Akkuş, S. Engin Kılıç</i> | |
| Developing Unit Process Models for Predicting Energy Consumption in Industry: A Case of Extrusion Line | 147 |
| <i>Wen Li, Sami Kara, Bernard Kornfeld</i> | |
| Advanced On-Site Energy Generation towards Sustainable Manufacturing | 153 |
| <i>Pouya Ghadimi, Sami Kara, Bernard Kornfeld</i> | |
| Impact of Process Selection on Material and Energy Flow | 159 |
| <i>Suphunnika Ibbotson, Sami Kara, Christoph Herrmann, Sebastian Thiede</i> | |
| Generic Energy-Enhancement Module for Consumption Analysis of Manufacturing Processes in Discrete Event Simulation | 165 |
| <i>Johannes Stoldt, Andreas Schlegel, Enrico Franz, Tino Langer, Matthias Putz</i> | |
| Manufacturing Automation for Environmentally Sustainable Foundries | 171 |
| <i>Rhythm Suren Wadhwa, Terje Kristoffer Lien</i> | |
| Bearing Condition Prediction Using Enhanced Online Learning Fuzzy Neural Networks | 175 |
| <i>Yongping Pan, Xiangyu Hu, Meng Joo Er, Xiang Li, Rafael Gouriveau</i> | |
| Manufacturing Scheduling for Reduced Energy Cost in a Smart Grid Scenario | 183 |
| <i>Hao Zhang, Fu Zhao, John W. Sutherland</i> | |

Technologies for Energy Efficient Machine Tools

| | |
|---|-----|
| Energy Efficient Solutions for Hydraulic Units of Machine Tools | 191 |
| <i>Christian Brecher, Johannes Trieb, David Jasper</i> | |
| Impact of Machine Tools on the Direct Energy and Associated Carbon Emissions for a Standardized NC Toolpath | 197 |
| <i>Vincent Aizebeoje Balogun, Ampara Aramcharoen, Paul Tarisai Mativenga, Shaw Kah Chuan</i> | |
| Modeling Energy States in Machine Tools: An Automata Based Approach | 203 |
| <i>Nicla Frigerio, Andrea Matta, Luca Ferrero, Fulvio Rusinà</i> | |
| Combining Machine Tool Builder and Operator Perspective towards Energy and Resource Efficiency in Manufacturing | 209 |
| <i>Gerrit Posselt, Karel Kellens, Sebastian Thiede, Renaldi, Christop Herrmann, Wim Dewulf, Joost R. Dufflou</i> | |
| Method and Calculation Tool for Carbon Footprint Assessment of Machine Tool | 215 |
| <i>Jahau Lewis Chen, Wei-Ling Su, Hua-Chih Huang</i> | |

Sustainable Manufacturing Processes - Machining

| | |
|--|-----|
| Manufacturing of Optimized Venturi Nozzles Based on Technical-Economic Analysis | 221 |
| <i>Florian Fritz, Steffen Haefele, Alexander Traut, Michael Eckerle</i> | |
| Analysis of Energy Consumption in CNC Machining Centers and Determination of Optimal Cutting Conditions | 227 |
| <i>Maria Luisa Calvanese, Paolo Albertelli, Andrea Matta, Marco Taisch</i> | |
| Increasing the Energy Efficiency in Metal Cutting Manufacturing through a Demand Based Coolant Filtration | 233 |
| <i>Raphael Rahäuser, Peter Klemm, Alexander Verl, Christian Kircher</i> | |
| Improved Product Quality and Resource Efficiency in Porous Tungsten Machining for Dispenser Cathode Application by Elimination of the Infiltration Process | 241 |
| <i>Julius Schoop, Michael Effgen, T.J. Balk, I.S. Jawahir</i> | |
| Green Key Performance Indicator Based on Embedded Lifecycle Energy for Selection of Cutting Tools | 245 |
| <i>Tomas Beno, Staffan Anderberg, Tahira Raza, Claes Fredriksson</i> | |
| A Universal Hybrid Energy Consumption Model for CNC Machining Systems | 251 |
| <i>Tao Victor Peng, Xun Xu</i> | |
| Ecological Assessment of Coated Cemented Carbide Tools and Their Behavior during Machining | 257 |
| <i>Fritz Klocke, Benjamin Döbbeler, Marvin Binder, Ralf Schlosser, Dieter Lung</i> | |

Sustainable Manufacturing Processes - Cleaning, Coating, Forming, Molding

| | |
|---|-----|
| A Study on an Evaluation Method of Eco-efficiency of a Diamond Coating Process | 263 |
| <i>Nozomu Mishima, Mamoru Takahashi</i> | |
| Injection Mould Design: Impact on Energy Efficiency in Manufacturing | 269 |
| <i>Harald Sundmaeker, Tim Spiering, Stephan Kohlitz, Christoph Herrmann</i> | |
| Simulation of Ultrasonic Cleaning and Experimental Study of the Liquid Level Adjusting Method | 275 |
| <i>Fangyi Li, Shunxin Ge, Shunshun Qin, Qingdong Hao</i> | |
| Software Support for Environmentally Benign Mold Making Process and Operations | 279 |
| <i>Daeyoung Kong, Seungchoun Choi, David Dornfeld</i> | |
| Exergy Analysis of Atomic Layer Deposition for Al ₂ O ₃ Nano-film Preparation | 285 |
| <i>Fenfeng Wang, Tao Li, Hong-Chao Zhang, Chris Y. Yuan</i> | |
| Investigation of Energy, Carbon Dioxide Emissions and Costs in Single Point Incremental Forming | 291 |
| <i>Kadra Branker, David W. Adams, Alexander Szekeres, Jack Jeswiet</i> | |
| Semi-empirical Modeling of the Energy Consumed during the Injection Molding Process | 297 |
| <i>Joshua M. Chien, David Dornfeld</i> | |

Supply Chain Management

| | |
|--|-----|
| Evaluation of the Resource Efficiency of RFID-Controlled Supply Chains | 303 |
| <i>Gunther Reinhart, Kirsten Reisen</i> | |
| Impact of Parameter Estimation Inaccuracies on a Repairable Item System | 309 |
| <i>Kirsten Tracht, Daniel Schneider</i> | |
| The Analysis of Sustainable Supply Chain Management | 315 |
| <i>Tsai Chi Kuo, Ming-Chuan Chiu, Hanh T.H. Dang</i> | |
| Levers for Management of Resource Efficiency in the Tool and Die Making Industry | 321 |
| <i>Günther Schuh, Kristian Kuhlmann, Nicolas Komorek, Thomas Kühn</i> | |

Analysis and Tools for Reuse and Recycling

| | |
|--|-----|
| Identification and Promotion of Effective and Efficient Product and Material Cycles via Crowdsourcing | 329 |
| <i>Steffen Heyer, Jón Garðar Steingrímsson, Günther Seliger</i> | |
| Part Agent Advice for Promoting Reuse of the Part Based on Life Cycle Information | 335 |
| <i>Hiroyuki Hiraoka, Tatsuro Ueno, Kei Kato, Hiroshi Ookawa, Masayuki Arita, Keisuke Nanjo, Hiroshi Kawaharada</i> | |
| Selective Disassembly Planning for Sustainable Management of Waste Electrical and Electronic Equipment | 341 |
| <i>Weidong Li, K. Xia, Lihui Wang, K.M. Chao, L. Gao</i> | |
| After Sales Strategies for the Original Equipment Manufacturer of Electric Mobiles | 347 |
| <i>Uwe Dombrowski, Christian Engel</i> | |
| Operational Challenges in the Automotive Recycling Business: A System Dynamics Perspective | 353 |
| <i>Ezzat El Halabi, Matthew Doolan</i> | |
| A Basic Study on the Effectiveness of Counterplans to Promote Take-back of Mobile Phones | 359 |
| <i>Kuniko Mishima, Nozomu Mishima</i> | |
| Collecting End-of-Life Mobile Phones in Jakarta: A Pilot | 365 |
| <i>Jessica Hanafi, Agustina Christiani, Helena J. Kristina, Kuncara Putra Utama</i> | |
| Systematic Product Inspection and Verification to Improve Returned Product Recovery | 371 |
| <i>Yen Ting Ng, Wen-Feng Lu, Hui Mien Lee, Bin Song</i> | |
| Life-Cycle Assessment for Plastic Waste Recycling Process: Based of the Network Evaluation Framework | 377 |
| <i>Bing Zhang, Muxi Kang</i> | |
| Product Clustering for Closed Loop Recycling of Flame Retardant Plastics: A Case Study for Flat Screen TVs | 383 |
| <i>Jef R. Peeters, Paul Vanegas, Tom Devoldere, Wim Dewulf, Joost R. Duflou</i> | |
| E-waste Assessment in Malaysia | 389 |
| <i>Vi Kie Soo, Charles Featherston, Matthew Doolan</i> | |
| Methodology for an Integrated Life Cycle Approach to Product End-of-Life Planning | 397 |
| <i>Jonathan Sze Choong Low, Wen-Feng Lu, Hui Mien Lee, Bin Song</i> | |
| Sustainable Metal Management and Recycling Loops: Life Cycle Assessment for Aluminium Recycling Strategies | 403 |
| <i>Dimos Paraskevas, Karel Kellens, Renaldi, Wim Dewulf, Joost R. Duflou</i> | |

Sustainability Analysis - Approaches and Methodologies

| | |
|---|-----|
| Framework for Modeling the Uncertainty of Future Events in Life Cycle Assessment | 409 |
| <i>Yi-Fen Chen, Rachel Simon, David Dornfeld</i> | |
| Life Cycle Assessment and Life Cycle Costing – Methodical Relationships, Challenges and Benefits of an Integrated Use | 415 |
| <i>Annett Bierer, Lilly Meynerts, Uwe Götze</i> | |
| Developing IAM for Life Cycle Safety Assessment | 421 |
| <i>Marten E. Toxopeus, Eric Lutters</i> | |
| Multi-Layer Stream Mapping as a Combined Approach for Industrial Processes Eco-efficiency Assessment | 427 |
| <i>E.J. Lourenço, A.J. Baptista, J.P. Pereira, Celia Dias-Ferreira</i> | |
| A Binary Linear Programming Approach for LCA System Boundary Identification | 435 |
| <i>Feri Afrinaldi, Hong-Chao Zhang, John Carrell</i> | |
| Lifecycle Oriented Ramp-Up – Conception of a Quality-Oriented Process Model | 441 |
| <i>Sebastian Schmitt, Robert Schmitt</i> | |



| | |
|--|------|
| Table of Contents | XIII |
| Method for Rapid Estimation of Carbon Footprint Involving Complex Building Inventory Data – A Case Study | 447 |
| <i>Zhiquan Yeo, Chee Wai Patrick Shi, Ruisheng Ng, Hong Kiat Kenneth Gwee, Bin Song</i> | |
| Product Benefit as a Key for Assessing Resource Efficiency of Capital Goods | 455 |
| <i>René C. Malak, Monique Adam, Sebastian Waltemode, Jan C. Aurich</i> | |
| Least-Cost Technology Investments in the Passenger Vehicle and Electric Sectors to Meet Greenhouse Gas Emissions Targets to 2050 | 461 |
| <i>Sarang D. Supekar, Kathryn A. Caruso, Mark S. Daskin, Steven J. Skerlos</i> | |
| Development of a New Methodology for Impact Assessment of SLCA | 469 |
| <i>Chia-Wei Hsu, Sheng-Wen Wang, Allen H. Hu</i> | |
| A Manufacturing Informatics Framework for Manufacturing Sustainability Assessment | 475 |
| <i>Yaoyao Fiona Zhao, Nicolas Perry, Hery Andriankaja</i> | |
| "LCA to Go" –Environmental Assessment of Machine Tools According to Requirements of Small and Medium-Sized Enterprises (SMEs) –Development of the Methodological Concept | 481 |
| <i>Rainer Pamminger, Florian Krautzer, Wolfgang Wimmer, Karsten Schischke</i> | |
| Sustainability Assessment of Membrane System for Wastewater Treatment: A Review and Further Research | 487 |
| <i>Salwa Mahmood, Abdul Rahman Hemdi, Muhamad Zameri Mat Saman, Noordin Mohd Yusof</i> | |
| Sustainability Analysis - Methods and Tools | |
| Combined Energy, Material and Building Simulation for Green Factory Planning | 493 |
| <i>Bojan Stahl, Marco Taisch, Alessandro Cannata, Florian Müller, Sebastian Thiede, Christoph Herrmann, Andrea Cataldo, Franco Cavadini Antonio</i> | |
| Discrete Event Simulation Inserted into Kaizen Event to Assess Energy Efficiency | 499 |
| <i>Victor Emmanuel de Oliveira Gomes, Jefferson de Oliveira Gomes, Karl-Heinrich Grote</i> | |
| Developing a Parametric Carbon Footprinting Tool: A Case Study of Wafer Fabrication in the Semiconductor Industry | 505 |
| <i>Allen H. Hu, Ching-Yao Huang, Jessica Yin, Hsiao-Chun Wang, Ting-Hsin Wang</i> | |
| Material Information Model across Product Lifecycle for Sustainability Assessment | 511 |
| <i>Qais Y. AlKhazraji, Christopher Saldana, Soundar Kumara</i> | |
| Sustainability Analysis - Case Studies | |
| Comparative Life Cycle Assessment of Servo Press and Flywheel Press | 515 |
| <i>Suiran Yu, Yu Liu, Lu Li</i> | |
| Three Dimensional Sustainability Assessment: A Case of Combustion Motor Industry in China | 523 |
| <i>Qiu-Hong Jiang, Zhi-Chao Liu, Hong-Chao Zhang, Samuel H. Huang</i> | |
| Life Cycle Assessment of Urea Formaldehyde Resin: Comparison by CML (2001), EDIP (1997) and USEtox (2008) Methods for Toxicological Impact Categories | 529 |
| <i>Diogo Aparecido Lopes Silva, Natalia Crespo Mendes, Luciano Donizeti Varanda, Aldo Roberto Ometto, Francisco Antonio Rocco Lahr</i> | |
| Life Cycle Assessment of Solar Chimneys | 535 |
| <i>Brandon Van Blommestein, Charles Mbohwa</i> | |
| Impact of Mandatory Rates on the Recycling of Lithium-Ion Batteries from Electric Vehicles in Germany | 543 |
| <i>Claas Hoyer, Karsten Kieckhäfer, Thomas S. Spengler</i> | |
| Eco Reach Essencial Johnson&Johnson [®] Toothbrush: An LCA Study Case Application to Analyze Different Materials in Handle Design | 549 |
| <i>Agnes Narimatsu, Fabio Puglieri, Fábio Eduardo Franca Rangel, Aldo Roberto Ometto, Diogo Aparecido Lopes Silva</i> | |

| | |
|---|-----|
| Use Phase Parameter Variation and Uncertainty in LCA: Automobile Case Study | 553 |
| <i>Lynette Cheah</i> | |

Sustainability Management

| | |
|---|-----|
| Lessons Learned from Conducting a Company-level, Downstream MFA | 559 |
| <i>Derek L. Diener, Anne-Marie Tillman, Steve Harris</i> | |
| Strategies and Ecosystem View for Industrial Sustainability | 565 |
| <i>Mélanie Despeisse, Peter D. Ball, Steve Evans</i> | |
| Sustainability through Lifecycle Synthesis of Material Information | 571 |
| <i>Paul Witherell, K.C. Morris, Anantha Narayanan, Jae Hyun Lee, Sudarsan Rachuri, Soundar Kumara</i> | |
| Green Cycles Economy and Factory | 577 |
| <i>Dominik Rohrmus, Volkmar Dörich, Nils Weinert</i> | |
| Defining Sustainability: Critical Factors in Sustainable Material Selection | 583 |
| <i>Alexander Szekeres, Jack Jeswiet</i> | |
| A Framework for Synergy Evaluation and Development in Heavy Industries | 591 |
| <i>Feisal Ali Mohammed, Hong Mei Yao, Moses Oludayo Tadé, Wahidul Biswas</i> | |

Remanufacturing - Business and Management

| | |
|--|-----|
| Jointly Consider Acquisition Price, Trade in Rebate and Selling Price in Remanufacturing | 597 |
| <i>Lei Jing, Boray Huang</i> | |
| Module Reconfiguration Management for Circular Factories without Discriminating between Virgin and Reused Products | 603 |
| <i>Katsuya Urano, Shozo Takata</i> | |
| Production Planning and Inventory Control of a Two-Product Recovery System | 609 |
| <i>Jie Pan, Yi Tao, Loo Hay Lee, Ek Peng Chew</i> | |
| Active Remanufacturing Timing Determination Based on Failure State Assessment | 615 |
| <i>Ming Liu, Qingdi Ke, Shouxu Song, Xuan Zhou</i> | |
| The Use of Product Life-Cycle Information in a Value Chain Including Remanufacturing | 621 |
| <i>Louise Lindkvist, Erik Sundin</i> | |

Remanufacturing - Process Technologies

| | |
|---|-----|
| Application of Electro-Magnetic Heat Effect on Crack Arrest in Remanufacturing Blank | 627 |
| <i>Hong-Chao Zhang, Jing Yu, Asif Iqbal</i> | |
| Current State and Development of the Research on Solid Particle Erosion and Repair of Turbomachine Blades | 633 |
| <i>Guangcun Wang, Xiujie Jia, Jianfeng Li, Fangyi Li, Ziwu Liu, Baolong Gong</i> | |
| Thermodynamic Research on SCCO ₂ Cleaning Process of Remanufacturing | 639 |
| <i>Yanzeng Li, Hong-Chao Zhang, WeiWei Liu, Tao Li</i> | |
| Study on Remanufacturing Cleaning Technology in Mechanical Equipment Remanufacturing Process | 643 |
| <i>WeiWei Liu, Bin Zhang, Ming Zheng Li, Yanzeng Li, Hong-Chao Zhang</i> | |
| Energy Consumption Assessment of Remanufacturing Processes | 649 |
| <i>Tao Li, Jian Zhuang, Hong-Chao Zhang, Zhi-Chao Liu</i> | |

Remanufacturing - Design and Analysis

| | |
|--|-----|
| Design for Remanufacturing — A Fuzzy-QFD Approach | 655 |
| <i>Shanshan Yang, S.K. Ong, A.Y.C. Nee</i> | |
| LCA-Based Comparative Evaluation of Newly Manufactured and Remanufactured Diesel Engine | 663 |
| <i>Zhi Chao-Liu, Qiu-Hong Jiang, Hong-Chao Zhang</i> | |
| Remanufacturing Versus Manufacturing — Analysis of Requirements and Constraints for A Study Case: Control Arm of a Suspension System | 669 |
| <i>Durval João De Barba Jr., Jefferson de Oliveira Gomes, José Inácio Salis, Carlos Alberto Schuch Bork</i> | |
| Life Cycle Assessment: A Comparison of Manufacturing and Remanufacturing Processes of a Diesel Engine | 675 |
| <i>Avilon Sebastião Dias, Hoyoel Kim, Pradeep Kumar Sivakumar, Zhi-Chao Liu, Hong-Chao Zhang</i> | |
| Challenges and Issues of Using Embedded Smart Sensors in Products to Facilitate Remanufacturing | 679 |
| <i>H.C. Fang, S.K. Ong, A.Y.C. Nee</i> | |

Remanufacturing - Reliability Assessment

| | |
|---|-----|
| Durability and Remaining Useful Fatigue Life Assessment of Welded Joint Using Impedance and Wave Propagation Techniques | 687 |
| <i>Venu Gopal Madhav Annamdas, Hock Lye John Pang, Chee Kiong Soh</i> | |
| Detecting and Monitoring of Stress on Beams Using Lamb Waves | 693 |
| <i>Venu Gopal Madhav Annamdas, Ming Feng Kevin Chee, Hock Lye John Pang</i> | |
| Analysis of Time-to-Failure Data with Weibull Model in Product Life Cycle Management | 699 |
| <i>Lian-Yin Zhai, Wen-Feng Lu, Ying Liu, Xiang Li, George Vachtsevanos</i> | |
| The Study of Measurement Procedures for Remanufacture Based on MMT and XRD | 705 |
| <i>Shouxu Song, Yundong Liu, Qingdi Ke, Yan Feng</i> | |

Social Sustainability

| | |
|---|-----|
| Social Impact Assessment of Sugar Production Operations in South Africa: A Social Life Cycle Assessment Perspective | 711 |
| <i>Takalani Musundwa Nemarumane, Charles Mbohwa</i> | |
| Re-use and Job Opportunities in Central-Europe | 717 |
| <i>Renáta B. Sándor, Zsolt István</i> | |
| Comparison of Drivers and Barriers to Green Manufacturing: A Case of India and Germany | 723 |
| <i>Varinder Kumar Mittal, Patricia Egede, Christoph Herrmann, Kuldip Singh Sangwan</i> | |
| A Multi-objective Tolerance Optimization Approach for Economic, Ecological, Social Sustainability | 729 |
| <i>Steven Hoffenson, Andreas Dagman, Rikard Söderberg</i> | |

Erratum

| | |
|--|----|
| Optimising Compressed Air System Energy Efficiency – The Role of Flow Metering and Exergy Analysis | E1 |
| <i>Paul Harris, Sean Nolan, Garret E. O'Donnell, Craig Meskell</i> | |

| | |
|---------------------------|-----|
| Author Index | 735 |
|---------------------------|-----|

Re-engineering Manufacturing for Sustainability

Proceedings of the 20th CIRP International Conference on Life Cycle Engineering, Singapore 17-19 April, 2013

- Editors
- ([view affiliations](#))
- Andrew Y. C. Nee
- Bin Song
- Soh-Khim Ong

Conference proceedings

- [328 Citations](#)
- [7 Mentions](#)
- 438k Downloads

- [Papers](#)
- [About](#)

Table of contents

[Previous](#)

Page of 3

[Next](#)

1. [Evaluation of the Resource Efficiency of RFID-Controlled Supply Chains](#)
Gunther Reinhart, Kirsten Reisen
Pages 303-308
2. [Impact of Parameter Estimation Inaccuracies on a Repairable Item System](#)
Kirsten Tracht, Daniel Schneider
Pages 309-313
3. [The Analysis of Sustainable Supply Chain Management](#)
Tsai Chi Kuo, Ming-Chuan Chiu, Hanh T. H. Dang
Pages 315-319
4. [Levers for Management of Resource Efficiency in the Tool and Die Making Industry](#)
Günther Schuh, Kristian Kuhlmann, Nicolas Komorek, Thomas Kühn
Pages 321-327
5. [Identification and Promotion of Effective and Efficient Product and Material Cycles via Crowdsourcing](#)
Steffen Heyer, Jón Garðar Steingrímsson, Günther Seliger
Pages 329-333

6. Part Agent Advice for Promoting Reuse of the Part Based on Life Cycle Information
Hiroyuki Hiraoka, Tatsuro Ueno, Kei Kato, Hiroshi Ookawa, Masayuki Arita, Keisuke Nanjo et al.
Pages 335-340
7. Selective Disassembly Planning for Sustainable Management of Waste Electrical and Electronic Equipment
Weidong Li, K. Xia, Lihui Wang, K. M. Chao, L. Gao
Pages 341-346
8. After Sales Strategies for the Original Equipment Manufacturer of Electric Mobiles
Uwe Dombrowski, Christian Engel
Pages 347-352
9. Operational Challenges in the Automotive Recycling Business: A System Dynamics Perspective
Ezzat El Halabi, Matthew Doolan
Pages 353-357
10. A Basic Study on the Effectiveness of Counterplans to Promote Take-back of Mobile Phones
Kuniko Mishima, Nozomu Mishima
Pages 359-364
11. Collecting End-of-Life Mobile Phones in Jakarta: A Pilot
Jessica Hanafi, Agustina Christiani, Helena J. Kristina, Kuncara Putra Utama
Pages 365-370
12. Systematic Product Inspection and Verification to Improve Returned Product Recovery
Yen Ting Ng, Wen-Feng Lu, Hui Mien Lee, Bin Song
Pages 371-376
13. Life-Cycle Assessment for Plastic Waste Recycling Process: Based of the Network Evaluation Framework
Bing Zhang, Muxi Kang
Pages 377-382
14. Product Clustering for Closed Loop Recycling of Flame Retardant Plastics: A Case Study for Flat Screen TVs
Jef R. Peeters, Paul Vanegas, Tom Devoldere, Wim Dewulf, Joost R. Duflou
Pages 383-388
15. E-waste Assessment in Malaysia
Vi Kie Soo, Charles Featherston, Matthew Doolan
Pages 389-395
16. Methodology for an Integrated Life Cycle Approach to Product End-of-Life Planning
Jonathan Sze Choong Low, Wen-Feng Lu, Hui Mien Lee, Bin Song
Pages 397-402
17. Sustainable Metal Management and Recycling Loops: Life Cycle Assessment for Aluminium Recycling Strategies
Dimos Paraskevas, Karel Kellens, Renaldi, Wim Dewulf, Joost R. Duflou
Pages 403-408
18. Framework for Modeling the Uncertainty of Future Events in Life Cycle Assessment
Yi-Fen Chen, Rachel Simon, David Dornfeld
Pages 409-414
19. Life Cycle Assessment and Life Cycle Costing - Methodical Relationships, Challenges and Benefits of an Integrated Use
Annett Bierer, Lilly Meynerts, Uwe Götze
Pages 415-420
20. Developing IAM for Life Cycle Safety Assessment
Marten E. Toxopeus, Eric Lutters
Pages 421-426

- 
21. Multi-Layer Stream Mapping as a Combined Approach for Industrial Processes Eco-efficiency Assessment
E. J. Lourenço, A. J. Baptista, J. P. Pereira, Celia Dias-Ferreira
Pages 427-433
 22. A Binary Linear Programming Approach for LCA System Boundary Identification
Feri Afrinaldi, Hong-Chao Zhang, John Carrell
Pages 435-440
 23. Lifecycle Oriented Ramp-Up - Conception of a Quality-Oriented Process Model
Sebastian Schmitt, Robert Schmitt
Pages 441-445
 24. Method for Rapid Estimation of Carbon Footprint Involving Complex Building Inventory Data - A Case Study
Zhiquan Yeo, Chee Wai Patrick Shi, Ruisheng Ng, Hong Kiat Kenneth Gwee, Bin Song
Pages 447-453
 25. Product Benefit as a Key for Assessing Resource Efficiency of Capital Goods
René C. Malak, Monique Adam, Sebastian Waltemode, Jan C. Aurich
Pages 455-460
 26. Least-Cost Technology Investments in the Passenger Vehicle and Electric Sectors to Meet Greenhouse Gas Emissions Targets to 2050
Sarang D. Supekar, Kathryn A. Caruso, Mark S. Daskin, Steven J. Skerlos
Pages 461-467
 27. Development of a New Methodology for Impact Assessment of SLCA
Chia-Wei Hsu, Sheng-Wen Wang, Allen H. Hu
Pages 469-473
 28. A Manufacturing Informatics Framework for Manufacturing Sustainability Assessment
Yaoyao Fiona Zhao, Nicolas Perry, Hery Andrianakaja
Pages 475-480
 29. “LCA to Go” - Environmental Assessment of Machine Tools According to Requirements of Small and Medium-Sized Enterprises (SMEs) - Development of the Methodological Concept
Rainer Pamminger, Florian Krautzer, Wolfgang Wimmer, Karsten Schischke
Pages 481-486
 30. Sustainability Assessment of Membrane System for Wastewater Treatment: A Review and Further Research
Salwa Mahmood, Abdul Rahman Hemdi, Muhamad Zamari Mat Saman, Noordin Mohd Yusof
Pages 487-492
 31. Combined Energy, Material and Building Simulation for Green Factory Planning
Bojan Stahl, Marco Taisch, Alessandro Cannata, Florian Müller, Sebastian Thiede, Christoph Herrmann et al.
Pages 493-498
 32. Discrete Event Simulation Inserted into Kaizen Event to Assess Energy Efficiency
Victor Emmanuel de Oliveria Gomes, Jefferson de Oliveira Gomes, Karl-Heinrich Grote
Pages 499-503
 33. Developing a Parametric Carbon Footprinting Tool: A Case Study of Wafer Fabrication in the Semiconductor Industry
Allen H. Hu, Ching-Yao Huang, Jessica Yin, Hsiao-Chun Wang, Ting-Hsin Wang
Pages 505-509
 34. Material Information Model across Product Lifecycle for Sustainability Assessment
Qais Y. AlKhazraji, Christopher Saldana, Soundar Kumara
Pages 511-514
 35. Comparative Life Cycle Assessment of Servo Press and Flywheel Press
Suiran Yu, Yu Liu, Lu Li
Pages 515-521

36. Three Dimensional Sustainability Assessment: A Case of Combustion Motor Industry in China
Qiu-Hong Jiang, Zhi-Chao Liu, Hong-Chao Zhang, Samuel H. Huang
Pages 523-528
37. Life Cycle Assessment of Urea Formaldehyde Resin: Comparison by CML (2001), EDIP (1997) and USEtox (2008) Methods for Toxicological Impact Categories
Diogo Aparecido Lopes Silva, Natalia Crespo Mendes, Luciano Donizeti Varanda, Aldo Roberto Ometto, Francisco Antonio Rocco Lahr
Pages 529-534
38. Life Cycle Assessment of Solar Chimneys
Brandon Van Blommestein, Charles Mbohwa
Pages 535-541
39. Impact of Mandatory Rates on the Recycling of Lithium-Ion Batteries from Electric Vehicles in Germany
Claas Hoyer, Karsten Kieckhäfer, Thomas S. Spengler
Pages 543-548
40. Eco Reach Essencial Johnson&Johnson[®] Toothbrush: An LCA Study Case Application to Analyze Different Materials in Handle Design
Agnes Narimatsu, Fabio Puglieri, Fábio Eduardo Franca Rangel, Aldo Roberto Ometto, Diogo Aparecido Lopes Silva
Pages 549-552
41. Use Phase Parameter Variation and Uncertainty in LCA: Automobile Case Study
Lynette Cheah
Pages 553-557
42. Lessons Learned from Conducting a Company-level, Downstream MFA
Derek L. Diener, Anne-Marie Tillman, Steve Harris
Pages 559-564
43. Strategies and Ecosystem View for Industrial Sustainability
Mélanie Despeisse, Peter D. Ball, Steve Evans
Pages 565-570
44. Sustainability through Lifecycle Synthesis of Material Information
Paul Witherell, K. C. Morris, Anantha Narayanan, Jae Hyun Lee, Sudarsan Rachuri, Soundar Kumara
Pages 571-576
45. Green Cycles Economy and Factory
Dominik Rohrmus, Volkmar Döricht, Nils Weinert
Pages 577-582
46. Defining Sustainability: Critical Factors in Sustainable Material Selection
Alexander Szekeres, Jack Jeswiet
Pages 583-590
47. A Framework for Synergy Evaluation and Development in Heavy Industries
Feisal Ali Mohammed, Hong Mei Yao, Moses OludayoTadé, Wahidul Biswas
Pages 591-595
48. Jointly Consider Acquisition Price, Trade in Rebate and Selling Price in Remanufacturing
Lei Jing, Boray Huang
Pages 597-602
49. Module Reconfiguration Management for Circular Factories without Discriminating between Virgin and Reused Products
Katsuya Urano, Shozo Takata
Pages 603-608
50. Production Planning and Inventory Control of a Two-Product Recovery System
Jie Pan, Yi Tao, Loo Hay Lee, Ek Peng Chew
Pages 609-614

[Previous](#)

Page of 3

[Next](#)

About these proceedings

Introduction

This edited volume presents the proceedings of the 20th CIRP LCE Conference, which cover various areas in life cycle engineering such as life cycle design, end-of-life management, manufacturing processes, manufacturing systems, methods and tools for sustainability, social sustainability, supply chain management, remanufacturing, etc.

Keywords

20th CIRP Conference on Life Cycle Engineering End-of-life Management
Energy Efficient Manufacturing Life Cycle Design Methods and Tools for Sustainability
Remanufacturing Modeling and Analysis Supply Chain Management

Editors and affiliations

- Andrew Y. C. Nee (1)
- Bin Song (2)
- Soh-Khim Ong (3)

1. , Mechanical Engineering, National University of Singapore, , Singapore, Singapore
2. (SIMTech), Institute of Manufacturing Technology, , Singapore, Singapore
3. , Mechanical Engineering, National University of Singapore, , Singapore, Singapore

Bibliographic information

- DOI <https://doi.org/10.1007/978-981-4451-48-2>
- Copyright Information Springer Science + Business Media Singapore 2013
- Publisher Name Springer, Singapore
- eBook Packages [Engineering Engineering \(RO\)](#)
- Print ISBN 978-981-4451-47-5
- Online ISBN 978-981-4451-48-2
- [Buy this book on publisher's site](#)

SPRINGER NATURE

© 2020 Springer Nature Switzerland AG. Part of [Springer Nature](#).

Not logged in Universitas Andalas (3001972510) 103.212.43.207



Document details

1 of 1

Export Download More... >

Re-Engineering Manufacturing for Sustainability - Proceedings of the 20th CIRP International Conference on Life Cycle Engineering
2013, Pages 435-440
20th CIRP International Conference on Life Cycle Engineering, LCE 2013; Singapore; Singapore; 17 April 2013 through 19 April 2013; Code 111373

A binary linear programming approach for LCA system boundary identification (Conference Paper)

Afrinaldi, F., Zhang, H.-C., Carrell, J.

View additional authors v

Save all to author list

^aTexas Tech University, Lubbock, TX, United States

^bAndalas University, Padang, Indonesia

View additional affiliations v

Abstract

One of the very first steps in conducting life cycle assessment (LCA) is system boundaries identification. A binary linear programming (LP) model is proposed to identify boundary between significant and insignificant processes in a LCA study. The proposed model is designed based on Relative Mass-Energy-Economic (RMEE) methodology. There are two types of objective function that can be solved by the proposed model, (1) to minimize number of processes considered in LCA or (2) to maximize cut-off criteria values. A numerical example and sensitivity analysis are provided to verify the applicability of the proposed model.

SciVal Topic Prominence ⓘ

Topic: Global Warming Potential | Cogeneration Plants | Power Markets

Prominence percentile: 35.090 ⓘ

Author keywords

LCA Linear programming System boundary

Indexed keywords

Engineering controlled terms: Linear programming Numerical methods Sensitivity analysis

Engineering uncontrolled terms: Binary linear programming Life Cycle Assessment (LCA) Objective functions Relative mass System boundary

Engineering main heading: Life cycle

Cited by 3 documents

Afrinaldi, F. , Liu, Z. , Taufik
The Advantages of Remanufacturing from the Perspective of Eco-efficiency Analysis: A Case Study

(2017) *Procedia CIRP*

Shi, J. , Liu, Z. , Zhang, H.
Life cycle assessment: State of the art and future perspectives

(2015) *Recent Patents on Mechanical Engineering*

Afrinaldi, F. , Zhang, H.-C. , Carrell, J.

An improved binary linear programming approach for life cycle assessment system boundary identification

(2014) *IEEE International Conference on Industrial Engineering and Engineering Management*

View details of all 3 citations

Inform me when this document is cited in Scopus:

Set citation alert >

Set citation feed >

Related documents

Find more related documents in Scopus based on:

Authors > Keywords >

ISBN: 978-981445147-5

Source Type: Conference Proceeding

Original language: English

DOI: 10.1007/978-981-4451-48-2_71

Document Type: Conference Paper

Volume Editors: Nee A.Y.C., Song B., Ong S.-K.

Publisher: Springer Berlin Heidelberg

© Copyright 2020 Elsevier B.V., All rights reserved.

About Scopus

[What is Scopus](#)

[Content coverage](#)

[Scopus blog](#)

[Scopus API](#)

[Privacy matters](#)

Language

[日本語に切り替える](#)

[切换到简体中文](#)

[切换到繁體中文](#)

[Русский язык](#)

Customer Service

[Help](#)

[Contact us](#)

ELSEVIER

[Terms and conditions](#) ↗ [Privacy policy](#) ↗

Copyright © Elsevier B.V. ↗. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

We use cookies to help provide and enhance our service and tailor content. By continuing, you agree to the use of cookies.

 RELX

A binary

by Feri Afrinaldi

Submission date: 24-Feb-2021 12:23PM (UTC+0800)

Submission ID: 1516759037

File name: Programming_Approach_for_LCA_System_Boundary_Identification.pdf (344.68K)

Word count: 2470

Character count: 14194

5 A Binary Linear Programming Approach for LCA System Boundary Identification

Ferdinand^{1,2}, Hong-Chao Zhang¹, and John Carrell¹

¹Texas Tech University, Lubbock, Texas, USA

²Andalas University, Padang, Indonesia

11 Abstract

One of the very first steps in conducting life cycle assessment (LCA) is system boundaries identification. A binary linear programming (LP) model is proposed to identify boundary between significant and insignificant processes in a LCA study. The proposed model is designed based on Relative Mass-Energy-Economic (RMEE) methodology. There are two types of objective function that can be solved by the proposed model, (1) to minimize number of processes considered in LCA or (2) to maximize cut-off criteria values. A numerical example and sensitivity analysis are provided to verify the applicability of the proposed model.

Keywords:

LCA; System Boundary; Linear Programming

1 INTRODUCTION

LCA is a tool used to assess environmental impact of a product. The assessment is conducted over life cycle of the product, from material extraction to end-of-life treatment. Figure 1 presents a general product life cycle [1].




Figure 1: General Product Life Cycle [1].

As shown by Figure 1, box labeled as "system boundary" is a general system boundary of a LCA study. According to Tillman et al. [2] and Guinee et al. [3] there are 5 types of system boundary in LCA:

- boundary between technical system and environment,
- geographical area,
- time horizon,
- production of capital goods,
- boundary between life cycle system of studied product and connected life-cycle systems of other products, and
- boundary between significant and insignificant processes.

This paper concentrates on boundary between significant and insignificant processes. Defining boundary between significant and insignificant processes is not easy because when goals and scope are defined the significant and insignificant data are unknown [4].

2 EXISTING APPROACHES

Many LCA studies select system boundary qualitatively without a scientific basis. However, several methods have been proposed to guide practitioners in identifying LCA system boundary. For example, the use of percentage of mass to define system boundary can be found in Hunt et al. [5]. Criteria to stop are mass ratios. If ratio of mass used is 0.01, it means that if ratio of mass of an input to total mass of a process is less than 0.01 then this input is not considered in the system boundary. This approach is reasonable. However it does not quantify the significant of an input to the whole life cycle of a product.

Since data availability is also one of the difficulties in conducting LCA, the use of data availability in determining system boundary can be found in Mann et al. [6]. The weakness of this approach is that it has no scientific basis.

ISO standard [7] also provides guideline to identify LCA system boundary. It uses environmental significance as the criteria to select system boundary and requires impact assessment to be done before the system boundary is defined. This makes this methodology ineffective in practice.

Other approaches can be found in Reynolds et al. [8] and known as Relative Mass-Energy-Economic (RMEE) method. The following criteria are used by this method to cut system boundary [8].

$$M_{Ratio} = \frac{M_i}{M_{Total}} \quad (1)$$

$$E_{Ratio} = \frac{E_i}{E_{Total}} \quad (2)$$

$$E_{Ratio} = \frac{E_i}{E_{Total}} \quad (3)$$

$$S_{Ratio} = \frac{S_i}{S_{Total}} \quad (4)$$

If $M_{Ratio} > Z_{RMEE}$ then process i is inside system boundary, else outside system boundary.

If $E_{Ratio} > Z_{RMEE}$ then process i is inside system boundary, else outside system boundary.

If $S_{Ratio} > Z_{RMEE}$ then process i is inside system boundary, else outside system boundary.

Z_{RMEE} is boundary cut-off ratio ($0 < Z_{RMEE} < 1$). M_i, E_i, S_i are mass, energy and economic value of input i . $M_{Total}, E_{Total}, S_{Total}$ are total mass, energy and economic value of the functional unit. Figure 2 shows RMEE procedure [8].




Figure 2: RMEE procedure [8].

RMEE method is quantitative, repeatable and streamlined. However this method does not incorporate data accessibility as one of the criteria to identify system boundary. Furthermore, RMEE also does not facilitate sensitivity analysis. If the cut-off ratio changes then the RMEE procedure has to be done all over again. Another question about RMEE is that how the value of the cut-off ratio is determined.

This paper formulates RMEE method as a binary LP model. In the proposed LP, the difficulties to collect inventory data are considered. Data collection cost is used to quantify those difficulties. In order to answer the question how cut-off ratio is defined, available budget to conduct LCA study is used as a constraint to determine how good

cut-off ratio we can obtain. Moreover, since it is a mathematical programming approach then sensitivity analysis can be conducted easily.

3 BINARY LP MODEL TO IDENTIFY LCA SYSTEM BOUNDARY

3.1 Variables and Parameters

Let w, x, y, z be variables representing material extraction, manufacturing, use, and end-of-life phase respectively.

Suppose that w, x, y, z contain $i_1 = 1, 2, \dots; j_1 = 1, 2, \dots; k_1 = 1, 2, \dots;$ and $l_1 = 1, 2, \dots$ number of processes respectively and are denoted as $w_{i_1}, x_{j_1}, y_{k_1}$ and z_{l_1} . Similarly, suppose that $w_{i_1}, x_{j_1}, y_{k_1}$ and z_{l_1} have $i_2 = 1, 2, \dots; j_2 = 1, 2, \dots; k_2 = 1, 2, \dots$ and $l_2 = 1, 2, \dots$ number of processes respectively and are denoted as $w_{i_1 i_2}, x_{j_1 j_2}, y_{k_1 k_2}$ and $z_{l_1 l_2}$. Again, suppose that $w_{i_1 i_2}, x_{j_1 j_2}, y_{k_1 k_2}$ and $z_{l_1 l_2}$ contain $i_3 = 1, 2, \dots; j_3 = 1, 2, \dots; k_3 = 1, 2, \dots$ and $l_3 = 1, 2, \dots$ number of processes respectively and are denoted as $w_{i_1 i_2 i_3}, x_{j_1 j_2 j_3}, y_{k_1 k_2 k_3}$ and $z_{l_1 l_2 l_3}$.

Of course the number of variables can grow indefinitely, for simplification, let's say that they grow up to $i_n = 1, 2, \dots; j_n = 1, 2, \dots; k_n = 1, 2, \dots$ and $l_n = 1, 2, \dots$ so that the last processes are denoted as $w_{i_1 i_2 i_3 \dots i_n}, x_{j_1 j_2 j_3 \dots j_n}, y_{k_1 k_2 k_3 \dots k_n}$ and $z_{l_1 l_2 l_3 \dots l_n}$. The grow of those variables can be represented as a tree, shown by Figure 3.

All variables are binary (can only have a value of 0 or 1). If the value of a variable is 0 then the process represented by that variable is not inside system boundary, otherwise, if its value is 1 then the process represented by that variable is inside system boundary. Therefore, it can be expressed as,

$w_{i_1}, x_{j_1}, y_{k_1}, z_{l_1}; w_{i_1 i_2}, x_{j_1 j_2}, y_{k_1 k_2}, z_{l_1 l_2}; w_{i_1 i_2 i_3}, x_{j_1 j_2 j_3}, y_{k_1 k_2 k_3}, z_{l_1 l_2 l_3}; w_{i_1 i_2 i_3 \dots i_n}, x_{j_1 j_2 j_3 \dots j_n}, y_{k_1 k_2 k_3 \dots k_n}, z_{l_1 l_2 l_3 \dots l_n} \in \{0, 1\}$. Furthermore, w, x, y and z are equal to 1 because they are the main life cycle stages and have to be included in the system.

Suppose that mass inputs for material extraction, manufacturing, use and waste treatment are $\alpha^w, \alpha^x, \alpha^y$ and α^z ; energy inputs for material extraction, manufacturing, use and waste treatment are $\beta^w, \beta^x, \beta^y$ and β^z ; the economic values of processes in material extraction, manufacturing, use and waste treatment are $\gamma^w, \gamma^x, \gamma^y$ and γ^z ; and inventory data collection costs are $\delta^w, \delta^x, \delta^y$ and δ^z .

Therefore, for example, parameters for w_{i_1} are $\alpha_{i_1}^w, \beta_{i_1}^w, \gamma_{i_1}^w$ and $\delta_{i_1}^w$ and parameters for $w_{i_1 i_2 i_3}$ are $\alpha_{i_1 i_2 i_3}^w, \beta_{i_1 i_2 i_3}^w, \gamma_{i_1 i_2 i_3}^w$ and $\delta_{i_1 i_2 i_3}^w$. All parameters must be defined per functional unit of the studied system.




Figure 3: Variables or process tree for material extraction (w).

It is also defined that M_c, E_c, C_c are the cut-off criteria for material input, energy input and economic value, where $0 < M_c < 1, 0 < E_c < 1$ and $0 < C_c < 1$. If $M_c = 0.95$, it means that the ratio of sum of mass in the system boundary to total mass flowing in the system is 95%. The same meaning is also applicable for E_c and C_c . The closer those values to 1 the better the cut-off criteria. Finally B is total budget available to conduct a LCA study.

In the following section, objective functions and constraints are defined. For the purpose of simplification and because of limited space, variables included in the model are only up to level 3 (with 3 subscripts).

3.2 Objective Functions

There are two types of objective functions that can be selected, to minimize the number of processes considered in the LCA or to maximize cut-off criteria values. Equation (5) is the objective function formula for number of processes minimization and equation (6) is the objective function formula for cut-off criteria maximization.

$$\begin{aligned} \text{Min } Z = & \sum_{i_1=1}^{m_1} w_{i_1} + \sum_{i_1=1}^{m_1} \sum_{i_2=1}^{m_2} w_{i_1 i_2} + \sum_{i_1=1}^{m_1} \sum_{i_2=1}^{m_2} \sum_{i_3=1}^{m_3} w_{i_1 i_2 i_3} + \\ & \sum_{j_1=1}^{n_1} x_{j_1} + \sum_{j_1=1}^{n_1} \sum_{j_2=1}^{n_2} x_{j_1 j_2} + \sum_{j_1=1}^{n_1} \sum_{j_2=1}^{n_2} \sum_{j_3=1}^{n_3} x_{j_1 j_2 j_3} + \\ & \sum_{k_1=1}^{o_1} y_{k_1} + \sum_{k_1=1}^{o_1} \sum_{k_2=1}^{o_2} y_{k_1 k_2} + \sum_{k_1=1}^{o_1} \sum_{k_2=1}^{o_2} \sum_{k_3=1}^{o_3} y_{k_1 k_2 k_3} + \\ & \sum_{l_1=1}^{p_1} z_{l_1} + \sum_{l_1=1}^{p_1} \sum_{l_2=1}^{p_2} z_{l_1 l_2} + \sum_{l_1=1}^{p_1} \sum_{l_2=1}^{p_2} \sum_{l_3=1}^{p_3} z_{l_1 l_2 l_3} \end{aligned} \quad (5)$$

$$\text{Max } Z = \frac{1}{3} (M_c + E_c + C_c) \quad (6)$$

Where,

$$M_c = \frac{1}{\alpha_{Total}} \left(\sum_{i_1=1}^{m_1} \alpha_{i_1}^w w_{i_1} + \dots + \sum_{i_1=1}^{p_1} \sum_{i_2=1}^{p_2} \sum_{i_3=1}^{p_3} \alpha_{i_1 i_2 i_3}^z z_{i_1 i_2 i_3} \right) \quad (7)$$

$$E_c = \frac{1}{\beta_{Total}} \left(\sum_{i_1=1}^{m_1} \beta_{i_1}^w w_{i_1} + \dots + \sum_{i_1=1}^{p_1} \sum_{i_2=1}^{p_2} \sum_{i_3=1}^{p_3} \beta_{i_1 i_2 i_3}^z z_{i_1 i_2 i_3} \right) \quad (8)$$

$$C_c = \frac{1}{\gamma_{Total}} \left(\sum_{i_1=1}^{m_1} \gamma_{i_1}^w w_{i_1} + \dots + \sum_{i_1=1}^{p_1} \sum_{i_2=1}^{p_2} \sum_{i_3=1}^{p_3} \gamma_{i_1 i_2 i_3}^z z_{i_1 i_2 i_3} \right) \quad (9)$$

$\alpha_{Total}, \beta_{Total}$ and γ_{Total} are total mass input, energy input and economic value in the studied system.

3.3 Constraints

If the selected objective function is equation (5) then the constraints are the following.

$$\sum_{i_1=1}^{m_1} w_{i_1} \leq Mw \quad (10)$$

$$\sum_{i_2=1}^{m_2} w_{i_1 i_2} \leq Mw_{i_1}, \forall i_1 \quad (11)$$

$$\sum_{i_3=1}^{m_3} w_{i_1 i_2 i_3} \leq Mw_{i_1 i_2}, \forall i_1 i_2 \quad (12)$$

$$\sum_{j_1=1}^{n_1} x_{j_1} \leq Mx \quad (13)$$

$$\sum_{j_2=1}^{n_2} x_{j_1 j_2} \leq Mx_{j_1}, \forall j_1 \quad (14)$$

$$\sum_{j_3=1}^{n_3} x_{j_1 j_2 j_3} \leq Mx_{j_1 j_2}, \forall j_1 j_2 \quad (15)$$

$$\sum_{k_1=1}^{o_1} y_{k_1} \leq My \quad (16)$$

$$\sum_{k_2=1}^{o_2} y_{k_1 k_2} \leq My_{k_1}, \forall k_1 \quad (17)$$

$$\sum_{k_3=1}^{o_3} y_{k_1 k_2 k_3} \leq My_{k_1 k_2}, \forall k_1 k_2 \quad (18)$$

$$\sum_{l_1=1}^{p_1} z_{l_1} \leq Mz \quad (19)$$

$$\sum_{l_2=1}^{p_2} z_{l_1 l_2} \leq Mz_{l_1}, \forall l_1 \quad (20)$$

$$\sum_{l_3=1}^{p_3} z_{l_1 l_2 l_3} \leq Mz_{l_1 l_2}, \forall l_1 l_2 \quad (21)$$

$$\frac{1}{\alpha_{Total}} \left(\sum_{i_1=1}^{m_1} \alpha_{i_1}^w w_{i_1} + \dots + \sum_{i_1=1}^{p_1} \sum_{i_2=1}^{p_2} \sum_{i_3=1}^{p_3} \alpha_{i_1 i_2 i_3}^z z_{i_1 i_2 i_3} \right) \geq M_c \quad (22)$$

$$\frac{1}{\beta_{Total}} \left(\sum_{i_1=1}^{m_1} \beta_{i_1}^w w_{i_1} + \dots + \sum_{i_1=1}^{p_1} \sum_{i_2=1}^{p_2} \sum_{i_3=1}^{p_3} \beta_{i_1 i_2 i_3}^z z_{i_1 i_2 i_3} \right) \geq E_c \quad (23)$$

$$\frac{1}{\gamma_{Total}} \left(\sum_{i_1=1}^{m_1} \gamma_{i_1}^w w_{i_1} + \dots + \sum_{i_1=1}^{p_1} \sum_{i_2=1}^{p_2} \sum_{i_3=1}^{p_3} \gamma_{i_1 i_2 i_3}^z z_{i_1 i_2 i_3} \right) \geq C_c \quad (24)$$

$$\sum_{i_1=1}^{m_1} \delta_{i_1}^w w_{i_1} + \dots + \sum_{i_1=1}^{p_1} \sum_{i_2=1}^{p_2} \sum_{i_3=1}^{p_3} \delta_{i_1 i_2 i_3}^z z_{i_1 i_2 i_3} \leq B \quad (25)$$

$$w_{i_1}, w_{i_1 i_2}, w_{i_1 i_2 i_3}, x_{j_1}, x_{j_1 j_2}, x_{j_1 j_2 j_3}, y_{k_1}, y_{k_1 k_2}, y_{k_1 k_2 k_3}, z_{l_1}, z_{l_1 l_2}, z_{l_1 l_2 l_3} \in \{0, 1\} \quad (26)$$

Inequalities (10) until (21) are linking constraints which mean that values of some variables depend on value of a certain variable. For example, suppose that process w_{11} and w_{12} are selected then process w_1 has to be selected because process w_{11} and w_{12} are inside process w_1 . The number M represents an upper bound of any sum of the variables in the model. In other words M is at least as large as any sum of the variables we can feasibly get. Inequalities (22), (23) and (24) are constraints for cut-off criteria. Inequality (25) is budget constraint and (26) is binary constraint. If the selected objective function is equation (6) then the constraints are formulas (10), (11), (12), (13), (14), (15), (16), (17), (18), (19), (20), (21) and (26).

4 NUMERICAL EXAMPLE

Suppose that we want to do LCA study for the system represented by Figure 4. Mass, energy, and cost to collect inventory data is given by Table 1. Mass and energy values given are per functional unit. Information regarding economic values of a process is not given therefore it is not considered. Our objective is to identify system boundary and maximize overall cut-off criteria. Budget available to conduct LCA study is 400. Note that this example is not a real case study. The purpose of the example is just to demonstrate and verify the model.




Figure 4: System for the numerical example.

| Life cycle stage | Process (Level 1) | Process (Level 2) | | | Process (Level 3) | | | Mass | Energy | Cost | | |
|------------------|-------------------|-------------------|--------|------------------|-------------------|------|--------|------------------|------------------|------|------|----|
| | | Mass | Energy | Cost | Process (Level 2) | Mass | Energy | | | | Cost | |
| w | w ₁ | 2 | 91 | 1 | w ₁₁ | 6 | 27 | 19 | w ₁₁₁ | 10 | 92 | 15 |
| | | | | | w ₁₁₂ | | | | w ₁₁₂ | 10 | 28 | 15 |
| | | | | | w ₁₁₃ | | | | w ₁₁₃ | 0 | 50 | 3 |
| | | | | | w ₁₂ | 7 | 79 | 11 | w ₁₂₁ | 1 | 93 | 6 |
| | | | | | w ₁₂₂ | | | | w ₁₂₂ | 2 | 91 | 9 |
| | | | | | w ₁₂₃ | | | | w ₁₂₃ | 1 | 45 | 15 |
| | w ₂ | 3 | 79 | 12 | w ₂₁ | 8 | 7 | 2 | w ₂₁₁ | 1 | 20 | 15 |
| | | | | | w ₂₁₂ | | | | w ₂₁₂ | 8 | 58 | 4 |
| | | | | | w ₂₁₃ | | | | w ₂₁₃ | 8 | 88 | 17 |
| w ₂₂ | 5 | 98 | 16 | w ₂₂₁ | | | | w ₂₂₁ | 1 | 18 | 12 | |
| | | | | w ₂₂₂ | | | | w ₂₂₂ | 3 | 77 | 12 | |
| | | | | w ₂₂₃ | | | | w ₂₂₃ | 0 | 65 | 6 | |
| w ₃ | 9 | 5 | 4 | | | | | | | | | |
| x | x ₁ | 8 | 27 | 10 | x ₁₁ | 2 | 19 | 4 | x ₁₁₁ | 3 | 96 | 3 |
| | | | | | | | | | x ₁₁₂ | 9 | 49 | 20 |
| | | | | | | | | | x ₁₁₃ | 7 | 33 | 1 |
| | | | | | x ₁₂ | 6 | 99 | 14 | x ₁₂₁ | 5 | 36 | 5 |
| | | | | | | | | | x ₁₂₂ | 0 | 77 | 2 |
| | | | | | | | | | x ₁₂₃ | 9 | 59 | 4 |
| | x ₂ | 1 | 20 | 0 | x ₂₁ | 7 | 85 | 8 | x ₂₁₁ | 6 | 70 | 10 |
| | | | | | | | | | x ₂₁₂ | 10 | 94 | 8 |
| | | | | | | | | | x ₂₁₃ | 3 | 15 | 7 |
| | | | | | x ₂₂ | 5 | 58 | 8 | x ₂₂₁ | 0 | 15 | 8 |
| | | | | | | | | | x ₂₂₂ | 10 | 75 | 9 |
| | | | | | | | | | x ₂₂₃ | 7 | 76 | 9 |
| | x ₃ | 5 | 64 | 19 | | | | | | | | |

Table 1: Data.

| Life cycle stage | Process (Level 1) | Mass | Energy | Cost | Process (Level 2) | Mass | Energy | Cost | Process (Level 3) | Mass | Energy | Cost |
|------------------|-------------------|------|--------|------|-------------------|------|--------|------|-------------------|------|--------|------|
| y | y _i | 2 | 2 | 20 | y _{1i} | 9 | 5 | 13 | y ₁₁₁ | 4 | 68 | 15 |
| | | | | | | | | | y ₁₁₂ | 1 | 48 | 17 |
| | | | | | | | | | y ₁₁₃ | 2 | 15 | 13 |
| z | z _i | 3 | 13 | 2 | z _{1i} | 2 | 69 | 20 | z ₁₁₁ | 2 | 52 | 7 |
| | | | | | | | | | z ₁₁₂ | 9 | 83 | 20 |
| | | | | | | | | | z ₁₁₃ | 5 | 70 | 4 |
| | | | | | z ₁₂ | 5 | 53 | 17 | z ₁₂₁ | 6 | 26 | 18 |
| | | | | | | | | | z ₁₂₂ | 1 | 78 | 6 |
| | | | | | | | | | z ₁₂₃ | 9 | 79 | 1 |

Table 1: Data (continued).

The binary linear programming model is the following.

$$\text{Max } Z = \frac{1}{2} (M_c + E_c)$$

where,

$$M_c = \frac{2w_1 + 3w_2 + 9w_3 + 8x_1 + x_2 + 5x_3 + 2y_1 + 3z_1 + 6w_{11} + \dots + 2x_{11} + \dots + 9y_{11} + \dots + 2z_{11} + \dots + 10w_{111} + \dots + 9z_{123}}{2 + 3 + 9 + 8 + 1 + 5 + 2 + 3 + 6 + \dots + 2 + \dots + 9 + \dots + 2 + \dots + 10 + \dots + 9}$$

$$E_c = \frac{91w_1 + 79w_2 + 5w_3 + 27x_1 + 20x_2 + 64x_3 + 2y_1 + 13z_1 + 27w_{11} + \dots + 19x_{11} + \dots + 5y_{11} + \dots + 69z_{11} + \dots + 92w_{111} + \dots + 79z_{123}}{91 + 79 + 5 + 27 + 20 + 64 + 2 + 13 + 27 + \dots + 2 + \dots + 9 + \dots + 2 + \dots + 10 + \dots + 9}$$

Subject to,

$$w_1 + w_2 + w_3 \leq Mw$$

$$x_1 + x_2 + x_3 \leq Mx$$

$$y_1 \leq My$$

$$z_1 \leq Mz$$

$$w_{11} + w_{12} \leq Mw_1$$

$$w_{21} + w_{22} \leq Mw_2$$

$$x_{11} + x_{12} \leq Mx_1$$

$$x_{21} + x_{22} \leq Mx_2$$

$$y_{11} \leq My_1$$

$$z_{11} + z_{12} \leq Mz_1$$

$$w_{111} + w_{112} + w_{113} \leq Mw_{11}$$

$$w_{121} + w_{122} + w_{123} \leq Mw_{12}$$

$$w_{211} + w_{212} + w_{213} \leq Mw_{21}$$

$$w_{221} + w_{222} + w_{223} \leq Mw_{22}$$

$$x_{111} + x_{112} + x_{113} \leq Mx_{11}$$

$$x_{121} + x_{122} + x_{123} \leq Mx_{12}$$

$$x_{211} + x_{212} + x_{213} \leq Mx_{21}$$

$$x_{221} + x_{222} + x_{223} \leq Mx_{22}$$

$$y_{111} + y_{112} + y_{113} \leq My_{11}$$

$$z_{111} + z_{112} + z_{113} \leq Mz_{11}$$

$$z_{121} + z_{122} + z_{123} \leq Mz_{12}$$

$$\left(w_1 + 12w_2 + 4w_3 + 10x_1 + 0x_2 + 5x_3 + 20y_1 + 2z_1 + 19w_{11} + \dots + 14x_{11} + \dots + 13y_{11} + \dots + 2z_{11} + \dots + 15w_{111} + \dots + 1z_{123} \right) \leq 400$$

$$w_1, w_2, w_3, x_1, x_2, x_3, y_1, z_1, w_{11}, \dots, x_{11}, \dots, y_{11}, \dots, z_{11}, \dots, w_{111}, \dots, z_{123} \in \{0, 1\}$$

The solutions of this simple problem are the following.

$w = x = y = 1$ because they are the main life cycle stages.

$$w_1 = w_2 = w_3 = 1,$$

$$x_1 = x_2 = 1, x_3 = 0,$$

$$y_1 = 1, z_1 = 1,$$

$$w_{11} = w_{12} = w_{21} = w_{22} = 1$$

$$x_{11} = x_{12} = x_{21} = x_{22} = 1$$

$$y_{11} = 1,$$

$$z_{11} = z_{12} = 1,$$

$$w_{111} = w_{112} = w_{113} = 1,$$

$$w_{121} = w_{122} = 1, w_{123} = 0,$$

$$w_{211} = 0, w_{212} = w_{213} = 1,$$

$$w_{221} = 0, w_{222} = w_{223} = 1,$$

$$x_{111} = x_{112} = x_{113} = 1,$$

$$x_{121} = x_{122} = x_{123} = 1,$$

$$x_{211} = x_{212} = x_{213} = 1,$$

$$x_{221} = 0, x_{222} = x_{223} = 1,$$

$$y_{111} = 1, y_{112} = y_{113} = 0,$$

$$z_{111} = z_{112} = z_{113} = 1,$$

$$z_{121} = 0, z_{122} = z_{123} = 1.$$

$$Z = \frac{1}{2} (M_c + E_c) = \frac{1}{2} (0.93 + 0.91) = 0.92.$$

Total budget spent is 400 and the selected boundary is shown by Figure 5.

Suppose that we vary the budget from 375 to 575. The change in objective function value with respect to budget change is given by Figure 6 that shows when the budget reaches 535 it is possible to consider all processes in the system.




Figure 5: Selected system boundary.




Figure 6: Change in objective function value with respect to budget change.

5 CONCLUSION

A binary linear programming approach to select system boundary of a LCA study is proposed. The proposed method is based on RMEE methodology presented in Reynolds et al. [8]. The main differences between the proposed methodology and RMEE are (1) RMEE is a repetitive approach; our approach is an optimization approach, (2) in our approach cut-off ratios are determined based on data accessibility (cost to collect inventory data); in RMEE the cut-off ratio is given, and (3) since our approach is a mathematical programming model therefore sensitivity analysis is easy to be done.

In the future, it is expected that computer software will be developed based on this methodology [s7](#) that practitioners can easily determine their LCA boundary based on their available budget, mass flow, energy flow and economic values of the processes.

6 REFERENCES

- [1] US Environmental Protection Agency (EPA), (2006): Life Cycle Assessment: Principles and Practice, EPA, Cincinnati, Ohio.
- [2] Tillman, A. M., Ekvall, T., Baumann, H., Rydberg, T. (1994): Choice of System Boundary in Life Cycle Assessment, in: Journal of Cleaner Production, Vol. 2, No. 1, pp. 21 – 29.
- [3] Guinee, J. B., Heijungs, R., Huppes, G., Kleijn, R., de Koning, A., van Oers, L., Wegener Sleeswijk, A., Suh, S., Udo de Haes, H. A., de Bruijn, J. A., van Duin, R., Huijbregts, M. A. J. (2002): Handbook on Life Cycle Assessment: Operational Guide to the ISO Standards. Series: Eco-efficiency in Industry and Science, Kluwer Academic Publishers, Dordrecht.
- [4] Finveden, G., Hauschild, M. Z., Ekvall, T., Guinee, J., Heijungs, R., Hellweg, S., Koehler, A., Pennington, D., Suh, S. (2009): Recent Developments in Life Cycle Assessment, in: Journal of Environmental Management, Vol. 91, No. 1, pp. 1 – 21.
- [5] Hunt, R. G., Sellers, P. L., Craig, K. L. (1992): Resource and Environmental Profile Analysis: A life-cycle Environmental Assessment for Products and Procedures, in: Environmental Impact Assessment Review, Vol. 12, No. 3, pp. 245 - 296.
- [6] Mann, M. K., Spath, P. L., Craig, K. L. (1996): Economic and Life Cycle Assessment of an Integrated Biomass Gasification Combined Cycle System, in: Proceeding of the 31st Intersociety Energy Conversion Engineering Conference (IECEC), pp. 2134 - 2139, Washington DC, USA.
- [7] ISO 14041, (1998): Environmental Management - Life Cycle Assessment - Goal and Scope Definition and Inventory Analysis, International Organization for Standardization.
- [8] Reynolds, M., Fraser, R., Checkel, D. (2000): The Relative Mass-Energy-Economic (RMEE) Method for System Boundary Selection, in: International Journal of Life Cycle Assessment, Vol. 5, No. 1, pp. 37 – 46.

A binary

ORIGINALITY REPORT

9%

SIMILARITY INDEX

6%

INTERNET SOURCES

7%

PUBLICATIONS

0%

STUDENT PAPERS

PRIMARY SOURCES

- 1 Marlo Raynolds. "The relative mass-energy-economic (RMEE) method for system boundary selection Part 1: A means to systematically and quantitatively select LCA boundaries", The International Journal of Life Cycle Assessment, 01/2000
Publication 2%
- 2 mafiadoc.com
Internet Source 1%
- 3 "Handbook of Environmental Materials Management", Springer Science and Business Media LLC, 2019
Publication 1%
- 4 G. Finnveden, J. Potting. "Life Cycle Assessment", Elsevier BV, 2014
Publication 1%
- 5 Sangwon Suh, Manfred Lenzen, Graham J. Treloar, Hiroki Hondo et al. "System Boundary Selection in Life-Cycle Inventories Using Hybrid Approaches", Environmental Science & 1%

Technology, 2004

Publication

| | | |
|----|--|-----|
| 6 | en.wikipedia.org Internet Source | <1% |
| 7 | scholarsmine.mst.edu Internet Source | <1% |
| 8 | eprints.uwe.ac.uk Internet Source | <1% |
| 9 | www.yumpu.com Internet Source | <1% |
| 10 | api.intechopen.com Internet Source | <1% |
| 11 | pub.epsilon.slu.se Internet Source | <1% |
| 12 | Design for Innovative Value Towards a Sustainable Society, 2012. Publication | <1% |
| 13 | Göran Finnveden, Michael Z. Hauschild, Tomas Ekvall, Jeroen Guinée et al. "Recent developments in Life Cycle Assessment", Journal of Environmental Management, 2009 Publication | <1% |

Exclude quotes On

Exclude matches Off

Exclude bibliography On