

A.l.c.11a

## Turnitin Originality Report

Processed on: 19-Jul-2020 1:48 PM +08

ID: 1359247689

Word Count: 2926

Submitted: 1

### PJN 2014 By Sri Melia

3% match  
(publications)

[I Juliyarsi, M Tanifal, S Melia, Arief, A Djamaan, E Purwati. " Characterization of Edible Film Whey with Addition of](#)

[Curcuma Extract on Moisture, Water Vapor Absorption, Solubility Time, and Antioxidant Activity ", IOP Conference Series: Earth and Environmental Science, 2020](#)

Similarity Index	Similarity by Source	
3%	Internet Sources:	N/A
	Publications:	3%
	Student Papers:	0%

Pakistan Journal of Nutrition 13 (6): 327-330, 2014 ISSN 1680-5194 © Asian Network for Scientific Information, [2014 Utilization of Milk Processing by Product \(Whey\) as Based of Edible Film Making with Glycerol Adding as Plasticizer](#) Salam N. Aritonang<sup>1</sup> and Sri Melia<sup>2</sup> <sup>1</sup>Department of Animal Production, <sup>2</sup>Department of Food Technology, Faculty of Animal Husbandry, Andalas University, Padang-25163, Indonesia Abstract: The research on the [utilization of milk processing by product \(whey\) as based edible film making with glycerol adding as plasticizer](#) has been done. Two thousand milliliters of whey is added to ethanol 95% (1:1) and heated to 60°C and then added as much as 1% of the CMC and then treated with the addition of glycerol as much as 2.5% (A), 3% (B), 3.5% (C), 4% (D) and 4.5% (E) in randomized block design with five replications. This research aims to determine the effect of adding glycerol to the characteristics of the edible film. The Variable was observed in this research were the moisture, protein, pH, thickness, viscosity and shelf life of the edible film. Result of the research showed that the higher glycerol plasticizer adding was decreased of moisture and protein content significantly ( $p < 0.01$ ) and increased pH, thickness and shelf life of the edible film. The use of glycerol plasticizer as much as 4% is the optimum in producing good edible film. Key words: Whey, edible film, plasticizer, glycerol INTRODUCTION Whey is a by-product of milk processing are rarely used but disposed of as industrial waste, which can cause environmental pollution. For example in the industry of cheese or butter making, by-product out of milk which did not turn out to be a product are quite an amount, so that it can cause problems for the industry as well as for the environment (Rahman et al., 1992). Whey still contains all the components of milk except fat and casein, which

allows it to be utilized for processing into other products. Shiddieq (2002) said that in the whey also contained several enzymes, hormones, antibodies, growth factors and nutrients (nutrient transporter). In addition, proteins that are contained in whey could also be used as primary packaging material for food which is environmentally friendly such as Edible Film. According to Hernandez et al. (2006) the use of whey protein as a base in edible film-making acts as a barrier in controlling the release of oxygen, aroma and lipids that can affect the quality and shelf life of foodstuff. According to Krochta et al. (1994) Edible Film is one form of packaging made of thin layers which is consumable, which consists of hydrocolloid components, lipids and composer and can be use as a wrapper in sausage, candies and fruits. This thin layer protects the food against evaporation or reaction with other food. According to Embuscado and Huber (2009) Edible Film can replace or enhance the outer layer to prevent loss of water content of foodstuffs, as well as expenditure control is important elements such as O<sub>2</sub>, CO<sub>2</sub> and ethylene. Aside from that Edible film can keep the surface remains sterile and prevent the loss of existing components in foodstuffs. Cutter and Sumner (2002) suggested that the main advantage of the antimicrobial properties of edible film is to protect the microorganism contamination on the surface of the finished product after processing. According to Ustunol (2009) other functions of the Edible Film is able to inhibit the release of moisture to the outside environment, reduce the absorption of oxygen on the composition of food and protect foods from oxidation. Yoshida and Antunes (2004) adds, the edible films can also extend the shelf life of foods, maintain freshness, avoid growth of microorganisms and to avoid other harmful properties, such as material shrinkage and withering. To produce a good Edible Film, plasticizer-an additive that can prevent cracking during handling and storage processes, so that the elasticity of the resulting edible film can be maintained is often added in the making. Plasticizer commonly used in the food industry is glycerol, which is a chemical compound which is a simple lipid classes, consisting of fats, fatty esters and glycerol, as well as the fatty acid ester wax (Girindra, 1990). This plasticizer is used to modify mechanical properties of the film. Addition of hydrophilic plasticizer can increase the absorption of water evaporation on the film, in which the solubility in polyhydric alcohol (such as glycerol) can quickly create coating and a good barrier.

Corresponding Author: Salam N. Aritonang, Department of Animal Production, Faculty of Animal Husbandry, Andalas University, Padang- 25163, Indonesia 327

Glycerol as a polysaccharide is a hydrocolloid with a specific molecular weight and soluble in water. These compounds will be absorbed intensively to form hydrogen bonds with water. Due to molecular size and its configuration, this polysaccharide has the ability to thicken and form a gel, as a result of hydrogen bonding reaction between the polymer chains with intermolecular friction (Nieto, 2009). According to Yoshida and Antunes (2004) that Plasticizer molecules can reduce the pressure inter-chain binding protein, increased movement and flexibility filmogenik matrix. The use of glycerol which is a simple lipid classes of chemical compounds is by Syarief et al. (2002) is about 3.5-4.0%.

**MATERIALS AND METHODS** Materials Preparation of whey (Hadiwiyoto, 1983): Firstly, the milk was segregated from casein (milk protein) by adding two milliliter of acetic acid 0.025 N into one liter of milk dairy cow that have been pasteurized to obtained 40% of whey out

of the milk volume and then filtered. Edible film making (modified by Syarief et al., 2002): a: Each treatment group needs as much as 2000 mL of whey is then added ethanol 95% (1:1) and heated 60°C and then added the CMC as much as 1% and stirred for 10 min b: Then add glycerol according to treatment, that is 2.5% (A), 3% (B), 3.5% (C), 4% (D) and 4.5% (E) and the temperature is maintained at 60 °C for 30 min while stirring c: Film solution is poured on a glass plate mold size 20 x 20 cm, then dried in an oven at a temperature of 50°C for 24 h to later be observed in variable- variables to be measured d: Above procedure will be done 4 times Research method: This research uses experimental methods using a randomized block design (RBD) that consists of 5 treatments and 4 replications. The treatment is the addition of glycerol as a Plasticizer with 5 concentrations: 2.5% (A), 3% (B), 3.5% (C), 4% (D) and 4.5% (E) into the whey. The variables were measured: moisture content by drying method (Thermogravimetri), protein content by Kjehdahl method, pH with a pH meter, thickness by Vernier Caliper and shelf life by Eber method. The data obtained was processed using analysis of Variance (ANOVA). The differences between the treatment effects followed by Duncan's multiple range test (Steel and Torrie, 1995). RESULTS Protein Content. Protein content of edible films were very significantly ( $p < 0.01$ ) influenced by the addition of glycerol plasticizer, where the higher of glycerol addition increased significantly to reduce protein of edible film. Addition 4.5% of glycerol in treatment E produced a protein level were significantly lowest (8.55%) but not difference with treatment D. The protein content of the edible film is the highest in treatment A that added 2.5% of glycerol (11.73%) as shown in Table 1. Moisture. The moisture of the edible film is very significantly ( $p < 0.01$ ) decrease according to increasing the addition of glycerol. The moisture of the edible film lowest in treatment E that added 4.5% of glycerol (2.12%) followed by treatment C, B and A, but not different ( $p > 0.05$ ) with the moisture of edible film in treatment D (2.36%) as shown in Table 1. pH. pH of the edible film is very significantly highest in treatment E which added 4.5% glycerol (6.93), followed by the pH of the edible film on treatment C, B and A but not different ( $p > 0.05$ ) with a pH of edible film on treatment D (6.67) that the added glycerol 4% as shown in Table 1. This means that the addition of glycerol will increase the pH of the edible film. Thickness. A thickness of edible film were very significantly highest (0.54 mm) in treatment E that added 4.5% of glycerol although was not different with pH of edible film on treatments D (0.51 mm) is added 4% of glycerol, while the lowest pH is edible film on treatment A (0.31 mm) which was added 2.5% of thickness glycerol as shown in Table 1. Shelf Life. The shelf life of edible film is very significantly increased ( $p < 0.01$ ) according to the increasing addition of glycerol. The longest of edible film shelf life is 31.50 days on treatment is added glycerol highest (E), followed by the shelf life on treatment D, C, B and a very short on shelf life of edible film treated 2.5% of glycerol that is 18.25 days. DISCUSSION Decreasing levels of edible film protein content along with the higher glycerol adding, because glycerol can reduce the density and the force between molecules along the protein chain, thus reducing the strength of the force between molecules along the protein chain and soften the strength of the film structure. As a result, more and more glycerol is added then the density between molecules along the protein chain to be wane, so the protein content of edible films produced decreases. In accordance

with the opinion of Yoshida and Antunes (2004), that the molecule can reduce the pressure plasticizer increased inter-chain protein, increase movement and flexibility phylogenic matrix. In fact protein content of edible films on treatment D didn't different ( $p > 0.05$ ) with treatments E indicate that the use of glycerol up to 4% was maximum in reaction to reduce the density and style along the chains of protein molecules during the edible film forming. Consequently, when the level of glycerol adding even higher up to 4.5% the protein content of edible films produced relatively similar. Table 1: Influence of glycerol adding on milk processing by product (Whey) as plasticizer on edible film characteristic

Variable	A	B	C	D
Protein (%)	11.73a	10.48b	10.00b	8.70c
Moisture (%)	5.07a	4.83b	3.63c	2.36d
pH	5.03a	6.36b	6.28b	6.67c
Thickness (mm)	0.31a	0.34a	0.42b	0.51c
Shelf Life (hari)	18.25a	24.75b	25.25b	27.00c

E 8.55c 2.12d 6.93c 0.52c 31.50d a-d Mean within column with different superscript letter are significantly different at  $p < 0.01$  The reduced of the edible film moisture along with the be increase that indicated by increasing edible film increase of glycerol adding because glycerol has a thickness. It is indicated that moisture of material hydrophilic character that is able to bind the water in the determine a texture of material. This research is material, so that the moisture of the material is reduced. corresponding to Purnomo (1995) that moisture of food As shown in Table 1. the highest of glycerol adding in is main role on texture characteristics of food. As a treatment E, the lowest of edible film moisture. In result, more and more glycerol is added then the water accordance with the Gontard and Gilbert (1992) binding in edible film to be higher is followed by statement that glycerol is hydrophilic which means that decreasing of edible film moisture. Consequently, the it easily absorbs water. Similar with Nurwantoro and texture of edible film was increased and its thickness to Congress (1997) that its hydrophilic character so be increase too. The edible film thickness in this glycerol can decrease the aw of food. Unlike the irrelevant research is consistent with Mawarwati et al. (2001) moisture content of edible film between treatments D report that edible film thickness based on wheat germ and E indicate that the use of glycerol up to 4% was among 0.384 to 0.541 mm. maximum in reaction to bind the water in the materials Increasing the shelf life of edible film along with the during the edible film forming. Consequently, when the higher glycerol adding, because glycerol has a level of glycerol adding even higher up to 4.5%, the water hydrophilic character which able to bind the water in the binding capacity not increases more or relatively the material, so the water binding is higher cause edible same acts, so the moisture content of the edible film film moisture is low. As stated by Gontard and Guilbert which is produced relatively has not too many changes. (1992) that glycerol has a hydrophilic character which is Increasing levels of edible film pH along with the higher so easy to absorb hydrophilic water. So the higher glycerol adding, because glycerol have a several of OH glycerol adding, the higher the hydrophilic character to cluster that alkali characters so that to increase the bind the water and then the moisture of edible film to be material pH. As a result, more and more glycerol is lower. Decreasing the moisture of edible film will added then more and more the OH supplied in to edible influence a growth of microorganism over stored, where film. Consequently the solution in edible film to be alkali the growth of microorganism that destroyed a material that followed by edible film increasing. As shown in was inhibited caused of the lackness

of water that Table 1. The highest of glycerol adding in treatment E needed by microorganism. The consequently is the (4.5%), the highest of edible film pH by 6.93 respectively. shelf life of edible film to be longer. Similar to statement Similar to the research of Girindra (1990), glycerol have of Frazier and Westhoff (2002) who stated that in a couple of OH hydroxyl group, whereas the solution that microorganism growth need a water. When related to OHG group content more than H<sup>+</sup> cause the solution to moisture of edible film in this research has shown that be alkali and the pH is more than 7. the shelf life is influenced by water content. The higher There were no significant differences between edible glycerol adding up to 4.5% in treatment E, the moisture film at treatment D and E indicated that the use of of edible film is lowest (2.12%) and its shelf life is glycerol up to 4% was maximum in reaction to supply a longest up to 31.5 days respectively. OH on the edible film making so that the solution in edible film to be alkali. Consequently, when the level of Conclusion: The increase of glycerol adding as glycerol adding even higher up to 4.5%, there are plasticizer on milk processing by product (whey) was unchanged of alkalis solution so the pH of the edible significantly decreased moisture, protein and increased film which is produced relatively has not too many pH, thickness and shelf life of edible film. The adding of changes. glycerol as much as 4% is the optimum to produce Increasing the thickness of edible film along with the edible film. higher glycerol adding, because glycerol has a hydrophilic character that is able to bind the water in the ACKNOWLEDGEMENT material, so that the water content of the material is The author are very grateful for the financial support of reduced and the moisture of edible film is low. Fundamental fund, Directorate General of Higher Decreasing moisture in material is followed by Education, Ministry of National Educational, Republic of increasing its total solid. That means is the total solid to Indonesia (No.126.b/H.16/PL/HB-PID/IV /2009). REFERENCES Cutter, C.N. and S.S. Sumner, 2002. Application of Edible Film Coating in Muscle Food. In. Protein Based Film and Coating. A. Gennedios. CRC. Boca Raton. Embuscado, M.E. and K.C. Huber, 2009. Edible Film and Coating For Food Application. Springer Science. London. Frazier, W.C. and D.C. Westhoff, 2002. Food Microbiology. Tata Mc Graw-Hill Publishing Company Limited. New Delhi. Girindra, A., 1990. Biokimia I. PT. Gramedia, Jakarta. Gontard, N. and S. Guilbert, 1992. Bio Packaging: Tecnology and Properties of Edible Biodegradable Material of Agricultural Origin, Food Packaging and Preservation. The AVI Publ. Inc., Westport, Connecticut. Hadiwiyoto, S., 1983. Hasil-Hasil Olahan Susu, Ikan, Daging dan Telur Edisi 2. Liberty, Yogyakarta. Hernandez, V.M., T.H. Mc Hugh, J. de Berrtos., D. Olson, J. Pan and J.M. Krochta, 2006. Glicerol Content Effect On The Tensile Properties of Whey Protein Sheet Formed by Twin-Scren Extrusion. California Dairy Research. Krochta, J.M., E.A. Baldwin and M.O. Nisperos-Carriedo, 1994. Edible Coatings and Films To Improve Food Quality. Technomic Publ. Co. FC, Lancaster-Basel. Mawarwati, S., S.B. Widjanarko and T. Susanto, 2001. Mempelajari Karakteristik Edible film Berantioksidan Dari Germ Gandum (*Triticum Aestivum*. L) dan Pengaruhnya Dalam Pengendalian Pencoklatan Pada Irisan Apel (*Malus Sylvestris*). J. Biosain, 61-7. Nieto, M.C., 2009. Structure and Function of Polysaccharide Gum Based edible film and Coating. In Embuscado.M and K.C.Humber. Edible Film and Coating For Food Application. Springer Link. New York. Nurwantoro and A.S. Djarijah, 1997. Mikro-Biologi Pangan Hewani-Nabati. Kanisius,

Yogyakarta. Purnomo, H., 1995. Aktivitas Air dan Peranannya Dalam Pengawetan Pangan Hewani Nabati. Malang. Rahman, A., S. Fardiaz, W.P. Rahayu and Suliantri and C.C. Nurwitri, 1992. Teknologi Fermentasi Susu. Departemen Pendidikan dan Kebudayaan. Direktorat Jenderal Pendidikan Tinggi Pusat Antar Universitas Pangan dan Gizi IPB, Bogor. Shiddieqy, 2002. Memetik Manfaat Susu Sapi. Dept. Produksi Ternak. Fakultas Peternakan Universitas Padjadjaran Dalam Cakrawala. [Http://www.google. Com.](http://www.google.com) Steel, R.G.D. and J.H. Torrie, 1995. Prinsip dan Prosedur Statistika Suatu Pendekatan Biometrik. Edisi kedua. Alih Bahasa Bambang Sumantri. PT. Gramedia Pustaka Utama, Jakarta. Syarief, R., S. Koswara, Y. Haryadi, C.C. Andjaya and M. Arpah, 2002. Praktikum Teknologi Pengemasan Pangan. Jurusan Teknologi Pangan dan Gizi IPB, Bogor. Ustunol, Z., 2009. Edible Film and Coating for Meat and Poultry. In Embuscado. M and K.C. Humber. Edible Film and CoatingFor Food Application. Springer Link. New York. Yoshida, C.M.P. and A.J. Antunes, 2004. Characterization of Whey Protein Emulsion Films. Brazilian Journal of Chemical Engineering, Brazil, 247-252. Pak. J. Nutr., 13 (6): 327-330, 2014 Pak. J. Nutr., 13 (6): 327-330, 2014 Pak. J. Nutr., 13 (6): 327-330, 2014 328 329 330