



e-Journal **JITK**

Jurnal
Ilmu Pengetahuan
dan Komputer

Vol 10 No 3 February 2025

P-ISSN: 2685-8223

E-ISSN: 2527-4864



Diterbitkan Oleh :

LEMBAGA PENELITIAN DAN PENGABDIAN MASYARAKAT
UNIVERSITAS NUSA MANDIRI

EDITOR IN CHIEF

ASSOCIATE EDITORS

BOARD OF EDITORS

Eko Fajar Cahyadi, Ph.D.
Profile: [Google Scholar](#) | Scopus ID: [57205442579](#) | Telkom University

Bangkit Ary Pratama, SKM., M.Kes.
Profile: [Google Scholar](#) | Scopus ID: - | Politeknik Kesehatan Bhakti Mulia

WTON 2.0

RSS 2.0

RSS 1.0



[Tim Editorial](#)
[Reviewer](#)
[Peer Review Process](#)
[Focus & Scope](#)
[Author Guidelines](#)

- [Open Access Policy](#)
- [Copyright Notice](#)
- [Publication Ethics](#)
- [License Policy](#)
- [Plagiarism Policy](#)
- [Archive Policy](#)
- [Contact Editor](#)
- [Summary Stats Visitor](#)
- [Full Papers JITK](#)



Budy Satria, M.Kom
Profile: [Google Scholar](#) | Scopus ID: - | Universitas Andalas

Dian Fitria Tanjung, S.Pd., M.Pd
Profile: [Google Scholar](#) | Scopus ID: - | STAI SAMORA PEMATANGSIANTAR

Endah Setyowati, M.Stat.
Profile: [Google Scholar](#) | Scopus ID: [57216511168](#) | Institut Agama Islam Negeri Ponorogo

Esron Rikardo Nainggolan, M.Kom
Profile: [Google Scholar](#) | Scopus ID: [57208281339](#) | Universitas Nusa Mandiri

Evita Fitri, M.Kom
Profile: [Google Scholar](#) | Scopus ID: [59378181400](#) | Universitas Nusa Mandiri

Febri Dristyan, M.Kom | Profile: [Google Scholar](#) | Scopus ID: [57205055594](#)
Politeknik Jambi

Juarni Siregar, S. Pd., M. Kom.
Profile: [Google Scholar](#) | Scopus ID: [57220427638](#) | Universitas Nusa Mandiri

Lukman Medriavin Silalahi, A.Md., ST., MT.
Profile: [Google Scholar](#) | Scopus ID: [57216585258](#) | Universitas Silber Asia

Lusa Indah Prahartiwi, M.Kom
Profile: [Google Scholar](#) | Scopus ID: [57220185852](#) | Universitas Nusa Mandiri

Muhammad Fadlan, S.Kom., M.Kom.
Profile: [Google Scholar](#) | Scopus ID: [57221493210](#) | STMIK PPKJA Tarakanita Rahmawati

Muji Ernawati, M.Kom
Profile: [Google Scholar](#) | Scopus ID: [58062887500](#) | Universitas Nusa Mandiri

Mulia Sulistyono, M.Kom
Profile: [Google Scholar](#) | Scopus ID: [57205251851](#) | Universitas Amikom Yogyakarta

Mu'tasim Fikri, M.Pd
Profile: [Google Scholar](#) | Scopus ID: [57205251851](#) | Universitas Bakti Indonesia

Ns. Vernando Yanry Lameky, S.Kep., M.Kep
Profile: [Google Scholar](#) | Scopus ID: [58667034900](#) | Universitas Kristen Indonesia Maluku

Odi Nurdianwan, S.Kom. M.Kom
Profile: [Google Scholar](#) | Scopus ID: [57212352103](#) | STMIK IKMI Cirebon [royalhoki77](#)

Pungkas Subarkah, M.Kom.
Profile: [Google Scholar](#) | Scopus ID: [57216585258](#) | Universitas Amikom Purwokerto

Riyan Latifahul Hasanah, M.Kom
Profile: [Google Scholar](#) | Scopus ID: [58289249000](#) | Universitas Amikom Yogyakarta

Sanjaya Pinem, S.Kom, M.Sc
Profile: [Google Scholar](#) | Scopus ID: - | Politeknik Negeri Media Kreatif

Siti Nurhasanah Nugraha, M.Kom
Profile: [Google Scholar](#) | Scopus ID: [58288855000](#) | Universitas Nusa Mandiri

Sri Hartanto, S.T, M.T
Profile: [Google Scholar](#) | Scopus ID: [57201666762](#) | Universitas Krisnadwipayana

Syamsyarief Baqaruzi, S.T., M.T.
Profile: [Google Scholar](#) | Scopus ID: [57216585258](#) | Institut Teknologi Sumatera

Taufik Hidayatulloh, M.Kom
Profile: [Google Scholar](#) | Scopus ID: - | Universitas Bina Sarana Informatika

Wahyu Widhiarso, S.T., M.T.
Profile: [Google Scholar](#) | Scopus ID: [57204698471](#) | Universitas Setia Budi

Wiwit Supriyanti, S.Kom, M.Kom
Profile: [Google Scholar](#) | Scopus ID: [57212081221](#) | Universitas Muhammadiyah Karanganyar

Wulan Dari, M.Kom
Profile: [Google Scholar](#) | Scopus ID: [57220183726](#) | Universitas Nusa Mandiri

Reviewer

Prof. Dr. dr. Johan Harlan
Profile: [Google Scholar](#) | Scopus ID: [56156931200](#) | Universitas Gunadarma Jakarta

Prof. Dr. Jufriadif Na'am
Profil : [Google Scholar](#) | Scopus ID: [57189371499](#) | Universitas Nusa Mandiri

Prof. Dr. Novizar Nazir
Profile: [Google Scholar](#) | Scopus ID: [35503777500](#) | Universitas Andalas

Assoc. Professor Dr. Solikhun, A.Mp, A.Md, S.Kom, M.Kom
Profile: [Google Scholar](#) | Scopus ID: [57211272339](#) | STIKOM Tunas Bangsa



Indexing JITK



Information

[For Readers](#)
[For Authors](#)
[For Librarians](#)

Language

[English](#)
[Bahasa Indonesia](#)

Dr (c). Yupiter Marpi, S.Kom., SH., MH., CMLC., C.TA., C.Med., C.Ed
Profile: [Google Scholar](#) | Scopus ID: [57211272339](#) | Universitas Jakarta

Dr. (can) Bagus Haryadi, MT
Profile: [Google Scholar](#) | Scopus ID: [56161996000](#) | National Dong Hwa University

Dr. Ahmad Sufril Azlan Mohamed
Profile: [Google Scholar](#) | Scopus ID: [57190968285](#) | Universiti Sains Malaysia

Dr. Aida Firdaus Muhammad Nurul Azmi
Profile: [Google Scholar](#) | Scopus ID: [55037673000](#) | Universiti Teknologi MARA

Dr. Arfive Gandhi, S.T., M.T.I
Profile: [Google Scholar](#) | Scopus ID: [57188979780](#) | Telkom University

Dr. Foni Agus Setiawan, M.Kom
Profile: [Google Scholar](#) | Scopus ID: [56669695700](#) | Universitas Ibnu Khaldun Bogor, Indonesia

Dr. Hendra Cipta, M.Si
Profile: [Google Scholar](#) | Scopus ID: [57215913193](#) | Universitas Islam Negeri Sumatera Utara Medan

Dr. Hetty Rohayani, AH, ST, M.Kom
Profile: [Google Scholar](#) | Scopus ID: [57193505909](#) | Universitas Muhammadiyah Jambi

Dr. Herlawati, S.Si., M.M., M.Kom
Profile: [Google Scholar](#) | Scopus ID: [55613443500](#) | Universitas Muhammadiyah Jambi

Dr. Ing. Insannul Kamil
Profile: [Google Scholar](#) | Scopus ID: [56149407000](#) | Universitas Andalas

Dr. Ir. Ananto Tri Sasongko, M.Sc.
Profile: [Google Scholar](#) | Scopus ID: [57203154062](#) | Universitas Pelita Bangsa

Dr., Ir., Nur Widiyasono, M.Kom.,CEH., CHFL., CITAP., MCE.,MET.
Profile: [Google Scholar](#) | Scopus ID: [57192157716](#) | Universitas Siliwangi

Dr. Mardiana Purwaningsih, ST., M.Kom
Profile: [Google Scholar](#) | Scopus ID: [57213518356](#) | Perbanas Institute

Dr. Mohd Nadhir Ab Wahab
Profile: [Google Scholar](#) | Scopus ID: [57190968285](#) | Universiti Sains Malaysia

Dr. Muhandi
Profile: [Google Scholar](#) | Scopus ID: [57218939131](#) | STMIK Hang Tuah Pekanbaru

Dr. Nita Merlina, M.Kom
Profile: [Google Scholar](#) | Scopus ID: [57208280328](#) | Universitas Nusa Mandiri

Dr. Richard, S.Kom., M.M.
Profile: [Google Scholar](#) | Scopus ID: [56638189100](#) | Universitas Bina Nusantara

Dr. Tati Erlina
Profile: [Google Scholar](#) | Scopus ID: [57205103093](#) | Universitas Andalas

Dr. Wahyudi
Profile: [Google Scholar](#) | Scopus ID: [57196343003](#) | STMIK Indonesia Padang

Dr. Winanti, S. Kom., MM.M.Kom
Profile: [Google Scholar](#) | Scopus ID: [57200984216](#) | Universitas Insan Pembangunan Indonesia

Dr. Windu Gata, M.Kom
Profile: [Google Scholar](#) | Scopus ID: [57193213766](#) | Universitas Nusa Mandiri

Dr. Faiza Rini
Profile: [Google Scholar](#) | Scopus ID: [57196343003](#) | Sekolah Tinggi Keguruan dan Ilmu Pendidikan (STKIP) PGRI Sumatera Barat

Putra Wanda, S.Kom.,M.Eng.Ph.D
Profile: [Google Scholar](#) | Scopus ID: [56596690000](#) | Universitas Respati Yogyakarta

Yuri Yudhaswana Joeffie, Ph.D Profile: [Google Scholar](#) | Scopus ID: [57216615723](#) | Universitas Tadulako

Assoc. Prof. Dr. Harianto GP, D.Th., D.Ed. Profile: [Google Scholar](#) | Scopus ID: [57218898497](#) | Sekolah Tinggi Teologi Exselsius

Darsono Nababan S.Kom., M.Kom
Profile: [Google Scholar](#) | Scopus ID: [57203861998](#) | Universitas Timor

Maria Gratiana Yudith Tallo, SE, MBA Profile: [Google Scholar](#) | Scopus ID: - | Politeknik Negeri Kupang [slot gacor](#)

Adil Setiawan, M. Kom
Profile: [Google Scholar](#) | Scopus ID: [57200211356](#) | Universitas Potensi Utama

Agung Wibowo, M.Kom
Profile: [Google Scholar](#) | Scopus ID: [57209065476](#) | Universitas Bina Sarana Informatika

Dr. Agus Nursikuwagus, MT.,MM.,MOS.,MTA
Profile: [Google Scholar](#) | Scopus ID: [57194782786](#) | Universitas Komputer Indonesia

Agustinus Fritz Wijaya, S.Kom., M.Cs.

Profile: [Google Scholar](#) | Scopus ID: [56461093400](#) | Universitas Kristen Satya Wacana

Akhmad Sayuti, ST, Mkom

Profile: [Google Scholar](#) | Scopus ID:- |ITB Bina Sriwijaya Palembang

Amandus Jong Tallo, S.T., M.Eng

Profile: [Google Scholar](#) | Scopus ID: [57200984216](#) | Politeknik Negeri Kupang

Andi Riyanto, S.E., M.M.

Profile: [Google Scholar](#) | Scopus ID: [57200984216](#) |Universitas Bina Sarana Informatika

Anita Sindar, ST., M.TI

Profile: [Google Scholar](#) | ID Scopus: [57193870569](#) | STMik Pelita Nusantara

Anna Mukhayaroh, M.Kom

Nusa Mandiri

Profile: [Google Scholar](#) | ID Scopus: [57193870569](#) | Universitas

Ardhin Primadewi, S. Si, M. TI

Profile: [Google Scholar](#) | Scopus ID: [57210971067](#) | Universitas Muhammadiyah Magelang

Bambang Krismono Triwijoyo, M.Kom

Profile: [Google Scholar](#) |Scopus ID: [57193868829](#) | STMik Bumi Gora Mataram

Bernad Jumadi Dehotman Sitompul, S.Kom., M.Kom.

Profile: [Google Scholar](#) | Scopus ID: [57210235620](#) | Universitas Sam Ratulangi

Betty Dewi Puspasari, S.Kom, MT

Profile: [Google Scholar](#) | Scopus ID: - | Institut Teknologi Nasional (ITN) Malang

Dinar Ajeng Kristiyanti, M.Kom

Multimedia Nusantara

Profile: [Google Scholar](#) | Scopus ID:[57191189495](#) | Universitas

Emmanuel Ariananto Waluyo Adi

Profile: [Google Scholar](#) | Scopus ID - | Sekretariat Kabinet RI

Evi Dewi Sri Mulyani, S.Kom., M.Kom

Profile: [Google Scholar](#) | Scopus ID: [57200210311](#) | Universitas Perjuangan Tasikmalaya

Harya Bima Dirgantara, S. Kom., M.T.I.

Profile: [Google Scholar](#) | Scopus ID: [57191222989](#) | Institut Teknologi dan Bisnis Kalbis

Ibnu Sani Wijaya, S.Kom, MSI

Profile: [Google Scholar](#) | Scopus ID: [58278395800](#) |Universitas Dinamika Bangsa Jambi

Imam Yunianto., S.Kom.,M.M., M.Kom.

Profile: [Google Scholar](#) | Scopus ID: [58361467100](#) | Institut Bisnis Muhammadiyah Bekasi

Indra Gamayanto,ST.,M.ITM

Profile: [Google Scholar](#) | Scopus ID: [57201748941](#) | Universitas Dian Nuswantoro

Jefri Junifer Pangaribuan, S.Kom., M.TI.

Profile: [Google Scholar](#) |Scopus ID: [57213221087](#) | Universitas Pelita Harapan

Kelik SussolaiKah, S. Kom., M.Kom

Profile: [Google Scholar](#) | Scopus ID: [57209271915](#) | Universitas PGRI Madiun

Laila Qadrini, M.Stat.

Profile: [Google Scholar](#) | Scopus ID: - | Universitas Sulawesi Barat

Linda Marlinda, S.Kom,M.M.,M.Kom

Profile: [Google Scholar](#) | Scopus ID: [57200210746](#) | Universitas Nusa Mandiri

Martinus sony erstiawan

Profile: [Google Scholar](#) | Scopus ID: - | Universitas Dinamika

Marzuki Piliang S.I.Kom, M.Kom

Profile: [Google Scholar](#) |Scopus ID: [57982967000](#) | Esa Unggul University

Masithoh Yessi Rochayani, S.Si.,M.Stat.

Profile: [Google Scholar](#) | Scopus ID: [57215300168](#) | Universitas Diponegoro

Meida Cahyo Untoro, S.Kom.,M.Kom.

Profile: [Google Scholar](#) | Scopus ID: [57216532202](#) | Institut Teknologi Sumatera

Mochammad Choirur Roziqin, S.Kom, M.T

Profile: [Google Scholar](#) | Scopus ID: [57193864511](#) | Politeknik Negeri Jember

Mohammad Andri Dwi Aprianto, S.M., M.M.

Profile:-| Scopus ID:-| STT Cahaya Surya Kediri

Muhammad Adrinta Abdurrazzaq, S.Kom, M.T.

Profile: [Google Scholar](#) |Scopus ID: [57210232996](#) | Institut Teknologi dan Bisnis Kalbis

Muhammad Sholeh, ST,MT

Profile: [Google Scholar](#) | Scopus ID: [57220037895](#) | Institut Sains & Teknologi AKPRIND Yogyakarta

Nanang Ruhyana, M.Kom

Profile: [Google Scholar](#) | Scopus ID: [57214602983](#) | UNIVERSITAS NUSA MANDIRI

Ningrum Astriawati, S. Si, M. Sc

Profile: [Google Scholar](#) | Scopus ID: [57211266616](#) | Sekolah Tinggi Maritim Yogyakarta

Okky Putra Barus, S.Kom., M.M., M.T.I.

Profile: [Google Scholar](#) | Scopus ID: [57209461167](#) | Universitas Pelita Harapan

Oktavia Winda Lestari, M. Pd.

Profile: [Google Scholar](#) | Scopus ID: [57208282541](#) | Universitas Islam Malang

Oman Somantri, M.Kom

Profile: [Google Scholar](#) | Scopus ID: [57208898676](#) | Politeknik Negeri Cilacap

Petrus Kerowe Goran, S.T., M.T.

Profile: [Google Scholar](#) | Scopus ID: [57209100189](#) | Telkom University Purwokerto

Rizal Amegia Saputra, M.Kom.

Profile: [Google Scholar](#) | Scopus ID: [57208282206](#) | Universitas Bina Sarana Informatika

Rohmat Gunawan S.T., M.T.

Profile: [Google Scholar](#) | Scopus ID: [57211267688](#) | Universitas Siliwangi

Rohmat Indra Borman, M.Kom.

Profile: [Google Scholar](#) | Scopus ID: [57205615323](#) | Universitas Teknokrat Indonesia

Sarwandi, M.Pd.T

Profile: [Google Scholar](#) | Scopus ID: [58988094100](#) | Universitas Budi Darma

Septian Bagus Wibisono, S.Kom., M.T.I.

Profile: [Google Scholar](#) | Scopus ID: [57205057715](#) | Badan Meteorologi, Klimatologi, dan Geofisika

Soleman, S.Kom. M.Kom., MCE

Profile: [Google Scholar](#) | Scopus ID: [57212621666](#) | Universitas Borobudur

Sri Hadiantri, M.Kom

Profile: [Google Scholar](#) | Scopus ID: [57215526609](#) | Universitas Nusa Mandiri

Tati Mardiana, M.Kom

Profile: [Google Scholar](#) | Scopus ID: [57217205827](#) | Universitas Nusa Mandiri

Tri Ferga Prasetyo, S.T., M.Kom.

Profile: [Google Scholar](#) | Scopus ID: [57210615728](#) | Universitas Majalengka

Wahyuddin S, S.Kom., M.Kom.

Profile: [Google Scholar](#) | Scopus ID: [57214590873](#) | STMIK Amika Soppeng

Yoga Pristyanto, S.Kom., M.Eng

Profile: [Google Scholar](#) | Scopus ID: [57202902044](#) | Universitas Amikom Yogyakarta

Yudhistira Arie Wijaya, M.Kom., CDS

Profile: [Google Scholar](#) | Scopus ID: [57208282541](#) | STMIK IKMI Cirebon

Sopiyan Dalis, M.Kom

Profile: [Google Scholar](#) | Scopus ID: [57208282541](#) | Universitas Bina Sarana Informatika

Yuwan Jumaryadi, S.Kom., MM., M.Kom

Profile: [Google Scholar](#) | Scopus ID: [57204735588](#) | Universitas Mercu Buana

APPLYING K-MEANS CLUSTERING FOR GROUPING PAPUA'S DISTRICTS BASED ON POVERTY INDICATORS ANALYSIS
Yusriana Chusna Fadilah, Asrul Sani, Andrianingsih Andrianingsih 543-553



OPTIMIZING MSME PRODUCT AUTHENTICITY VERIFICATION IN DECENTRALIZED MARKETS USING BLOCKCHAIN
Adnan Zulkarnain, Mukhlis Amien 554-564



DENTAL CARIES SEVERITY DETECTION WITH A COMBINATION OF INTRAORAL IMAGES AND BITEWING RADIOGRAPHS
Jennifer Jennifer, Winni Setiawati, Gabriella Adeline Halim, Tony Tony 565-572



COMPARISON OF ACTIVATION AND OPTIMIZER PERFORMANCE IN LSTM MODEL FOR PURE BEEF PRICE PREDICTION
Dasril Aldo 573-585



ASPECT-BASED SENTIMENT ANALYSIS ON TWITTER TWEETS ABOUT THE MERDEKA CURRICULUM USING INDOBERT
Andi Wafda, Dhomas Hatta Fudholi, Jaka Nugraha 586-599



COMBINATION OF LEARNING VECTOR QUANTIZATION AND LINEAR DISCRIMINANT ANALYSIS FOR TEA LEAF DISEASE CLASSIFICATION
Mutasar Mutasar, Chaeroen Niesla 600-608



BEYOND ALGORITHMS: AN INTEGRATED APPROACH TO FAKE NEWS DETECTION USING MACHINE LEARNING TECHNIQUES
Bimantoyo Hamdikatama 609-622



INTELLIGENT SYSTEM TO DETERMINE THE BEST LECTURER USING ADDITIVE RATIO ASSESSMENT ALGORITHM
Wahyudi Wahyudi, Budy Satria, Lutfil Khairi 623-633



DESIGN OF CONTROL SYSTEM AND TEMPERATURE IN COFFEE DRYER ARDUINO BASED AUTOMATIC USING FUZZY
Ratu Mutiara Siregar, Budi Mulyara, Rahmad Dian, Maisarah Maisarah, Muhammad Akbar Syahbana Pane, Andi Prayogi 634-642



UEQ-BASED EVALUATION OF USER EXPERIENCE: A CASE STUDY ON ENGLISH READING WEBSITES DEVELOPMENT
Argo Wibowo, Lemmuela Alvita Kurniawati, Susanti Malasari, Paulina Besty Fortinasari 643-651



DESIGN OF FIRE EXTINGUISHER ROBOT USING IOT WITH ANDROID APPLICATION CONTROL
Budy Satria, Syarif Hidayatullah, Fitra Yuda, Leonard Tambunan, Siti Sahara Lubis, Irzon Meiditra 652-660



THE IMPACT OF WORD EMBEDDING ON CYBERBULLYING DETECTION USING HYBRID DEEP LEARNING CNN-BILSTM
Moh. Hilman Fariz, Erwin Budi Setiawan 661-671



THE ROLE OF AI (ARTIFICIAL INTELLIGENCE) FOR ALZHEIMER: A SYSTEMATIC REVIEW
Ester Rumaseb, Sulistiyani Sulistiyani, Lailu Guntur Payasan 672-679



OPTIMIZING THE KNN ALGORITHM FOR CLASSIFYING CHRONIC KIDNEY DISEASE USING GRIDSEARCHCV
Muhammad Rahmansyah Siregar, Dedy Hartama, Solikhun Solikhun 680-689



DEVELOPMENT OF GRAPH GENERATION TOOLS FOR PYTHON FUNCTION CODE ANALYSIS
Bayu Samodra, Vebby Amelia Nora, Fitra Arifiansyah, Gusti Ayu Putri Saptawati Soekidjo, Muhamad Koyimatu 690-697



APPLICATION OF NON-PREEMPTIVE PRIORITY SCHEDULING METHOD FOR WORK ORDER SCHEDULING SYSTEM
Suratun Suratun, Novita Br Ginting, Zulkarnaen Noor Syarif, Ryan Abdul Gofur 698-709



DEEP BELIEF NETWORK (DBN) IMPLEMENTATION FOR MULTIMODAL CLASSIFICATION OF SENTIMENT ANALYSIS
Hilmi Hibatullah, Aris Thobirin, Sugiyarto Suroono 710-718



DIGITALLY FILE EXTRACTION OPTIMISED WITH GPT-4O BASED MOBILE APPLICATION FOR RELEVANT EXERCISE PROBLEM GENERATION
Syanti Irviantina, Hernawati Gohzaly, Dustin Lionel, Peter Fomas Hia 719-727



APPLYING K-MEANS CLUSTERING FOR GROUPING PAPUA'S DISTRICTS BASED ON POVERTY INDICATORS ANALYSIS
Yusriana Chusna Fadilah, Asrul Sani, Andrianingsih Andrianingsih 543-553



OPTIMIZING MSME PRODUCT AUTHENTICITY VERIFICATION IN DECENTRALIZED MARKETS USING BLOCKCHAIN
Adnan Zulkarnain, Mukhlis Amien 554-564



DENTAL CARIES SEVERITY DETECTION WITH A COMBINATION OF INTRAORAL IMAGES AND BITEWING RADIOGRAPHS
Jennifer Jennifer, Winni Setiawati, Gabriella Adeline Halim, Tony Tony 565-572



COMPARISON OF ACTIVATION AND OPTIMIZER PERFORMANCE IN LSTM MODEL FOR PURE BEEF PRICE PREDICTION
Dasril Aldo 573-585



ASPECT-BASED SENTIMENT ANALYSIS ON TWITTER TWEETS ABOUT THE MERDEKA CURRICULUM USING INDOBERT
Andi Wafda, Dhomas Hatta Fudholi, Jaka Nugraha 586-599



Indexing JITK



Information

For Readers

For Authors

For Librarians

Language

English

Bahasa Indonesia



Diterbitkan Oleh:

Lembaga Penelitian Pengabdian Masyarakat Universitas Nusa Mandiri



Ciptaan disebarluaskan di bawah [Lisensi Creative Commons Atribusi-NonKomersial 4.0 Internasional](#).

Platform &
workflow by
OJS / PKP

DESIGN OF FIRE EXTINGUISHER ROBOT USING IOT WITH ANDROID APPLICATION CONTROL

Budy Satria^{1*}; Syarif Hidayatullah²; Fitra Yuda³; Leonard Tambunan⁴; Siti Sahara Lubis⁵;
Irzon Meiditra⁶

Department of Informatics, Faculty of Information Technology¹
Universitas Andalas, Padang, Indonesia¹
<https://unand.ac.id>¹
budy.satria@it.unand.ac.id¹

Department of Computer Engineering^{2, 4}
Institut Teknologi Mitra Gama, Riau, Indonesia^{2, 4}
<https://itmg.ac.id>^{2, 3}
zthsyarif.03@gmail.com², tambunan.leonard81@gmail.com⁴

Department of Information System³, Department of Information Technology^{5, 6}
Institut Teknologi Rokan Hilir, Riau, Indonesia^{3, 5, 6}
<https://itr.ac.id>^{3, 5, 6}
fitrayuda110199@gmail.com³, saharalubis448@gmail.com⁵, meiditairzon@gmail.com⁶

(*) Corresponding Author
(Responsible for the Quality of Paper Content)



The creation is distributed under the Creative Commons Attribution-NonCommercial 4.0 International License.

Abstract— Fire is an unsupervised incidental disaster. This disaster has a detrimental impact on living and non-living things in the surrounding environment. This study was conducted to design an intelligent firefighting robot using Arduino Mega 2560 and Android-based IoT technology. This firefighting robot uses several Node MCU ESP8266 components as additional devices to connect to wifi. The L298N module regulates the speed and direction of the DC motor rotation, followed by the L9110 fan as hardware to extinguish the fire. The mobile robot prototype uses a DC motor as its driver. In addition, an Android application has been programmed to control the firefighting robot. This application has features that allow the robot to move in various directions and adjust the fan speed when extinguishing fires, all through an internet network connection. The study results showed that the application can be connected within a distance of 1-8 meters with good network quality. The test results showed that at a distance of 1-28 cm, the fan worked very well according to its function, and the Android application also worked optimally. In that range, the fan can extinguish the simulated fire source. The results of this study obtained a new approach to autonomous fire detection and extinguishing using IoT and robotic technology. In addition, it is able to integrate an Android-based IoT controller to enable remote control with real-time monitoring to overcome problems in previous research.

Keywords: android, arduino mega 2560, fire extinguisher, IoT, robot.

Intisari— Kebakaran merupakan bencana insidental tanpa pengawasan. Bencana ini memberikan dampak yang merugikan bagi makhluk hidup maupun tak hidup di lingkungan sekitar. Penelitian ini dilakukan untuk merancang robot pemadam kebakaran cerdas menggunakan Arduino Mega 2560 dan teknologi IoT berbasis Android. Robot pemadam kebakaran ini menggunakan beberapa komponen Node MCU ESP8266 sebagai perangkat tambahan untuk terhubung dengan Wi-Fi. Modul L298N mengatur kecepatan dan arah putaran motor DC, diikuti oleh kipas L9110 sebagai perangkat keras untuk memadamkan api. Prototipe robot bergerak menggunakan motor DC sebagai penggerakannya. Selain itu, telah diprogram sebuah aplikasi android untuk

mengendalikan robot pemadam kebakaran. Aplikasi ini dilengkapi fitur yang memungkinkan robot bergerak ke berbagai arah dan mengatur kecepatan kipas saat memadamkan api, semuanya melalui koneksi jaringan internet. Hasil penelitian menunjukkan bahwa aplikasi dapat terhubung dalam jarak 1-8 meter dengan kualitas jaringan yang baik. Hasil pengujian didapatkan bahwa pada jarak 1-28 cm kipas angin bekerja sangat baik sesuai fungsinya dan aplikasi android juga bekerja dengan optimal. Pada rentang tersebut kipas angin dapat memadamkan sumber api yang disimulasikan. Hasil penelitian ini memperoleh suatu pendekatan baru untuk deteksi dan pemadaman kebakaran secara otonom dengan menggunakan IoT dan teknologi robotik. Selain itu mampu mengintegrasikan pengontrol IoT berbasis Android guna memungkinkan pengendalian jarak jauh dengan pemantauan waktu nyata guna mengatasi permasalahan pada penelitian sebelumnya.

Kata Kunci: android, arduino mega 2560, pemadam api, IoT, robot.

INTRODUCTION

Robotics is proof that human civilization has advanced over time. The shape of a robot is not just a shape that resembles a human or animal but moves to resemble the shape it imitates. The robot blends computer science, mechanics, and electronic devices. The robot's entire body can travel from one location to another thanks to its driving wheels. Robots can also perform activities and tasks similar to humans [1]. Besides putting out flames, robots can also keep an eye on them and warn firefighters [2]. A robot is a mechanical machine that mimics human behavior or performs tasks. Robotics and autonomous systems have advanced significantly. As a result, the manufacturing industry has changed, with robots now handling most of the repetitive and dangerous jobs. However, there are a lot of other areas where robotics and robotic systems can be used to their full potential. The applications of this technology are practically limitless and might have a significant influence on society and people's lives. The ability of the robot to complete its mission is very calculated; for that, a reliable navigation system is needed to support optimal robot performance. Robots were created to make it easier for humans to solve problems, such as extinguishing fires [3]. Many people can feel technological developments, including in the fields of electronics and computer science, for the use of industry, government, and education [4].

A robot is a collection of electronic or mechanical devices that are connected to an electric current with the principle of doing work like humans [5]. Fire is one of the disasters that can cause significant losses, both in terms of material, environment, and human life. The firefighting process often presents high risks for firefighters, especially in areas that are difficult to reach or have the potential for additional hazards such as chemical leaks or explosions. Firefighting is the process of containing a fire's progress and extinguishing it. It is seen as a risky task for

firefighters working in hazardous conditions. Attempting to rescue individuals who are enveloped in flames presents additional difficulties for firefighters [6].

The risks borne by the firefighting team are very high. Therefore, an innovative solution is needed to minimize these risks and increase the effectiveness of the extinguishing process, namely creating a firefighting robot to assist humans in this work. One of the efforts to improve their safety is the development of robots to handle such situations. These robots assist firefighters by mitigating risks and enhancing the effectiveness of fire extinguishing tasks. With the use of these robots, the risk to firefighting personnel can be significantly reduced.

Related research on fire extinguishing robots has been carried out by the results of this study [7]. A robot that functions to find the source point of the fire and then extinguish it using a fan using the L9110 fan motor drive module was designed and built. Infrared sensors and HC-SR04 ultrasonic, the process of finding the point of the fire source utilizes ultraviolet light emitted by the fire. Research on firefighting robots has also been carried out in designing and implementing fire detection and extinguishing systems using dual-axis mechanics [8]. Previous research has been conducted on the application of IoT in the design of a miniature robot fire extinguishing system to assist the pre-evacuation evaluation process [9]. This research aims to develop a miniature wheeled IoT (Internet of Things) robot that can monitor visual conditions using an esp32-cam and retrieve data from the necessary sensors such as gas, fire, temperature, and distance sensors.

This study builds upon prior research by integrating IoT-based technologies with hardware components such as Arduino Mega 2560, Node MCU ESP8266, and the L298N motor driver. The system also utilizes Android applications to provide a user-friendly robot control interface. Previous research highlights the efficacy of IoT and Arduino in

robotics, and the Fire Detection and Water Release Activity for Fire Fighting Robots using IoT is one of the foundations for developing this research [10].

Previous studies highlight the efficacy of IoT and Arduino in robotics, illustrating an IoT-based fire detection robot capable of real-time response, providing a foundation for this research. IoT is part of today's technological developments that can connect the Internet from a device and provide sustainable benefits [11]. IoT can connect embedded hardware through the internet network [12]. The Arduino Microcontroller Board is the robot controller used in this research [13]. Specifically, the Arduino Mega 2560 microcontroller, based on the ATMEGA 2560, is utilized, and it features 54 input pins [14].

Fires pose significant threats to both human safety and property. Current firefighting methods rely heavily on manual operations, which can endanger the lives of firefighters. Moreover, these methods may not effectively address fire outbreaks in inaccessible or high-risk areas. Despite advancements in robotics, existing fire extinguishing robots often face limitations in range, control precision, and operational adaptability. Thus, there is a critical need for a more efficient and safer solution to mitigate these challenges.

The Arduino Mega 2560 is used as the microcontroller board in this firefighting robot. The 2560 control board offers multi-channel digital input and output, making it better suited for tracking car projects that require extensive IO interface design. The automobile can receive more signals with 16 digital inputs and outputs, while a 12 MHz crystal oscillator provides clock synchronization for the main board [15]. Researchers widely use Arduino Mega 2560 as a microcontroller to control embedded materials and to carry out programmed instructions [16]. This research results in a prototype firefighting robot with Arduino Mega 2560-based programming [17], using Internet of Things technology controlled by the Android application.

The Internet of Things (IoT) is a recent technological development capable of transferring large amounts of data through an Internet network that is connected to the destination source [18]. In recent years, the Internet of Things has become a prominent research topic [19]. IoT typically integrates software and hardware components, often provided by IT companies [20]. Today, IoT technology plays a significant role in human life, where each object is uniquely identifiable, equipped with sensors, and connects in real-time to the Internet [21].

In 2023, an Arduino-controlled wireless fire extinguishing robot designed for residential areas was produced by L. Wasu. et al. [22] This robot offers an alternative to fighting fires in enclosed areas, buildings, and residential areas. By remotely operating the robot outside the disaster area, the spread of fire and property damage can be stopped before further help arrives. IoT Technology-Based Firefighter Robot The robot is operated using a remote desktop application. The connection between the robot and the application (authority) is done through the Internet. This paper introduces how the concept of the Internet of Things (IoT) is introduced to robots. The IoT-based automatic fire detection and extinguishing robot addresses these challenges by combining advanced sensor technology, robotics, and IoT [23] to provide autonomous and real-time solutions. The robot is equipped with fire and temperature sensors that can detect fires at an early stage.

This study uses the ESP8266 MCU Node as an additional device to connect to wifi. ESP8266 is a wifi module with a System on Chip on TCP/IP and has to control the microcontroller [17]. A robot is designed using Node MCU (ESP8266), which is easy to program [24]. In this research, a prototype robot will be designed that can be used to extinguish fire remotely using control from an Android app.

The novelty of this study lies in integrating IoT technology with an Android-based control system to create a user-friendly interface for firefighting robots. Unlike previous designs, this prototype focuses on real-time control and operational efficiency within a defined range, as demonstrated through rigorous testing. Using the L9110 fan to extinguish fires and implement a user-centric Android application provides unique contributions to existing solutions. In conclusion, this research aims to enhance firefighting operations by addressing existing limitations and providing a safer, more efficient solution by integrating advanced technologies and innovative design.


This article is written using the structure of introduction, materials and methods, results and discussion, conclusion, and references.

MATERIALS AND METHODS

This research uses a prototype method to help work as humans do. In this study, the prototype was used for the initial stage of testing and experimentation. The researcher adopts the research and development and development method, explicitly focusing on firefighting robots through 5 five-cycle processes: Analysis, Prototype

Design, Coding System, Testing, and Implementation.

This process can be seen in Figure 1, illustrating the development of the Android-based prototype firefighting robot [25] :



Source: (Research Results, 2024)

Figure 1. Proposed Research Method

Analysis

During this step, the research objectives and resource requirements are assessed. This research intends to improve robotics skills by creating a prototype firefighting robot with Arduino Mega 2560 and Android-based Internet of Things (IoT) technologies. The end product of this step acts as an input for the following phase, the design stage.

Prototype Design

At this stage, An intelligent firefighting robot is designed using the Arduino Mega 2560 and Android-based IoT technology. The design process employs Fritzing software to create the entire prototype circuit of the robot schematically. The firefighting robot is designed to resemble a car, equipped with wheels for movement and fans to extinguish fires. This step serves as a reference for the development stage [26].

Coding System

In this cycle, the researcher ensures that all designs have been completed and operated according to the research objectives. This involves creating hardware circuits and interconnecting components, such as the Arduino Mega 2560, Node MCU ESP 8266, L298N Module, Servo Motor, Power Supply, etc. This stage is known as the development stage [27].

Testing

The implementation step follows the development stage. After constructing the robot components, the following step is to create a set of commands in the programming language using

standard Arduino syntax to control the microcontroller's performance in the device. Additionally, I developed an Android application to control the firefighting robot when connected to the Internet.


Evaluation

Evaluation is the final stage of this research method to reveal the work's effectiveness [28]. In this stage, a series of tests is conducted on the firefighting robots to identify any functional errors or deviations from the research objectives. If errors are found, they will be corrected, and if the robot functions as intended, further development will be pursued. Ultimately, the robot prototype is created and tested according to the experimental design [29].

RESULTS AND DISCUSSION

Block Diagram

The hardware made as a design is a collection of several modules to form a system to make it functional [30]. In system development, it begins with the implementation stage [31]. The design of a Smart Firefighting Robot Using Arduino Mega 2560 and Android-based IoT Technology is depicted in the block diagram as shown in Figure 2.



Source: (Research Results, 2024)


Figure 2. Block Diagram Design

Figure 2 explains a Block Diagram that serves as a reference for connecting all components [32]. This electronic manufacturer's design makes extensive use of Arduino for data processing. A well-structured research design is required to meet the research objectives.

Robot Design

Figure 3 explains that this firefighting robot uses an Arduino Mega 2560 as a microcontroller and several other supporting hardware to ensure that the robot system works according to the research objectives. The hardware components in this firefighting robot are the Arduino Mega 2560, Node MCU ESP 8266, L298N Module, Servo Motor, Power Supply, and FAN L9110. In addition, an Android was also developed as supporting software to control the robot in extinguishing fires remotely.

The following is the design of the research methodology, as illustrated in Figure 3.




Source: (Research Results, 2024)

Figure 3. Hardware Design

Wiring Design

Implementation is one of the activities in the system development section [33]. At this stage, the activity involves placing a prototype of a firefighting robot that is a functional part of the developed system. The design of the wiring diagram is shown in Figure 4.




Source: (Research Results, 2024)

Figure 4. Wiring Design

Flow Diagram

Figure 5 is a Flow Diagram Design. When the Arduino component is electrified, the microcontroller will be in control and provide instructions to the ESP 8266 MCU Node and L298N Motor Driver. Once both components are activated, the MCU ESP 8266 Node will connect to the Android application, while the L298N will control the driver motor. Through the Android application, the firefighting robot can be controlled under two conditions. Firstly, it can change the robot's direction of movement, and secondly, it can activate the fan to extinguish fires. The design of the flow diagram is shown in Figure 5.



Source: (Research Results, 2024)


Figure 5. Flow Diagram

Program Code

At this stage, commands in the programming language are commands to control the microcontroller's performance in the designed device. The programming language used is C ++, implemented through Arduino software. The program code is shown in this link: <https://github.com/budysatria/Fire-Extinguisher-Robot/tree/master>.

Application Design

To facilitate the control of the robot, android application software is needed as a remote control. The user interface layout is shown in Figure 6.



Source: (Research Results, 2024)

Figure 6. Application Interface

Prototype Robot

The prototype of the Fire Extinguisher Robot can be viewed from various perspectives. Figure 7

depicts the top view, while Figure 8 illustrates the side view perspective.



Source: (Research Results, 2024)
Figure 7. Top View



Source: (Research Results, 2024)
Figure 8. Side View

Functionality Test Result

Table 1 represents the results of functionality testing on all hardware components. Each component has been thoroughly tested and functions well-functioned based on the predetermined parameters and criteria. The functionality test result is shown in Table 1.

Table 1. Functionality Test Result

No	Component Name	Information	Result
1	Microcontroler Arduino Mega 2560	- Connectable to a computer and Connected to the Internet	100%
2	NodeMCU ESP8266	- Connected to an Android device	100%
3	L298N Motor Driver	- The wheels on the robot have moved	100%
4	Power supply	- Components have electricity	100%
5	L9110 Fan	- Spin when activated	100%
6	Android Application	- Controlling Fire Extinguisher Robot	100%

Source: (Research Results, 2024)

Prototype Robot Test Result

The tests in Table 2 were performed to assess the performance of the HC-SR 04 ultrasonic sensor, which serves as a robot protection system. The test was conducted 15 times at 1 cm up to 30 cm intervals. Protection system test results are shown in Table 2.

Table 2. Ultrasonic Sensor Test

Test	Distance Measured by Sensor	Result
1	2 cm	Has stopped
2	4 cm	Has stopped
3	6 cm	Has stopped
4	8 cm	Has stopped
5	10 cm	Has stopped
6	12 cm	Has stopped
7	14 cm	Work
8	16 cm	Work
9	18 cm	Work
10	20 cm	Work
11	22 cm	Work
12	24 cm	Work
13	26 cm	Work
14	28 cm	Work
15	30 cm	Work

Source: (Research Results, 2024)

Table 2 shows the results of tests that have been carried out at a distance of 2-12 cm; the robot will stop because it has been programmed that the robot must stop when it detects an object in front of it based on that distance. However, the robot will still move at a distance of 14-30 cm.

The next test involves testing the connectivity of robot control using an Android application against concrete obstacles, as shown in Table 3. The testing is conducted at a distance ranging from 1-20 meters. Based on the test results, It was obtained that robot navigation control through an Android application connected to the internet network functions appropriately within a range of 0-5 meters. Test results for Android applications are shown in Table 3.

Table 3. Application Test Result

Test	Distance	Android Application	Signal
1	1 m	Work	Good
2	2 m	Work	Good
3	4 m	Work	Good
4	8 m	Work	Good
5	10 m	Does not work	Bad
6	12 m	Does not work	Bad
7	14 m	Does not work	Bad
8	16 m	Does not work	Bad
9	18 m	Does not work	Bad
10	20 m	Does not work	Bad

Source: (Research Results, 2024)


Table 3 can be concluded that testing the Android application at a distance of 1 - 8 meters will get good signal quality, but if it is at a distance of 10-

20 meters, what happens is that the Android application does not work, and the signal quality is terrible. Next is testing the fire extinguishing robot. The tests carried out started with setting the distance between the robot and the fire, the amount of time to extinguish the fire, and the test results, which can be seen in Table 4 below.

Table 4. Fire Extinguishing Robot

Test	Distance	Duration	Fire Condition
1	5 cm	2 second	Off
2	10 cm	2 second	Off
3	15cm	3 second	Off
4	20 cm	3 second	Off
5	25 cm	4 second	Off
6	30 cm	4 second	Off
7	35 cm	5 second	Off
8	40 cm	6 second	Off
9	45 cm	7 second	Off
10	50 cm	10 second	Off

Source: (Research Results, 2024)



Source: (Research Results, 2024)

Figure 9. Robot a Distance of 55 Cm

L9110 fan performance test results are shown in Table 5.

Table 5. L9110 Fan Performance Test Results

Test	Distance	Android Application	Fan Result
1	1 cm	Work	Spin
2	2 cm	Work	Spin
3	8 cm	Work	Spin
4	14 cm	Work	Spin
5	16 cm	Work	Spin
6	18 cm	Work	Spin
7	20 cm	Work	Spin
8	22 cm	Work	Spin
9	24 cm	Work	Spin
10	28 cm	Work	Spin

Source: (Research Results, 2024)

Table 5 shows that the test results were carried out to determine the state of the fan on the L9110 Fan when with distances ranging from 1 to 28 cm. The result is that the fan can be turned on and rotated appropriately according to its function.

CONCLUSION

The prototype of a Fire Extinguishing Robot with Android Application control has been successfully implemented. The results indicated that the robot stopped at a distance of 2-12 cm but functioned adequately at a distance of 14-30 cm. In addition, testing was carried out on the Android application, which is used for robot control in extinguishing fires within a range of 1-20 meters. The test results showed that the Android application worked properly and had good signal quality at a distance of 1-8 meters. However, the application stopped working at distances of 8-20 meters. The test was also conducted on the L9110 fan component. Test results showed that the fan operated very well within a distance of 1-28 cm, fulfilling its intended function. Moreover, the Android application also functioned optimally within this range, successfully allowing the fan to extinguish the simulated fire source. The results of this study obtained a new approach to autonomous fire detection and extinguishing using IoT and robotic technology. In addition, it is able to integrate an Android-based IoT controller to enable remote control with real-time monitoring to overcome problems in previous research. The use of wifi communication with an Android app for dual-mode (manual and automatic) operation is a notable enhancement in usability and accessibility. The use of servo-controlled FAN L9110 improves firefighting efficiency. Cost-effective design for multiple applications, such as using the Arduino Mega 2560 microcontroller and ESP8266 MCU Node, which integrates wifi capabilities and achieves functionality without significantly increasing costs, making it suitable for residential, commercial, and industrial applications. This research has successfully designed and developed an innovative IoT-based firefighting robot prototype. The use of Arduino Mega 2560 microcontroller, ESP8266 MCU Node, L298N Motor Driver, L9110 Fan, and the use of IoT platform and Android application provides flexibility and convenience in monitoring and controlling the robot. This research makes a significant contribution to the field of robotics and intelligent systems. This research makes a significant contribution to the field of robotics and intelligent systems. This research opens up new opportunities to develop more advanced fire safety systems in the future, namely Explore AI-based fire detection and alternative network solutions.

REFERENCES

- [1] M. M. Islam, "Autonomous and Wireless Control Fire Fighter Robot," *Autom. Control Intell. Syst.*, vol. 9, no. 4, pp. 97–103, 2021.
- [2] J. J. Roldán-Gómez, E. González-Girona, and A. Barrientos, "A survey on robotic technologies for forest firefighting: Applying drone swarms to improve firefighters' efficiency and safety," *Appl. Sci.*, vol. 11, no. 1, pp. 1–18, 2021, doi: 10.3390/app11010363.
- [3] C. Gultom, H. Abrianto, A. D. Sidik, and N. Sembiring, "Prototipe Robot Pemadam Api Dengan Menggunakan Arduino Uno Berbasis Sensor LM393 dan Sensor Ultrasonic," *J. Cahaya Mandalika*, vol. 3, no. 3, pp. 2502–2513, 2024.
- [4] Y. Irawan, "Moving Load Robot Using wifi Network and Android Based," *J. Robot. Control*, vol. 2, no. 3, pp. 217–220, 2021.
- [5] A. T. Sumarni and N. Rahayu, "Goods Robots Based on Color Using Microcontroller Atmega 328," *J. Appl. Eng. Technol. Sci.*, vol. 2, no. 2, pp. 50–61, 2021.
- [6] C. M, P. S, B. M, N. C, and G. S, "Autonomous Firefighting Robot for Detection and Prevention," *Int. Res. J. Multidiscip. Scope*, vol. 5, no. 3, pp. 969–976, 2024, doi: 10.47857/irjms.2024.v05i03.0922.
- [7] F. Farsa and E. Rohman, "Rancang Bangun Robot Pemadam Api 2 WD Menggunakan Arduino Uno R3," *J. Manaj. dan Tek.*, vol. 2, no. 1, pp. 81–90, 2024.
- [8] S. Hidayat, P. S. Maria, H. Zarory, and A. Faizal, "Design and Implementation of a Fire Detection and Extinguishing System Using Dual Axis Mechanics," *J. Sist. Cerdas*, vol. 07, no. 02, pp. 215–225, 2024.
- [9] L. M. F. Aulia, S. A. Wibowo, and N. Vendyansyah, "Penerapan IoT Pada Rancang Bangun Sistem Miniatur Robot Pemadam Api Untuk Membantu Proses Evaluasi Pra Evakuasi," *JATI (Jurnal Mhs. Tek. Inform.)*, vol. 5, no. 1, pp. 253–260, 2021, doi: 10.36040/jati.v5i1.3307.
- [10] M. A. Al Rakib *et al.*, "Fire Detection and Water Discharge Activity for Fire Fighting Robots using IoT," *Eur. J. Eng. Technol. Res.*, vol. 7, no. 2, pp. 128–133, 2022, doi: 10.24018/ejeng.2022.7.2.2742.
- [11] S. Wulandari and B. Satria, "Rancang Bangun Alat Pendeteksi Warna Menggunakan Arduino Uno Berbasis IoT (Internet Of Things)," *Paradigma*, vol. 23, no. 1, pp. 1–8, 2021.
- [12] G. Ramesh, K. Sivaraman, V. Subramani, P. Y. Vignesh, and S. V. V. Bhogachari, "Farm Animal Location Tracking System Using Arduino and GPS Module," *Int. Conf. Comput. Commun. Informatics*, 2021.
- [13] S. D. Perkasa, P. Megantoro, and H. A. Winarno, "Implementation of a Camera Sensor Pixy 2 CMUcam5 to A Two Wheeled Robot to Follow Colored Object," *J. Robot. Control*, vol. 2, no. 6, pp. 496–501, 2021.
- [14] P. Kanade and J. P. Prasad, "Arduino Based Machine Learning and IoT Smart Irrigation System," *Int. J. Soft Comput. Eng.*, vol. 10, no. 4, pp. 1–5, 2021.
- [15] Z. Yue, S. Xingjian, and T. Yingying, "Design of Intelligent Tracking Car Based on Arduino Mega 2560," *Acad. J. Eng. Technol. Sci.*, vol. 6, no. 3, pp. 50–56, 2023, doi: 10.25236/ajets.2023.060309.
- [16] A. Hassan, H. M. Abdullah, U. Farooq, A. Shahzad, R. M. Asif, and Faisal, "A Wirelessly Controlled Robot-based Smart Irrigation System by Exploiting Arduino," *J. Robot. Control*, vol. 2, no. 1, pp. 29–34, 2021.
- [17] V. Gupta, S. Khera, and N. Turk, "MQTT protocol employing IOT based home safety system with ABE encryption," *Multimed. Tools Appl.*, vol. 80, no. 1, pp. 2931–2949, 2021.
- [18] Y. Irawan, A. W. Novrianto, and H. Sallam, "Cigarette Smoke Detection and Cleaner Based on Internet of Things (IoT) Using Arduino Microcontroller and Mq-2 Sensor," *J. Appl. Eng. Technol. Sci.*, vol. 2, no. 2, pp. 85–93, 2021.
- [19] C. Hermanu, H. Maghfiroh, H. P. Santoso, Z. Arifin, and C. Harsito, "Dual Mode System of Smart Home Based on Internet of Things," *J. Robot. Control*, vol. 3, no. 1, pp. 26–31, 2022.
- [20] A. P. Atmaja, A. E. Hakim, A. P. A. Wibowo, and L. A. Pratama, "Communication Systems of Smart Agriculture Based on Wireless Sensor Networks in IoT," *J. Robot. Control Vol.*, vol. 2, no. 4, pp. 297–301, 2021.
- [21] A. Ambarwati, D. K. Widyawati, and A. Wahyudi, "Environmental Condition Monitoring System for Food Crops with," *J. RESTI (Rekayasa Sist. dan Teknol. Informasi)*, vol. 5, no. 3, pp. 496–503, 2021.
- [22] L. Wasu, N. Kamaruzaman, Z. I. Mohd Yassin, and S. Ganeson, "Wireless Arduino Controlled Fire Fighter Robot Designed for Residential Area," *Malaysian J. Sci. Adv. Technol.*, vol. 2, no. December, pp. 67–70, 2023, doi: 10.56532/mjsat.v2is1.105.
- [23] S. S. Jadhav, S. S. Bhosale, V. G. Shelar, P. B. Patil, and S. S. Jamadar, "Fire Fighter Robot

- Using IOT and Mobile Application," *International Journal of Research In Science & Engineering*, no. 46, pp. 49–57, Nov. 2024, doi: 10.55529/ijrise.46.49.57.
- [24] C. . S. Madushan, M. W. . Maduranga, and P. I. I. Madushanka, "Design of wifi based IoT Sensor Node with Multiple Sensor Types Design of wifi based IoT Sensor Node with Multiple Sensor Types," *Int. J. Comput. Appl.*, vol. 174, no. 13, pp. 40–44, 2021.
- [25] Marsono, Yoto, A. Suyetno, and R. Nurmallasari, "Design and Programming of 5 Axis Manipulator Robot with GrblGru Open Source Software on Preparing Vocational Students ' Robotic Skills," *J. Robot. Control*, vol. 2, no. 6, pp. 539–545, 2021.
- [26] F. Ranuharja, Genfri, B. R. Fajri, F. Prasetya, and A. D. Samala, "Development of Interactive Learning Media Edugame Using ADDIE Model," *J. Teknol. Inf. dan Pendidik.*, vol. 14, no. 1, pp. 54–60, 2021.
- [27] I. Kurniastuti and V. B. Prayogo, "Development Of Thematic Children's Song As A Fun Learning Media For Second-Grade Elementary School Students," *Int. J. Indones. Educ. Teach.*, vol. 6, no. 1, pp. 25–38, 2021.
- [28] V. Rajaguru, J. Oh, and M. Im, "Development and Evaluation of the Course on Global Health Nursing for Indian Nursing Students," *Int. J. Environ. Res. Public Health*, vol. 19, no. 4, pp. 2–14, 2022.
- [29] J. Zhao, Z. Zhang, S. Liu, Y. Tao, and Y. Liu, "Design and Research of an Articulated Tracked Firefighting Robot," *Sensors*, vol. 22, no. 14, p. 5086, Jul. 2022, doi: 10.3390/s22145086.
- [30] M. Husni, R. V. H. Ginardi, K. Gozali, R. Rahman, A. S. Indrawanti, and M. I. Senoaji, "Mobile Security Vehicle ' s based on Internet of Things," *J. Robot. Control*, vol. 2, no. 6, pp. 546–551, 2021.
- [31] S. Purwanti, A. Febriani, and Y. Irawan, "Temperature Monitoring System for Egg Incubators Using Raspberry Pi3 Based on Internet of Things (IoT)," *J. Robot. Control*, vol. 2, no. 5, p. 2021, 2021.
- [32] A. Surahman, B. Aditama, M. Bakri, and R. Rasna, "Sistem Pakan Ayam Otomatis Berbasis Internet Of Things," *Jurnal Teknologi dan Sistem Tertanam*, vol. 2, no. 1, p. 13, Feb. 2021, doi: 10.33365/jtst.v2i1.1025..
- [33] Y. Irawan, M. Muhandi, R. Ordila, and R. Diandra, "Automatic Floor Cleaning Robot Using Arduino and Ultrasonic Sensor," *Journal of Robotics and Control (JRC)*, vol. 2, no. 4, 2021, doi: 10.18196/jrc.2485.