

# **2012 IEEE International Conference on Condition Monitoring and Diagnosis**

**(CMD 2012)**

**Bali, Indonesia  
23 – 27 September 2012**

**Pages 1-608**



**IEEE Catalog Number: CFP1230D-PRT  
ISBN: 978-1-4673-1019-2**

## Contents

1.	KN-1	Development of Asset Management Support Tools for Electric Power Equipment <i>Tatsuki Okamoto<sup>1</sup>, Tsuguhiro Takahashi<sup>2</sup> (<sup>1</sup>Electric Power Engineering Research Laboratory, CRIEPI, Nagasaka 2-6-1, Yokosuka, Japan, <sup>2</sup>Electric Power Engineering, Research Laboratory, CRIEPI, Nagasaka 2-6-1, Yokosuka, Japan)</i>	1
2.	KN-2	Condition Assessment of Power Transformers <i>Jitka Fuhr (AF Engineers + Consultants (AFEC), CH-3807 Iseltwald, Switzerland)</i>	9
3.	IS-1	Recent Progress of CMD Research and Applications in China <i>Cheng-rong LI<sup>1,2</sup>, Guo-ming MA<sup>1,2</sup>, Bo QI<sup>1,2</sup>, Guang-jun ZHANG<sup>3</sup> (<sup>1</sup>State Key Laboratory of Alternate Electrical Power System with Renewable Energy Sources, North China Electric Power University, Beijing, 102206, China, <sup>2</sup>Beijing Key Laboratory of High Voltage and EMC, North China Electric Power University, Beijing, 102206, China, <sup>3</sup>State Key Laboratory of Electrical Insulation and Power Equipment, Xi'an Jiaotong University, Xi'an, 710049, China)</i>	18
4.	IS-2	Transmission Asset Management in PLN P3B Jawa Bali <i>Y. Hakim, Sugiarto, A. Pharmatrisanti (PT. PLN (Persero) P3B Jawa Bali, Depok, Indonesia)</i>	24
5.	IS-3	The Scope of High Voltage with CMD of the Smart Grid in Korea <i>Sang-Jin Kim<sup>1*</sup>, Duck-Ki Seo<sup>1</sup>, Dae-Kwon Kang<sup>1</sup>, Wan-Seok Song<sup>1</sup>, Youn-Seek Cho<sup>2</sup> and Dae-Hee Park<sup>2</sup> (<sup>1</sup>KEPCO Knowledge Data Network, Seoul, Korea, 137-862 <sup>2</sup>Wonkwang University, Iksan, Korea, 570-749)</i>	30
6.	A-313	Analysis and Interpretation of Dissolved Gases in Transformer Oil A case study <i>S. N. Hettiwatte<sup>1</sup>, H. A. Fonseka<sup>2</sup> (<sup>1</sup>School of Engineering and Energy, Murdoch University, Murdoch, Australia <sup>2</sup>Transpower New Zealand Ltd, Auckland, New Zealand)</i>	35
7.	A-36	Photo-Acoustic Spectroscopy for dissolved gas analysis Benefits and Experience <i>Donal Skelly (GE Energy, Lisburn, United Kingdom)</i>	39
8.	A-136	Study of Partial Discharge Induced Electromagnetic Wave Propagation Property in Power Transformer Model <i>Norio Morita<sup>1</sup>, Masahiro Kozako<sup>2</sup>, Masayuki Hikita<sup>3</sup>, Soh Yoshida<sup>4</sup>, Masaki Uchiyama<sup>5</sup>, Shin Yamada<sup>6</sup> (Kyushu Institute of Technology<sup>1</sup>, Kyushu Institute of Technology<sup>2</sup>, Kyushu Institute of Technology<sup>3</sup>, TOSHIBA Corporation<sup>4</sup>, TOSHIBA Corporation<sup>5</sup>, TOSHIBA Corporation<sup>6</sup>)</i>	44
9.	J-17	Influence of Insulation Paper Degradation on Economical Operation Period of Power Transformers <i>Bambang CAHYONO<sup>1</sup>, SUWARNO<sup>2</sup>, Nanang HARIYANTO<sup>2</sup>, Tsuguhiro TAKAHASHI<sup>3</sup>, Tatsuki OKAMOTO<sup>3</sup> (<sup>1</sup>Asset Management/School of Electrical and Informatics, PT. PLN (PERSERO)/Bandung Institute of Technology (ITB), Jakarta Selatan/Bandung, Indonesia, <sup>2</sup>School of Electrical and Informatics, Bandung Institute of Technology (ITB), Bandung, Indonesia, <sup>3</sup>Electric Power Engineering Research Laboratory, Central Research Institute of Electric Power industry (CRIEPI), Yokosuka, Kanagawa, Japan)</i>	48
10.	A-153	Modern Insulation Condition Assessment for Instrument Transformers <i>Stephanie Raetzke, Maik Koch, Martin Anghuber (OMICRON electronics, Klaus, Austria)</i>	52

11. A-43 New Diagnosis Method of Aging Degradation for Insulating Paper in Power Transformers by Measuring the Refractive Index of Cellulose Fibers 56  
*Masanobu Yoshida<sup>1</sup>, Katsumi Uchida<sup>1</sup>, Masamichi Kato<sup>2</sup>, Yoshinori Konishi<sup>2</sup>*  
*(<sup>1</sup>Electric power Research & Development, Center, Chubu Electric Power Co., Inc, Nagoya, Japan <sup>2</sup>Research & Development Section, Yuka Industries Co., Ltd., Tokyo, Japan)*
12. D-79 Dielectric Properties Measurements of Oil Immersed Pressboard 60  
*F. Pratomosiwi<sup>1</sup>, N. Pattanadech<sup>1</sup>, B. Wieser<sup>1</sup>, M. Muhr<sup>1</sup>, G. Pukel<sup>2</sup>, M. Stössl<sup>2</sup>*  
*(<sup>1</sup>Institute of High Voltage Engineering and System Management, Technische Universität Graz, Inffeldgasse 18, A - 8010 Graz, Austria <sup>2</sup>Siemens Transformer Austria GmbH & Co KG, Elingasse 3, 8160 Weiz, Austria)*
13. IL-6/A-4 Calculation of Impulse Voltage Distribution at High Voltage Resistive Cable Terminations 64  
 (Invited)  
*A. A Al-Arainy, N. H. Malik, F. R. Pazheri and M. I. Qureshi (Saudi Aramco Chair in Electrical Power, EE Department, College of Engineering, King Saud University, P. O. Box 800, Riyadh 11421, Saudi Arabia)*
14. A-32 WEB Database for the Evaluation of PD Measurements on MV Cable System 68  
*H.T. Putter, D. Götz, F. Petzold, S. Böttcher (SebaKMT, Baunach, Germany, Freitaler Strom und Gasversorgung GmbH, Freital, Germany)*
15. A-80 Experiments of power cable diagnosis by using Isothermal Relaxation Current Method 72  
*Tepei Ueyama, Toshio Mori, Kiyoka Suenaga (JFE Steel Corporation, Kurashiki, Japan)*
16. A-17 Power Cable Joint Model In High Frequency 76  
*Yan Li<sup>1</sup>, Peter A. A. F. Wouters<sup>1</sup>, Paul Wagenaars<sup>2</sup>, Peter C. J. M. van der Wielen<sup>2</sup>, E. Fred Steennis<sup>2</sup>*  
*(<sup>1</sup>Electrical Energy Systems, Eindhoven University of Technology, Eindhoven, the Netherlands, <sup>2</sup>DNV KEMA Energy, Sustainability, Arnhem, the Netherlands)*
17. A-12 Electric field distribution in 132 kV XLPE cable termination model from finite element method 80  
*H. A. Illias, Q. L. Ng, A. H. A. Bakar, H. Mokhlis, A. M. Ariffin (UMPEDAC, Electrical Engineering Department, Faculty of Engineering, University of Malaya, Kuala Lumpur, Malaysia, College of Engineering, Universiti Tenaga Nasional, Selangor, Malaysia)*
18. A-83 Fundamental Study on Residual Charge Detection with Pulse Voltages as Diagnostic Method of Water Tree-Degraded XLPE Cables 84  
*Takashi Kurihara<sup>1\*</sup>, Tatsuki Okamoto<sup>1</sup>, Taizo Tsuji<sup>2</sup>, Katsumi Uchida<sup>2</sup>, Myong Hwan Kim<sup>3</sup> and Naohiro Hozumi<sup>3</sup>*  
*(<sup>1</sup>Central Research Institute of Electric Power Industry, 2-6-1 Nagasaka, Yokosuka, Kanagawa 240-0196 JAPAN <sup>2</sup>Chubu Electric Power Co., Inc., Kitasekiyama, Ohdaka-cho, Midori-ku, Nagoya 459-8522 JAPAN <sup>3</sup>Toyoashi University of Technology, 1-1 Hibarigaoka Tenpaku-cho, Toyohashi, Aichi 441-8580 JAPAN)*
19. K-5 Recyclable insulation Material Based on Polyethylene For Power Cable 88  
*Jae Soon Lee<sup>1</sup>, Kyu Cheol Cho<sup>2</sup>, Kwang Hoi Ku<sup>3</sup>, Gyuchan Cho<sup>4</sup>, June-Ho Lee<sup>5</sup>*  
*(<sup>1,2,3,4</sup>Polymer Lab, Global Technology, SK Innovation, Daejeon, Republic of KOREA <sup>2</sup>Dept. of Electrical engineering, Hoseo University, Asan, Republic of KOREA)*

20	IL-3 (Invited)	High Voltage and High Current Test Techniques <i>Ernst Gockenbach, Schering Institute, Leibniz Universität Hannover, Hannover, Germany</i>	91
21.	G-50	Calibration of Lightning EMP Sensor <i>Syarif Hidayat, Arga Aridarma (ITB, Indonesia)</i>	95
22.	G-37	PD Current Pulse Waveforms of Environmental Friendly Gases Measured with SHF_PDPW System and the Applicability of the UHF Method <i>Shinya Ohtsuka<sup>1</sup>, Kohei Fukuda<sup>2</sup>, Minoru Fukuzaki<sup>3</sup> (Kyushu Institute of Technology<sup>1,2,3</sup>)</i>	99
23.	G-11	Analysis of UHF PD Monitoring Data by Means of Normalized Cross-Correlation <i>M. Beltle<sup>1</sup>, A. Müller<sup>2</sup>, S. Tenbohlen<sup>3</sup> (Institute of Power Transmission and High Voltage Technology, University of Stuttgart, Stuttgart, Germany<sup>1,2,3</sup>)</i>	103
24.	G-16	Proposal of diagnosis technique for radiation of electromagnetic field generated by electronic device <i>Yuji Komine<sup>1</sup>, Chiyo Noritaka<sup>2</sup>, Masahiro Konomi<sup>3</sup>, Yasuhiro Tanaka<sup>4</sup>, Takashi Maeno<sup>5</sup> (Tokyo City University, Measurement and Electric Machine Control Laboratory, Tokyo, Japan<sup>1,2,3,4</sup>, National Institute of Information and Communications Technology, Tokyo, Japan<sup>5</sup>)</i>	107
25.	G-41	A novel magnetic field sensor based on the combination use of microfiber knot resonator and magnetic fluid <i>Xianli Li<sup>1</sup>, Hui Ding<sup>2</sup>, Chunyang Han<sup>3</sup> (State Key Laboratory of Electrical Insulation and Power Equipment Xi'an Jiaotong University<sup>1,2,3</sup>)</i>	111
26.	G-22	Frequency Bandwidth Dependence of PD current Waveforms in Transformer Oil Measured with the SHF_PDPW system <i>Minoru Fukuzaki<sup>1</sup>, Kohei Fukuda<sup>2</sup>, Shinya Ohtsuka<sup>3</sup> (Kyushu Institute of Technology<sup>1,2,3</sup>)</i>	114
27.	B-1	Requirements for Fiber Optic Sensors for Stator Endwinding Vibration Monitoring <i>M. Sasic, H. Jiang, G.C. Stone (Iris Power – Qualitrol, Toronto, Canada)</i>	118
28.	D-17	Space Charge Accumulation in Coating Materials for Motor Windings under DC High Voltage <i>Motohiro Negishi<sup>1</sup>, Kentaro Akada<sup>2</sup>, Kaoru Takizawa<sup>3</sup>, Hiroaki Miyake<sup>4</sup>, Yasuhiro Tanaka<sup>5</sup>, Tatsuo Takada<sup>6</sup> (Tokyo City University<sup>1,2,3,4,5,6</sup>)</i>	122
29.	G-2	Partial discharge location using 2 sensors and optical fibers <i>Jeongtae Kim<sup>1</sup>, Dong-uk Kim<sup>1</sup>, Gijin Nam<sup>1</sup>, Won Choi<sup>2</sup>, Youngjo Lee<sup>2</sup>, Jayoon Koo<sup>2</sup> (<sup>1</sup>Dept. of Electrical Eng., Daejin University, Gyeonggi-Do, Korea, <sup>2</sup>Dept. of Electrical Eng., Hanyang University, Gyeonggi-Do, Korea)</i>	126
30.	A-97	Prediction of the State of Deterioration of High-Voltage Motors by Combining On-site, Online Diagnosis and Offline Diagnosis <i>Keisuke Etoh<sup>1</sup> (Idemitsu Engineering Co.,Ltd. Engineering Design &amp; Technical Department)</i>	130
31.	B-2	Rotor shape vs. rotor field pole shorted turns Impact on rotor induced vibration on hydrogenerators <i>Andre Tetreault (Tests &amp; Diagnostics Division, VibroSystM Inc., Longueuil, Qc, Canada)</i>	133

32	A-44	Ageing-condition Assessment of Generator Transformer Bushings by means of Dielectric Simulation Models <i>M. H. Zink<sup>1</sup>, V. Klipfel<sup>1</sup>, F. Berger<sup>2</sup> (<sup>1</sup>EnBW Kernkraft GmbH, Philippsburg, Germany <sup>2</sup>Technische Universität, Ilmenau, Ilmenau, Germany)</i>	137
33.	IL-7/G-44 (Invited)	Location of Water Tree Degradation in a Long Polymeric Cable Line <i>Myong Hwan Kim<sup>1</sup>, Yoshinobu Murakami<sup>2</sup>, Masayuki Nagao<sup>3</sup>, Takashi Kurihara<sup>4</sup>, Tatsuki Okamoto<sup>5</sup>, Taizo Tsuji<sup>6</sup>, Katsumi Uchida<sup>7</sup>, Naohiro Hozumi<sup>8</sup> (Toyohashi University of Technology<sup>1,2,3,8</sup>, Central Research Institute of Electric Power Industry<sup>4,5</sup>, Chubu Electric Power Co., Inc<sup>6,7</sup>)</i>	141
34.	A-161	Analysis of Cable Insulation Condition using Dielectric Spectroscopy and Polarization/Depolarization Current Techniques <i>A. Mohd Ariffin<sup>1</sup>, S. Sulaiman<sup>1</sup>, A. Z. Che Yahya<sup>2</sup>, A. B. Abd. Ghani<sup>2</sup> (<sup>1</sup>Department of Electrical Power Engineering, Universiti Tenaga, Nasional (UNITEN), Kajang, Selangor, Malaysia <sup>2</sup>TNB Research (TNBR) Sdn. Bhd., Kajang, Selangor, Malaysia)</i>	145
35.	A-121	New developments in on-site testing of long lengths of (E)HV power cable <i>Rogier Jongen, Ben Quak, Stefan Tenbohlen, Edward Gulski (Seitz Instruments AG, University Stuttgart, Poznan University of Technology)</i>	149
36.	A-237	A New Degradation Model with Critical Antioxidant Concentration Concept for Safety Cables <i>Noirkazu Fuse, Hiroya Homma, and Tatsuki Okamoto (High-voltage &amp; Insulation Sector, Electric Power Engineering Research Laboratory, Central Research Institute of Electric Power Industry, Yokosuka, JAPAN)</i>	153
37.	A-218	The Application of Partial Discharge Detector and Electro-Acoustic Signals Analysis Methods for Power Cables Monitoring <i>Ju-Chu Hsieh<sup>1,2</sup>, Cheng-Chi Tai<sup>1</sup>, Ching-Chau Su<sup>2</sup>, Chien-Yi Chen<sup>1,2</sup>, Ching-Chau Su<sup>2</sup>, Chien-Yi Chen<sup>1,2</sup>, Jiann-Fuh Chen<sup>1</sup>, Yu-Hsun Lin<sup>3</sup> (<sup>1</sup>Department of Electrical Engineering, National Cheng Kung University, Tainan 70101, Taiwan ROC <sup>2</sup>Department of Electrical Engineering, Nan Jeon Institute of Technology, Tainan 73746, Taiwan ROC <sup>3</sup>Department of Electrical Engineering, National Penghu University of Science and Technology, Penghu, Taiwan ROC)</i>	157
38.	A-158	Application of PD Localization Technology to 110kV Power Cable Circuit <i>Chen Min, Koji Urano, Liu Yi-gang (SE Technology Ltd., Hong Kong, China; Power Transmission Dept. of Guangzhou Power Co., Guangzhou, China)</i>	161
39.	K-8	Damages of Insulators due to Lightning Strikes in Indonesian Power System <i>Reynaldo Zoro (Lightning Research Center, School of Electrical Engineering and Informatics, Institute of Technology Bandung)</i>	166
40.	C-2	The Effect of Needle Curvature and Aluminum Foil on the Transition of Discharge Mechanism under Needle-plate Configuration <i>Kai Wu<sup>1</sup>, Cheng Pan<sup>2</sup>, Kai Qin<sup>3</sup>, Yongpeng Meng<sup>4</sup>(State Key Lab of Electrical Insulation and Power Equipment, Xi'an Jiaotong University<sup>1,2,3,4</sup>)</i>	172
41.	C-30	Characteristics of Lightning Discharges in Indonesia <i>Syarif Hidayat (ITB, Indonesia)</i>	176
42.	C-16	Bridging Phenomenon in Contaminated Transformer Oil <i>Shekhar Mahmud<sup>1</sup>, George Chen<sup>2</sup>, Igor O. Golosnoy<sup>3</sup>, Gordon Wilson<sup>4</sup>, Paul Jarman<sup>5</sup>(University of Southampton, UK<sup>1,2,3</sup>, National Grid, UK<sup>4,5</sup>)</i>	180

43.	C-17	Evaluation on Current Transformer Assessment Method Based on Investigation Result <i>D. S. Rahmani<sup>1</sup>, A. Muchtar<sup>2</sup>, H. Gumilang<sup>3</sup>, R. Siregar<sup>4</sup>, A. Pharmatrisanti<sup>5</sup> (PT PLN (Persero) P3B Jawa Bal<sup>1,2,3,4,5</sup>)</i>	184
44.	C-22	Simulation of positive point streamer propagation in SF <sub>6</sub> and its transient products <i>Ming Ren<sup>1</sup>, Ming Dong<sup>2</sup>, Ai-Ci Qiu<sup>1,2</sup>(State Key Laboratory of Electrical Insulation for Power Equipment, EEC, Xi'an Jiaotong University<sup>1,2,3</sup>, Northwest Institute of Nuclear Technology of China<sup>1,2</sup>)</i>	189
45.	IL-1 (Invited)	Recent Progress in Diagnosis of Transformers using Non- Conventional Partial Discharge Measurements <i>Masayuki Hikita, Masahiro Kozako (Department of Electrical and Electronic Engineering, Kyushu Institute of Technology, Kitakyushu Japan 804-8550)</i>	193
46.	A-147	Investigation of Transformer Top-Oil Temperature Considering External Factors <i>Indera ARIFANTO<sup>1,2,3#</sup>, Fretz JOSUE<sup>1,2,3</sup>, Robert SAERS<sup>3</sup>, Johanna ROSENLIND<sup>4</sup>, Patrik HILBER<sup>4</sup>, SUWARNO<sup>2</sup> (<sup>1</sup>PT. PLN (Persero), Indonesia <sup>2</sup>School of Electrical Engineering and Informatics, Institut Teknologi Bandung, Indonesia <sup>3</sup>Power Technologies, ABB Corporate Research, Sweden <sup>4</sup>School of Electrical Engineering, KTH Royal Institute of Technology, Sweden)</i>	198
47.	A-122	Electrostatic charging tendency of new and aged pressboard samples <i>A. Zlodnjak<sup>1</sup>, T. Judendorfer<sup>1</sup>, M. Muhr<sup>1</sup>, W. Exner<sup>2</sup>, S. Jauffer<sup>2</sup> (<sup>1</sup>Institute of High Voltage Engineering and System Management, Graz University of Technology, Graz, Austria <sup>2</sup>WEIDMANN Electrical Technology AG, Rapperswil, Switzerland)</i>	202
48.	A-154	Analysis of Frequency Domain Spectroscopy Measurements on power transformers by the use of a Finite Element based model <i>D. Geißler, M. Jaya, T. Leibfried (Institute of Electric Energy Systems and High Voltage Technology, Karlsruhe Institute of Technology (KIT), Karlsruhe, Federal Republic of Germany)</i>	206
49.	A-71	The Comparative Analysis of The Partial Discharge In The Inter-turn Insulation of Transformers Between Constant Voltage and Increasing Voltage <i>Hongxin Ji<sup>1</sup>, Yangchun Cheng<sup>1,2</sup>, Jingqing Wei<sup>1</sup>, Shaoyu Liu<sup>3</sup>, Chun Deng<sup>3</sup>, Chengrong Li<sup>1,2</sup> (<sup>1</sup>Beijing Key Laboratory Of High Voltage And EMC, North China Electric Power University, Beijing, P.R.China, 102206 <sup>2</sup>State Key Laboratory Of Alternate Electrical Power System With Renewable Energy Sources, North China Electric Power University, Beijing, P.R.China, 102206 <sup>3</sup>North China Electric Power Research Institute Co.Ltd, Beijing, P.R.China)</i>	211
50.	A-210	Transformer Hot-Spot Temperature Estimation for Short-time Dynamic Loading <i>F. Josue<sup>1,2,3#</sup>, I. Arifianto<sup>1,2,4</sup>, R. Saers<sup>2</sup>, J. Rosenlind<sup>5</sup>, P. Hilber<sup>5</sup>, Suwarno<sup>1</sup> (<sup>1</sup>Institut Teknologi Bandung (ITB), Sekolah Teknik Elektro dan Informatika, Indonesia <sup>2</sup>ABB Corporate Research, Power Technologies, Sweden <sup>3</sup>PT.PLN (Persero), P3B Sumatera, Indonesia <sup>4</sup>PT PLN (Persero), P3B Jawa-Bali, Indonesia <sup>5</sup>KTH Royal Institute of Technology, School of Electrical Engineering, Sweden)</i>	217
51.	A-316	Effective Partial Discharge Measurement Method for XLPE Cables Based on Propagation Characteristics of High Frequency Signal <i>Toshihiro Takahashi<sup>1</sup>, Tatsuki Okamoto<sup>2</sup> (Central Research Institute of Electric Power Industry<sup>1</sup>, Central Research Institute of Electric Power Industry<sup>2</sup>)</i>	221

52.	A-91	The Development of Condition Based Maintenance for 33kV Oil- Filled Cable <i>Zairul Aida Abu Zarim, Tashia Marie Anthony (HV Cable Diagnostics, TNB Research Sdn. Bhd., Kajang, Malaysia)</i>	225
53.	B-3	Comparison of Broadband Impedance Spectroscopy and Time Domain Reflectometry for Locating Cable Degradation <i>Naoshi Hira<sup>1</sup>, Takayuki Yamada<sup>2</sup>, Yoshimichi Ohki<sup>3</sup> (Waseda University<sup>1</sup>, Waseda University<sup>2</sup>, Waseda University<sup>3</sup>)</i>	229
54.	E-12	Transmission Line Assessment <i>Arief Ibrahim Wuller<sup>1</sup>, Anita Pharmatrisanti<sup>2</sup> (PT PLN (Persero) P3B Jawa Bali<sup>1</sup>)</i>	233
55	A-50	Organo-Montmorillonite as an Electrical Treeing Retardant for Polymeric Insulating Materials <i>A.A.A. Jamil<sup>1</sup>, M. Kamarol<sup>1</sup>, M. Mariatti<sup>1</sup>, N. Bashir<sup>2*</sup>, M.H.Ahmad<sup>2</sup>, Y.Z. Arief<sup>2</sup>, N.A.Muhamad<sup>2</sup> (<sup>1</sup>Universiti Sains Malaysia, 14300 Nibong Tebal, Penang, Malaysia <sup>2</sup>Universiti, Teknologi Malaysia, 81310 Johor Bahru, Johor, Malaysia)</i>	237
56.	K-6	A Study on Electrical Properties of Eco-friendly Non-Crosslinked Polyethylene. <i>June-Ho Lee<sup>1</sup>, Seong-Jung Kim<sup>1</sup>, Ki-Hyung Kwon<sup>1</sup>, Chul Ho Kim<sup>1</sup>, Kyu Cheol Cho<sup>2</sup> (<sup>1</sup>Hoseo University <sup>2</sup>SK Innovation)</i>	241
57.	E-13	Best Practices For Dielectric Frequency Response Measurements and Analysis in Real-world Substation Environment <i>Matz Ohlen<sup>1</sup>, Peter Werelius<sup>2</sup>, Joacim Skolding<sup>3</sup>, Jialu Cheng<sup>4</sup> (Megger Sweden<sup>1,2,3,4</sup>)</i>	244
58.	D-7	Diagnosis of HVDC Insulation Systems by use of Oil-conductivity Measuring Methods <i>F. Schober<sup>1</sup>, M. H. Zink<sup>2</sup>, A. Kuchler<sup>3</sup>, M. Liebschner<sup>4</sup>, Ch. Krause<sup>5</sup> (University of Applied Sciences FHWS<sup>1,2,3</sup>, Aalen University<sup>4</sup>, Technology Services and Innovation, WEIDMANN Electrical Technology AG<sup>5</sup>)</i>	250
59.	D-49	The Self-healing Property of Silicone Rubber after Degraded by Treeing <i>Rudi K<sup>1</sup>, Andrew D.H<sup>2</sup>, Managam R.<sup>3</sup>, Zainuddin Nawawi<sup>4</sup>, Naohiro Hozumi<sup>5</sup>, Masayuki Nagao<sup>6</sup> (Dept. of Electrical Engineering Tanjungpura University<sup>1,2,3</sup>, Dept. of Electrical Engineering, Sriwijaya University<sup>4</sup>, Dept. of Electr. &amp; Electronics Engg. Toyohashi University of Technology<sup>5,6</sup>)</i>	254
60.	D-22	An investigation on the parameters affecting the conductivity of pressboard in oil by measuring leakage current under DC <i>S.J.Cho<sup>1</sup>, Z.X.Nan<sup>2</sup>, I.J.Seo<sup>3</sup>, J.Y.Koo<sup>4</sup>, Y.H.Kim<sup>5</sup>, B.Y.Soek<sup>6</sup> (Dept. Electrical engineering Hanyang University, Ansan, Korea<sup>1,2,3,4</sup>, Dept. Electrical engineering research Hyundai Heavy Industries Co., LTD<sup>2</sup>, Yongin, Korea)</i>	258
61.	D-88	Depletion Rate of Oxidation Inhibitor in Hydroprocessed Mineral Insulating Oil and Naphthenic Oils <i>K. Baburao<sup>1</sup>, Dr. Daya Shukla<sup>2</sup>, Nalin Nanavati<sup>3</sup> (Department of Research &amp; Development Raj Petro Specialities P. Ltd.<sup>1,2,3</sup>)</i>	261
62.	D-15	Space Charge Behavior in Oil-paper Insulation under Polarity Reversed Voltage <i>Da Wang<sup>1</sup>, Shiqiang Wang<sup>2</sup>, Min Lei<sup>3</sup>, Haibao Mu<sup>4</sup>, Guan-Jun Zhang<sup>5</sup> (State Key Lab of Electrical Insulation and Power Equipment, Xi'an Jiaotong University<sup>1,2,3,4,5</sup>)</i>	265

63.	A-81	Condition assessment method for power transformer as a part of condition based maintenance program in PLN P3B Jawa Bali <i>Harry Gumilang<sup>1</sup>, Erwin Ansori<sup>1</sup>, Rikardo Siregar<sup>1</sup>, Imam Subrata<sup>2</sup>, Henny Ika S<sup>3</sup>, Rahmi Aenu<sup>2</sup>, Endah Yulastuti<sup>3</sup>, Achmad Setiawan<sup>3</sup></i> ( <sup>1</sup> Asset Management Department <sup>2</sup> Maintenance Department <sup>3</sup> Maintenance Unit PT PLN (PERSERO) P3B Jawa Bali, South Jakarta, Indonesia)	269
64.	A-82	Abnormality Diagnosis of Transformer Winding by Frequency Response Analysis (FRA) Using Circuit Model <i>Satoru Miyazaki<sup>1</sup>, Yoshinobu Mizutani<sup>2</sup>, Tatsuki Okamoto<sup>3</sup>, Yoshihiro Wada<sup>4</sup>, Chikara Hayashida<sup>5</sup></i> (Central Research Institute of Electric Power Industry <sup>1</sup> , Central Research Institute of Electric Power Industry <sup>2</sup> , Central Research Institute of Electric Power Industry <sup>3</sup> , Kyuhen Co., Inc. <sup>4</sup> , Kyuhen Co., Inc. <sup>5</sup> )	273
65.	A-101	Sensitivity Verification and Application of UHF Sensors for Partial Discharge Measurement in High Voltage Power Transformer <i>J.R. Jung, K.R. Hwang, Y.E. Kim, E.T. Lyu, and H. J. Yang<sup>4</sup></i> (Power & Industrial, System R&D Center, Hyosung Coporation, Republic of Korea)	277
66.	A-129	Usability of Vibration Measurement for Power Transformer Diagnosis and Monitoring <i>M. Bettle and S. Tenbohlen</i> (University of Stuttgart, Institute of Power Transmission and High Voltage Technology, Stuttgart, Germany)	281
67.	A-137	Partial discharge behavior of mineral oil and oil-board insulation systems at HVDC <i>Jürgen Fabian<sup>1</sup>, Michael Muhr<sup>2</sup>, Stefan Jaufer<sup>3</sup>, Wolfgang Exner<sup>5</sup></i> (Graz University of Technology <sup>1</sup> , Graz University of Technology <sup>2</sup> , WEIDMANN Electrical Technology <sup>3</sup> , WEIDMANN Electrical Technology <sup>5</sup> )	285
68.	A-292	Time-based partial discharge localization in power transformers by combining acoustic and different electrical methods <i>S. M. Hoek<sup>1</sup>, A. Kraetge<sup>1</sup>, O. Kessler<sup>2</sup>, U. Broniecki<sup>3</sup></i> ( <sup>1</sup> OMICRON electronics GmbH, Klaus, Austria <sup>2</sup> OMICRON Energy Solutions GmbH Berlin, Germany <sup>3</sup> Berlin University of Technology, Berlin, Germany)	289
69.	A-100	On-line and On-site PD Monitoring and Diagnosis of Power Transformer <i>Chun-She Xu<sup>1</sup>, Zhen-Quan Sun, Guan-Jun Zhang</i> (Xi'an Jiaotong University <sup>1</sup> , Shaanxi Regional Electric Power Group Co., Ltd, Xi'an Jiaotong University)	293
70.	IL-9/D-26 (Invited)	Influence of Environmental and Operational Conditions on Breakdown Voltage of Oil in Switchgear <i>Dhiradj Djairam<sup>1</sup>, M. Yu, L.Chmura<sup>1</sup>, R.P.Y., Mehairjan<sup>1</sup>, Q.Zhuang<sup>1</sup>, P.H.F. Morshuis<sup>1</sup>, J.J. Smit<sup>1</sup>, Dirk Boender<sup>2</sup></i> ( <sup>1</sup> High Voltage Technology & Asset Management, Delft University of Technology, Delft, the Netherlands <sup>2</sup> Asset Management, Stedin B.V., Rotterdam, the Netherlands)	297
71.	G-5	Discrimination Technique of Streamer and Leader Type of Partial Discharge in SF <sub>6</sub> Gas Using UHF Method <i>Masahiro Hanai<sup>1</sup>, Keisuke Suzuki<sup>2</sup>, Ryunosuke Mizuno<sup>3</sup>, Hiroki Kojima<sup>4</sup>, Naoki Hayakawa<sup>5</sup>, Hitoshi Okubo<sup>6</sup></i> (Nagoya University <sup>1,2,3,4,5,6</sup> )	301
72.	A-146	Emission and Propagation Mechanisms of PD Pulses for UHF and Traditional Electrical Measurements <i>S. M. Hoek<sup>1</sup>, A. Kraetge<sup>1</sup>, M. Koch<sup>2</sup>, O. Kessler<sup>2</sup>, M. Heindl<sup>3</sup></i> ( <sup>1</sup> OMICRON electronics GmbH, Klaus, Austria <sup>2</sup> OMICRON Energy Solutions GmbH Berlin, Germany <sup>3</sup> Berlin University of Technology, Berlin, Germany)	305



73. A-281 Effect of Excitation Current Waveform on PD Induced Electromagnetic Wave Propagation and Attenuation in Straight 154 kV GIS Model Tank with Epoxy Spacers 309  
*Kiichi Nishigouchi, Masahiro Kozako, Masayuki Hikita, Toshihiro Hoshino, Shiro Maruyama, Takashi Nakajima, Umar Khayam (Kyushu Institute of Technology, TOSHIBA Corporation, ITB)*
74. A-298 Knowledge rules development for diagnostics outcomes in GIS 313  
*Muhammad Al-Suhaily<sup>1</sup>, Sander Meijer<sup>2</sup>, Johan J. Smit<sup>3</sup>, Peter Sibbald<sup>4</sup> (Delft University of Technology, the Netherlands<sup>1</sup>, Delft University of Technology, the Netherlands<sup>2</sup>, Delft University of Technology, the Netherlands<sup>3</sup>, TenneT TSO B.V., the Netherlands<sup>4</sup>)*
75. A-30 Estimating the remaining service life of switchgear insulators Application of the Mahalanobis-Taguchi (MT) method to diagnosis of degradation and estimation of the remaining service life of insulators 317  
*Hiroshi Okazawa<sup>1</sup>, Shinsuke Miki<sup>2</sup> (1Power Distribution Systems Center (Mitsubishi Electric Corporation (MELCO), Marugame City, Kagawa, Japan 2 Advanced Technology R&D Center, Mitsubishi Electric Corporation (MELCO), Amagasaki City, Hyogo, Japan)*
76. A-193 Characteristics of External Loop Sensor Located Near Bushing On Partial Discharge Measurement 320  
*Sriyono<sup>1,2,3\*</sup>, Yong Joo Kim<sup>2,4</sup>, Umar Khayam<sup>1</sup>, Suwarno<sup>1</sup>, Masayuki Hikita<sup>2</sup> (<sup>1</sup>School of Electrical Engineering and Informatics, Institute Technology Bandung, Indonesia <sup>2</sup>Department of Electrical Engineering, Kyushu Institute of Technology, Japan <sup>3</sup>PT PLN (Persero), Indonesia <sup>4</sup>Korea Electrotechnology Research Institute)*
77. IL-4 Hydrophobicity Transfer Property of Silicone Rubber Material 324  
*Zhicheng GUAN, Kang Niu, Gongmao Peng, Fuzeng Zhang, Liming WANG, Bernhard Lutz (Laboratory of Electrical Engineering and Energy, Graduate School at Shenzhen, Tsinghua UniversityShenzhen 518055, PR China)*
78. D-33 Space charge accumulation properties in XLPE with Carbon nano-filler 328  
*Takayuki Arakane<sup>1</sup>, Tatsuya Motchizuki<sup>2</sup>, Nozomi Adachi<sup>3</sup>, Hiroaki Miyake<sup>4</sup>, Yasuhiro Tanaka<sup>5</sup>, Yoon Jin Kim<sup>6</sup>, Jin Ho Nam<sup>7</sup>, S.Tung Ha<sup>8</sup>, Gun Joo Lee<sup>9</sup> (Tokyo City University<sup>1,2,3,4,5</sup>, LS Cable & Systems Co.<sup>6,7,8,9</sup>)*
79. D-39 3D Shape Reconstruction System for Dielectric Material Specimens Surface Measurement 332  
*Jianli Shang<sup>1</sup>, Changwan Lee<sup>2</sup>, Seung Hwang-bo<sup>3</sup>, June-Ho Lee<sup>4</sup>, Jongkwon Kim<sup>5</sup> (Honam University<sup>1,2,3</sup>, Hoseo University<sup>4</sup>, Junsung E&R,Inc<sup>5</sup>)*
80. A-267 Understanding Copper Corrosion due to Sulphur in oil of Large Transformers by different approaches 336  
*Akshatha A<sup>1</sup>, Anjana K<sup>1</sup>, Ravi Kumar A<sup>1</sup>, Shyam<sup>1</sup>, Kumar Ch<sup>1</sup>. and J. Sundara Rajan<sup>1</sup>, Keshava Murthy<sup>2</sup>, Viswanath G<sup>2</sup> and Ravindra D<sup>2</sup>. (<sup>1</sup>R&D Management Division, Central Power Research Institute, Bangalore, India <sup>2</sup>Dielectric Materials Division, Central Power Research Institute, Bangalore, India)*
81. D-40 Space Charge and Conduction Current Measurement Using Improved Pulse Generator 340  
*Minwoo Gwak<sup>1</sup>, Jianli Shang<sup>2</sup>, Seung Hwangbo<sup>3</sup>, June-Ho Lee<sup>4</sup> (Honam University<sup>1,2,3</sup>, Hoseo University<sup>4</sup>)*

82. A-307 Thermal aging of Paper and Pressboard in mineral and ester oils under air and nitrogen atmospheres 343  
*M-L. Coulibaly<sup>1</sup>, C. Perrier<sup>2</sup>, A. Beroual<sup>3</sup>, M. Marugan<sup>4</sup> (ALSTOM Grid<sup>1</sup>, ALSTOM Grid<sup>2</sup>, Ecole Centrale de Lyon, AMPERE Lab<sup>3</sup>, ALSTOM Grid<sup>4</sup>)*
83. D-42 High-permittivity and low-dielectric-loss polymer composites based on TiO<sub>2</sub>-nanorod functionalized carbon nanotubes 347  
*Chao Wu, Xingyi Huang, Libing Lv, Gan Chen, Jinhong Yu, Liyuan, Xie, and Pingkai Jiang\* (Shanghai Key Lab of Electrical Insulation and Thermal Aging, Department of Polymer Science and Engineering, Shanghai Jiao, Tong University, Shanghai 200240, People's Republic of China)*
84. D-47 New Carbon Material Derived from Mixture with Lubricating Oil and Sulfuric Acid and its Electric Property for EDLC 350  
*Sougoro Sugawara<sup>1</sup>, Zulkarnain A. Noorden<sup>2</sup>, Ryohei Okaoto<sup>3</sup>, Satoshi Matsumoto<sup>4</sup> (Shibaura Institute of Technology<sup>1,2,3,4</sup>)*
85. A-39 SEM and EDX analysis of The Needle – Plane and Rod - Plane Electrodes for The Partial Discharge Inception Voltage Measurement and The Arcing Test of The Mineral Oil 353  
*N. Pattanadach<sup>1</sup>, F. Pratomosiwi<sup>2</sup>, M. Muhr<sup>1</sup>, M. Baur<sup>2</sup> (Institute of High Voltage Engineering and System, Management, Inffeldgasse 18, A - 8010 Graz, 2Baur Prüf- und Messtechnik GmbH, Raiffeisenstr. 8, A - 6832 Sulz, Austria)*
86. E-1 An Approach to Aging Assessment of Power Transformer Based on Multi-parameters 357  
*Yuan Li<sup>1</sup>, Ming-jie Tang<sup>2</sup>, Jun-bo Deng<sup>3</sup>, Guan-jun Zhang<sup>4</sup>, Shu-hong Wang<sup>5</sup> (Power Equipment, Xi'an Jiaotong University<sup>1</sup>, State Key Laboratory of Electrical Insulation and Power Equipment, Xi'an Jiaotong University<sup>2</sup>, State Key Laboratory of Electrical Insulation and Power Equipment, Xi'an Jiaotong University<sup>3</sup>, State Key Laboratory of Electrical Insulation and Power Equipment, Xi'an Jiaotong University<sup>4</sup>, State Key Laboratory of Electrical Insulation and Power Equipment, Xi'an Jiaotong University<sup>5</sup>)*
87. A-207 Accounting of Physicochemical Characteristics Interference in Multiple-Aspect Assessment of Oil Condition 361  
*Davidenko I.V., Kolushev D.N., Shyrokov A.V. (Ural Federal University, KEG branch of PC "Grid Company")*
88. A-103 Development of Dissolved Gas Analysis(DGA) Expert System Using New Diagnostic Algorithm For Oil-immersed Transformers 365  
*Y.M.KIM\*, S.J.LEE, H.D.SEO, J.R.JUNG and H.J.Yang (Power & Industrial System R&D Center, HYOSUNG COPORATION, Republic of KOREA)*
89. A-217 New Designed Wideband Amplifier and Waveguide for Partial Discharge Location in Cast-Resin Dry-Type Transformer 370  
*Jia-Bin Wang<sup>1</sup>, Ching-Chau Su<sup>2</sup>, Cheng-Chi Tai<sup>3</sup>, Jiann-Fuh Chen<sup>4</sup>, Shih-Shong Yen<sup>5</sup> (Department of Electrical Engineering, National Cheng Kung University<sup>1,3,4,5</sup>, Department of Electrical Engineering, Nan Jeon Institute of Technology<sup>2</sup>)*
90. A-283 Improving accuracy of DGA interpretation of oil-filled power transformers needed for effective condition monitoring 374  
*Abubakar A. Suleiman<sup>1,2</sup>, Ali S. Alghamdi<sup>1,3</sup>, Nor Asiah Mohamad<sup>1</sup> and Nouruddeen Bashir<sup>1</sup>, Mohd Aizam<sup>1,4</sup> (<sup>1</sup>National Agency for Science and Engineering, Infrastructure (NASENI), Abuja, Nigeria <sup>2</sup>Institute of High Voltage & High Current (IVAT), Faculty of Electrical Engineering (FKE), Universiti Teknologi Malaysia (UTM), Johor, Malaysia, <sup>3</sup>Technical & Vocational Training Corporation, Jeddah, Saudi Arabia, <sup>4</sup>TNB Research Sdn Bhd, Bangi Kajang, Selangor, Malaysia)*

91.	A-53	Characteristics of PD Induced Electromagnetic Wave Propagating through T-Branch of 154 kV GIS in the Presence of Epoxy Spacer <i>Umar Khayam, Toshihiro Hoshino, Takashi Nakajima, Shiro Maruyama, Kiichi Nishigouchi, Masahiro Kozako, Masayuki Hikita (School of Electrical Engineering and Informatics, TOSHIBA Corporation, Department of Electrical and Electronic Engineering)</i>	379
92.	A-164	The Influence of Free Moving Particles on Breakdown Voltages of GIS under Different Electrical Stresses <i>A.P.Purnomoadi<sup>1</sup>, M.A.G.Al-Suhaily<sup>2*</sup>, S.Meijer<sup>2</sup>, J.J.Smit<sup>2</sup>, S.Burow, S.Tenbohlen<sup>1</sup> (<sup>1</sup>PT. PLN (Persero) P3B Jawa Bali <sup>2</sup>Department of Electrical Power Engineering, High Voltage Technology and Management Group, TU Delft, the Netherlands, <sup>2</sup>Institute of Power Transmission and High Voltage Technology, University of Stuttgart, Germany)</i>	383
93.	A-191	Influence of Spacer Aperture Size on PD-Induced Electromagnetic Wave Measured with UHF External Sensor in 66 kV GIS Model <i>Widya Anggoro Putro<sup>1,3</sup>, Sriyono<sup>1,3</sup>, K. Nishigouchi<sup>2</sup>, Umar Khayam<sup>1,2</sup>, Suwarno<sup>1</sup>, Masahiro Kozako<sup>2</sup>, Masayuki Hikita<sup>2</sup>, Koji Urano<sup>4</sup>, Chen Min<sup>4</sup> (<sup>1</sup>School of Electrical Engineering and Informatics, Bandung Institute of Technology, Indonesia <sup>2</sup>Department of Electrical Engineering, Kyushu Institute of Technology, Japan <sup>3</sup>PT PLN (Persero), Indonesia <sup>4</sup>SE Technology, Hongkong)</i>	387
94.	A-174	Partial Discharge (PD) Detection on medium voltage Switchgears Using Non-Invasive Sensing Methods <i>S. Kornhuber<sup>1</sup>, K. Jani, M. Boltze<sup>1</sup>, G. Valtin (<sup>1</sup>Doble-Lemke GmbH, Kesselsdorf, Germany <sup>2</sup>Doble-Lemke GmbH, Kesselsdorf, Germany)</i>	392
95.	A-206	Development of GIS condition monitoring and diagnosis system based on IEC61850 <i>Deok-Cheol Kim<sup>1</sup>, Dae-Kwon Kang<sup>2</sup>, Duck-Ki Seo, Yong-Moo Chang (Power IT Research Institute, Hanyang University)</i>	396
96.	A295	Designing PD couplers using the FDTD method <i>Takashi Ito<sup>1</sup>, Toru Fukasawa<sup>2</sup> (Mitsubishi Electric Corporation<sup>1</sup>, Mitsubishi Electric Corporation<sup>2</sup>)</i>	N/A
97.	IL-2/D-4 (Invited)	Investigations on creeping discharges propagating over pressboard immersed in mineral and vegetable oils submitted to lightning impulse voltages <i>Viet-Hung Dang<sup>1</sup>, A. Beroual<sup>2</sup>, M-L. Coulibaly<sup>3</sup>, C. Perrier<sup>4</sup> (Ecole Centrale de Lyon - Ampere Lab1,2, ALSTOM Grid / TICC3,4, ALSTOM Grid / ARC4)</i>	404
98.	D-52	Space Charge Formation and Physicochemical Properties of Aged XLPE Cable Insulation <i>Shengtao Li<sup>1</sup>, Weiwei Li<sup>2</sup>, Jianying Li<sup>3</sup>, Xia Wang<sup>4</sup>, Huan Li<sup>5</sup>, Yu Jing<sup>6</sup> (State Key Laboratory of Electrical Insulation and Power Equipment, Xi'an Jiaotong University<sup>1,2,3,4,5,6</sup>)</i>	408
99.	D-83	Effect of Long-Term Aging Test Under DC Voltage on Roebel Bars <i>Mario Bélec<sup>1</sup>, Calogero Guddemi<sup>2</sup>, Charles Millet<sup>3</sup> (Institut de Recherche d'Hydro-Québec, IREQ<sup>1,2</sup>, Appareillage de Production, Hydro-Québec<sup>3</sup>)</i>	412
100.	D-84	Degradation of Insulating Polymer Materials Exposed to Partial Discharge under NOx Environment <i>Yoshiyasu Ehara<sup>1</sup>, Daisuke Kubota<sup>2</sup> (Dept. of Electrical and Electronic Engineering, Tokyo City University<sup>1</sup>)</i>	417

101. D-70 Simulation of Electro-Thermal Aging Based on the Generic Life-Expression 421  
*Hisham A. Alghamdi<sup>1</sup>, G. Chen<sup>2</sup>, A. S. Vaughan<sup>3</sup> (The Tony Davies High Voltage Laboratory, University of Southampton<sup>1,2,3</sup>)*
102. D-50 Time Lag in CM-II Electrode System Attributed to Dielectric Surface Conditioning 425  
*Zainuddin Nawawi<sup>1</sup>, Hussein Ahmad<sup>2</sup>, Rudi Kurnianto<sup>3</sup>, N. Hozumi<sup>4</sup>, M. Nagao<sup>5</sup> (Dept. of Electrical Engineering, Sriwijaya University<sup>1</sup>, Faculty of Engineering, Universiti Teknologi Malaysia<sup>2</sup>, Dept. of Electrical Engineering, Tanjungpura University<sup>3</sup>, Dept. of Electr. & Electron. Engg., Toyohashi University of Tech.<sup>4,5</sup>)*
103. A-167 Diagnosing winding and core condition of power transformer by vibration signal analysis 429  
*Buyung Sofiarto Munir<sup>1</sup>, Johan J. Smit<sup>2</sup>, I G. M. Rama Rinaldi<sup>3</sup> (<sup>1</sup>PT PLN (Persero), Jakarta, Indonesia <sup>2</sup>Delft University of Technology, Delft, The Netherlands <sup>3</sup>PT PLN (Persero), Jakarta, Indonesia)*
104. A-165 Study on the Dissolved Gas Online Monitor Based on the Photoacoustic Spectroscopy 433  
*Zhu Qi<sup>1</sup>, Yin Yi<sup>2</sup>, Wang Qiaohua<sup>3</sup>, Wang Zhihao<sup>4</sup>, Li Zhe<sup>5</sup> (Shanghai Jiao Tong University<sup>1,2,3,4,5</sup>)*
105. A-228 Low-cost frequency response analyzer for transformer diagnosis 437  
*Ratanon Sripheuek, Supakit Chotigo (King Mongkut's University of Technology Thonburi)*
106. A-232 Investigating the Partial Discharge Electromagnetic Wave Propagation in Power Transformers Considering Active Part Characteristics 442  
*H. R. Mirzaei<sup>1</sup>, A. Akbari<sup>1</sup>, M. Zanjan<sup>1</sup>, E. Gockenbach<sup>2</sup>, H. Borsi<sup>2</sup> (<sup>1</sup>Department of Electrical Engineering, K. N. Toosi University of Technology, Tehran, Iran, <sup>2</sup>Institute of Electric Power Systems, Schering-Institute, University of Hannover, Germany)*
107. A-55 Characterization of Transformer FRA Signature under Various Winding Faults 446  
*Naser Hashemnia, A. Abu-Siada, Mohammad A.S. Masoum, and Syed M. Islam (Curtin University, Australia<sup>1</sup>)*
108. A-197 The application of FRA-SCR in the diagnosis of transformer coil deformation 450  
*Liang Xiaochen<sup>1</sup>, Ji Shengchang<sup>1</sup> and Wang Wei<sup>2</sup> (<sup>1</sup>State key laboratory of electrical insulation and power equipment, School of Electrical Engineering, Xi'an Jiaotong University, Xi'an 710000, China <sup>2</sup>Shenzhen Power Supply Bureau, Shenzhen 518000, China)*
109. A-200 Developing Norm for SF6 Quality of Tropical GIS 454  
*Annastasya Bastian<sup>1</sup>, Dian Septi Rahmani<sup>2</sup>, Ari Muchtar<sup>3</sup> (PT. PLN (Persero) P3B Jawa Bali Indonesia<sup>1,2,3</sup>)*
110. A-78 Effect of Electric Field on Contaminated Metallic Particle in Three Phase Dielectric Coated Common Enclosure Gas Insulated Busduct Using Charge Simulation Method 458  
*Narapareddy Rama Rao<sup>1</sup>, J. Amarnath<sup>2</sup> (<sup>1</sup>Department of Electrical and Electronics Engineering, Nigama Engineering College, Karim Nagar, AP, INDIA <sup>2</sup>Department of Electrical and Electronics Engineering, JNTUH College of Engineering, Hyderabad, AP, INDIA)*

111.	A-110	Application of MV GIS Partial Discharge Measurement and Location <i>Min-Yen Chiu<sup>1</sup>, Keng-Wei Liang<sup>1</sup>, Chang-Hsing Lee<sup>1</sup>, Chen-Li Fan<sup>2</sup>, J. Cheng<sup>2</sup>, Yu-Chih, Lin<sup>3</sup> (Power Diagnostic Service Co., Limited<sup>1</sup>)</i>	462
112.	A-264	Noise discrimination from PD signal in pre-breakdown discharge detection test <i>Takashi Kuraishi, Toshihiro Takahashi, Takashi Kurihara, Tatsuki Okamoto (High-voltage &amp; Insulation Sector, Electric Power Engineering Research Laboratory, Central Research Institute of Electric Power Industry, 2-6-1 Nagasaka, Yokosuka, Kanagawa 240-0196 JAPAN)</i>	466
113.	A-144	Influences of different absorbents on the detection of SF6 gas decomposition products <i>Wang Yuanyuan<sup>1</sup>, Ren Jie<sup>1</sup>, Liang Xiaochen<sup>1</sup>, Ji Shengchang<sup>1</sup>, Li Li<sup>2</sup>, Wang Yu<sup>2</sup> (State Key Laboratory of Electrical Insulation and Power Equipment, Electric Power Test Research Institute)</i>	470
114.	K-2	Minimizing the Potential of SF6 Gas Emission <i>S. Naswi<sup>1</sup>, R. Siregar<sup>2</sup>, A. Pharmatrisanti<sup>3</sup> (PT PLN (Persero) P3B Jawa Bali<sup>1,2,3</sup>)</i>	476
115	IL-5/G-47 (Invited)	Surface Trapping Parameters of Solid Dielectrics: Novel Measurement Method and Insulation Condition Characterization <i>Guan-Jun Zhang*, Wen-Wei Shen, Hai-Bao Mu, Jun-Bo Deng (State Key Lab of Electrical Insulation and Power Equipment, School of Electrical Engineering, Xi'an Jiaotong University, Xi'an, Shaanxi 710049, China)</i>	480
116.	F-4	On-load tap changer diagnosis with dynamic resistance measurements <i>Rogier Jongen<sup>1</sup>, Paul P. Seitz<sup>2</sup>, Thomas Strehl<sup>3</sup>, Johan Smit<sup>4</sup>, Rory Leich<sup>5</sup>, Edward Gulski<sup>6</sup> (Seitz Instruments AG<sup>1,2</sup>, Onsite hv technology AG<sup>3</sup>, Delft University of Technology<sup>4</sup>, Liandon N.V.<sup>5</sup>, Poznan University of Technology<sup>6</sup>)</i>	485
117.	G-3	Characteristics of partial discharge by AC and DC <i>Jeongtae Kim<sup>1</sup>, Dongwook Kim<sup>1</sup>, Kijin Nam<sup>1</sup>, Won Choi<sup>2</sup>, Bangwook Lee<sup>2</sup>, Jayoon Koo<sup>2</sup> (<sup>1</sup>Dept. of Electrical Eng., Daejin University, Gyeonggi-Do, Korea <sup>2</sup>Dept. of Electrical Eng., Hanyang University, Gyeonggi-Do, Korea)</i>	489
118.	G-8	Monitoring of SF6 gas admixtures in gas-insulated electrical equipment <i>Th. A. Paul<sup>1</sup>, A. Kramer<sup>2</sup> (Corporate Research, ABB Switzerland)</i>	493
119.	G-9	Investigating Partial Discharge UHF Electromagnetic Waves Propagation in Transformers Using FDTD Technique and 3D Simulation <i>M. Zanjani<sup>1</sup>, A. Akbari<sup>1</sup>, H. R. , N. Shirdel<sup>1</sup>, E. Gockenbach<sup>2</sup>, H. Borsi<sup>2</sup> (<sup>1</sup>Department of electrical and computer engineering, K. N. Toosi University of Technology, Tehran, Iran <sup>2</sup>Institute of Electric Power Systems, Schering-Institute, University of Hannover, German)</i>	497
120.	G-10	Adapting frequency domain spectroscopy as an on-line monitoring tool for the insulation of power transformers <i>Michael Jaya, Yannick Rink and Thomas Leibfried (Institute of Electric Power, Systems and High Voltage Technology, Karlsruhe Institute of Technology, Karlsruhe, Germany)</i>	501
121.	J-15	Integrated Assessment Model of GIS Operating Under Tropical Conditions <i>A. Pharmatrisanti<sup>1</sup>, J.J. Smit<sup>2</sup> (<sup>1</sup>Asset Management Department, PT. PLN (Persero) P3B Jawa Bali, Depok, Indonesia <sup>2</sup>Electrical Sustainable Energy, Faculty of EEMCS, TU Delft, Delft, the Netherlands)</i>	505

122. I-4 Developing the physical layer of future power grids required for automatic asset management and renewable energy integration 509  
*D. Djairam<sup>1</sup>, R. Grizonic<sup>2</sup>, Q. Zhuang<sup>3</sup>, J. J. Smit<sup>4</sup> (High Voltage Technology & Management, Delft University of Technology<sup>1,2,3,4</sup>)*
123. J-1 Failure Statistics and Inventory Management for High Voltage Circuit Breaker using Statistical Distribution Techniques 513  
*T. Suwanasri<sup>1</sup>, S. Wattanawongpitak<sup>2</sup>, T. Homkeanchan<sup>3</sup>, C. Suwanasri<sup>4</sup> (King Mongkut's University of Technology North Bangkok<sup>1,2,3,4</sup>)*
124. J-6 Statistical Approach to Establish Failure Behaviour on Incomplete Asset Lifetime Data 517  
*Ravish P.Y. Mehairjan<sup>1</sup>, Dhiradj Djairam<sup>2</sup>, Arjan M. van Voorden<sup>3</sup>, Qikai Zhuang<sup>4</sup>, Johan J. Smit<sup>5</sup> (High Voltage Technology & Asset Management, Delft University of Technology<sup>1,2,4,5</sup>, Asset Management Stedin B. V.<sup>3</sup>)*
125. J-9 Transmission Power Transformer Assessment Using Furan Measurement with the aid of Thermal Model 521  
*Dongyin Feng<sup>1</sup>, Zhongdong Wang<sup>2</sup>, Paul Jarman<sup>3</sup> (School of Electrical and Electronic Engineering, The University of Manchester<sup>1,2</sup>, National Grid<sup>3</sup>)*
126. J-10 Optimum Maintenance Plan of Electric Power Apparatus in Consideration of Maintenance History by Intelligent Grid Management System (IGMS) 525  
*Kosei Sinoda<sup>1</sup>, Masahiro Hanai<sup>2</sup>, KaioWakaiki<sup>1</sup>, Hiroki, Kojima<sup>2</sup>, Naoki Hayakawa<sup>2</sup>, and Hitoshi Okubo<sup>1</sup> (<sup>1</sup>Dept. of Electric and Electrical Engineering, <sup>2</sup>EcoTopia Science Institute, Nagoya University, Nagoya, Japan)*
127. A-201 The Condition-Based Maintenance Concept for 500 kV Circuit Breaker in PLN P3B Jawa Bali – Indonesia 529  
*Y. Wibisana, R. Setyo Wibowo, I. Arifianto (PT. PLN (Persero) P3B Jawa Bali-Jakarta)*
128. IL-8/A-114 (Invited) Advanced Condition Monitoring Of Insulation Systems: A Building Block For Smarter Grids 533  
*L. Fornasar<sup>1</sup>, A. Cavallini<sup>2</sup>, G. C. Montanari<sup>3</sup> (\*TechImp HQ Spa, University of Bologna)*
129. A-294 De-noising approaches for partial discharge measurements – A comparison of methods and their practical application 538  
*A. Kraetge<sup>1</sup>, S. Hoek<sup>1</sup>, R. Hummel<sup>1</sup>, M. Krüger<sup>1</sup>, O. Kessler<sup>2</sup>, S. Hong<sup>3</sup> (<sup>1</sup>Product Management and Engineering Services, OMICRON, Klaus, Austria <sup>2</sup>Product Manager, OMICRON, Berlin, Germany, <sup>3</sup>Application Engineer, OMICRON, Seong Nam City, South Korea)*
130. A-48 On-line Partial Discharge Monitoring System for Distribution Networks. 542  
*Patrick Mulroy, Aritz Hurtado, David Badetz (Ormazabal Corporate Technology, Parque Empresarial Boroa, Parcela 24, Amorebieta-Etxano (Vizcaya), Spain)*
131. A-46 Pattern recognition rate comparison for Partial Discharges at Cryogenic temperature 546  
*H. S. Lee, I. J. Seo, W. Choi, Y. J. Lee, Y. M. Choi, B. W. Lee, J. Y. Koo (Hanyang University<sup>1</sup>)*

132. A-177 Research on the Fiber-optic On-line Monitoring System for Leakage Current of  $\pm 800$  kV UHV DC Insulator N/A  
*Liang Wang<sup>1</sup>, Hong Wei<sup>1</sup>, Yunpeng Liu<sup>1</sup>, Wenyi Guo<sup>2</sup> (<sup>1</sup>Hebei Provincial Key, Laboratory of Power Transmission, Equipment Security Defense, North China Electric Power University, Baoding, China <sup>2</sup>Electric Power Research Institute National Engineering, Laboratory, China Southern Power Grid Co. Ltd, Guangzhou, China)*
133. A-226 Development of Transformer Monitoring System for Condition-based Maintenance in PT. PLN Java-Bali Transmission and Load Dispatch Center 554  
*B. Pharmasetiawan<sup>1</sup>, Hakim Ad Dairi<sup>1</sup>, Yudi S. Gondokaryono<sup>1</sup>, Anita Pharmatrisanti<sup>2</sup>, Edy Subagja<sup>2</sup>, Bambang Cahyono<sup>2</sup> (<sup>1</sup>School of Electrical Engineering and Informatics, Bandung Institute of Technology (ITB), Bandung, Indonesia <sup>2</sup>Asset Management Department, PT. PLN (PERSERO) P3B Jawa Bali, Depok, Indonesia)*
134. G-30 PD Behavior of Basic Test Arrangements under Different Measurement and Evaluation Conditions 557  
*Stefan Kornhuber<sup>1</sup>, Matthias Boltze<sup>2</sup>, Rainer Haller<sup>3</sup>, Petr Mraz<sup>4</sup>, Josef Pihera<sup>5</sup> (Doble-Lemke GmbH<sup>1,2</sup>, University of West Bohemia in Pilsen, Faculty of Electrical Engineering<sup>3,4,5</sup>)*
135. L-4 Optimum Power Flow Control Based on Power Apparatus Diagnosis by Intelligent Grid Management System (IGMS) 561  
*Masahiro Hana<sup>1</sup>, Kosei Shinoda<sup>2</sup>, Kaio Wakaiki<sup>3</sup>, Hiroki Kojima<sup>4</sup>, Naoki Hayakawa<sup>5</sup>, Hitoshi Okubo<sup>6</sup> (Nagoya University<sup>1,2,3,4,5,6</sup>)*
136. K-9 Fix Series Capacitor for Increasing Power Transfer on Transmission 150 kV at Sumatera Interconnection System 5  
*Muhammad Nurdin<sup>1</sup>, Nanang Hariyanto<sup>2</sup>, Sudarmono Sasmono<sup>3</sup>, Rizky Rahmani<sup>4</sup>, Armaini<sup>5</sup>, Ricky Faiza<sup>6</sup> (School of Electrical Engineering and Informatics, Bandung Institute of Technology, Bandung, Indonesia<sup>1,2,3,4</sup>, Centre of Research and Development/Puslitbang PT PLN (Persero), Jakarta, Indonesia<sup>5</sup>, PT PLN (Persero) P3BS, Padang, Indonesia<sup>6</sup>)*
137. A-52 Interpretation of Monitoring Data of Own Electromagnetic Radiation HV Transformers 569  
*Nikolay V. Kinsht<sup>1</sup>, Natalia N. Petrunko<sup>2</sup> (Electrophisic and Electropower Lab., Institute of Automation & Control Processes of Far-Eastern Branch of RAS 5 Radio St., Vladivostok 690041, Russia<sup>1,2</sup>)*
138. A-149 Smart Grids: Romanian Experience in On-Line Monitoring and Condition Assessment of High Voltage Substations 573  
*Constantin Moldoveanu<sup>1</sup>, Virgil Brezoianu<sup>2</sup>, Aurelian Vasile<sup>3</sup>, Victor Ursianu<sup>4</sup>, Irene Ionita<sup>5</sup>, Florin Goni<sup>6</sup>, Constantin Radu<sup>7</sup>, Stelian Gal<sup>8</sup>, Vasile Metiu<sup>9</sup>, Ioan Hategan<sup>10</sup>, Vlad Rosca<sup>11</sup>, Valentin Zaharescu<sup>12</sup>, Gheorghe Moraru<sup>13</sup> (S.C. NOVA INDUSTRIAL S.A., Bucharest, Romania<sup>1,2,3,4,5,6,7</sup>, CNTEE TRANSELECTRICA SA, Romania<sup>8,9,10,11,12</sup>, Smart SA, Romania<sup>13</sup>)*
139. K-17 Alternative Spatial Approach on Spatial Demand Forecasting for Transmission Expansion Planning 577  
*Sudarmono Sasmono<sup>1</sup>, Ngapuli Irmea Sinisuka<sup>2</sup>, Mukmin W Atmopawiro<sup>3</sup> (School of Electrical Engineering and Informatics, Institut Teknologi Bandung, Bandung, Indonesia<sup>1,2,3</sup>)*
140. A-62 A new On-line Monitoring Technology of Transmission Line Conductor Icing 581  
*Xinbo Huang<sup>1</sup>, Xu Wei<sup>2</sup> (College of Electronic Information, Xi'an Polytechnic University, Xi'an, China<sup>1</sup>, College of Mechanical and Electrical Engineering, Xi'an Polytechnic University, Xi'an, China<sup>2</sup>)*

141.	C-3	Investigation Experience Due To High Number of CVTs Failure (Part: 1) <i>Rikardo Siregar<sup>1</sup>, Achmad Setiawan<sup>2</sup> (Penyaluran dan Pusat Pengatur Beban Jawa Bali, PT. PLN (Persero), Jakarta, Indonesia<sup>1,2</sup>)</i>	586
142.	A-2	Importance of Bushing DGA in Condition Assessment of Power Transformers <i>Bhaskar D Malpure<sup>1</sup>, Sushil E Chaudhari<sup>2</sup> (Crompton Greaves Ltd, Mumbai<sup>1,2</sup>)</i>	589
143.	A-16	Study on Transformer Oil Dissolved Gas Online Monitoring and Fault Diagnosis Method <i>Huimin He<sup>1</sup>, Xiaotian Xu<sup>2</sup> (North China Electric Power Research Institute Beijing, China<sup>1,2</sup>)</i>	593
144.	A-40	The Influence of The Test Methods on The Partial Discharge Inception Voltage Value of The Mineral Oil Using The Needle - Plane Electrode Configuration <i>N. Pattanadech<sup>1</sup>, F. Pratomosiwi<sup>2</sup>, M. Muhr<sup>3</sup>, M. Baur<sup>4</sup> (Institute of High Voltage Engineering and System Management<sup>1</sup>, Institute of High Voltage Engineering and System Management<sup>2</sup>, Institute of High Voltage Engineering and System Management<sup>3</sup>, BAUR prüf-und Messtechnik GmbH<sup>4</sup>)</i>	597
145.	A-42	Influence Factors on FRA Waveforms <i>Takahiro Sano<sup>1</sup>, Katsunori Miyagi<sup>2</sup> (Design Department, Trsansformer Business Division MEIDEN T&amp;D CORPORATION Numazu-shi, Japan<sup>1</sup>, Department of Electrical and Electronic Engineering Kanazawa Institute of Technology Nonoichi-shi, Japan<sup>2</sup>)</i>	601
146.	A-45	Development of a Portable PDC Diagnostic System for Discriminating Transformer Insulation and Winding Faults Using Homoscedastic Probabilistic Neural Network <i>S. Natarajan<sup>1</sup>, R. Rajesh<sup>2</sup>, S. Venkatesh<sup>3</sup>, S. Mohamed Ghouse<sup>4</sup> (SASTRA University<sup>1,2,3,4</sup>)</i>	605
147.	A-66	The Influence of Windings on UHF Electromagnetic Wave Propagation <i>Shusheng Zheng<sup>1</sup>, Chengrong Li<sup>2</sup>, Meng He<sup>3</sup> (Beijing Key Laboratory of High Voltage and EMC, North China Electric Power University<sup>1,2,3</sup>, State Key Laboratory of Alternate Electrical Power System with Renewable Energy Sources, North China Electric Power University<sup>1,2,3</sup>)</i>	609
148.	A-130	Apparatus for On-line Monitoring of Transformer Winding Deformation using Leakage Inductance Identification <i>Yao Zhoufei<sup>1</sup>, Yin Yi<sup>2</sup>, Wang Zhihao<sup>3</sup>, Li Zhe<sup>4</sup>, Wang Qiaohua<sup>5</sup> (Shanghai JiaoTong University<sup>1</sup>, Shanghai JiaoTong University<sup>2</sup>, Shanghai JiaoTong University<sup>3</sup>, Shanghai JiaoTong University<sup>4</sup>, Shanghai JiaoTong University<sup>5</sup>)</i>	613
149.	A-138	Comparison of Online and Lab DGA Methods for Condition Assessment of Mineral and Vegetable Transformer Oils <i>X. Wang<sup>1</sup>, X. Yi<sup>2</sup>, S.T. Li<sup>3</sup>, Z.D. Wang<sup>4</sup>, J.V. Hinshaw<sup>5</sup>, J. Noakhes<sup>6</sup> (University of Manchester<sup>1</sup>, University of Manchester<sup>2</sup>, University of Manchester<sup>3</sup>, University of Manchester<sup>4</sup>, BPL Global Ltd<sup>5</sup>, TJ/H2b Analytical Services Pty Ltd<sup>6</sup>)</i>	617
150.	A-139	Partial discharge behavior of environmentally friendly and hardly inflammable ester liquids compared to mineral oil for power transformers <i>Jürgen Fabian<sup>1</sup>, Bettina Wieser<sup>2</sup>, Michael Muhr<sup>3</sup>, Robert Schwarz<sup>4</sup>, Georg J. Pukel<sup>5</sup>, Martin Stössl<sup>6</sup> (Graz University of Technology<sup>1</sup>, Graz University of Technology<sup>2</sup>, Graz University of Technology<sup>3</sup>, Siemens Transformers Austria GmbH &amp; Co KG<sup>4</sup>, Siemens Transformers Austria GmbH &amp; Co KG<sup>5</sup>, Siemens Transformers Austria GmbH &amp; Co KG<sup>6</sup>)</i>	621



151. A-233 Investigating Suitable Positions in Power Transformers for Installing UHF Antennas for Partial Discharge Localization 625  
*H. R. Mirzaei<sup>1</sup>, A. Akbari<sup>2</sup>, M. Zanjan<sup>3</sup>, K. Miralikhani<sup>4</sup> (Department of Electrical Engineering K. N. Toosi University of Technology Tehran, Iran<sup>1,2,3</sup>, HV Test Field, Iran-Transfo Co. Zanjan, Iran<sup>4</sup>)*
152. D-69 A Comparison of AC and DC Surface Discharges Characteristics for Silicone Rubber 629  
*Jeong-Yun Heo<sup>1</sup>, Han-Goo Cho<sup>2</sup>, Lee-Yong Soon<sup>3</sup> (Korea Electrotechnology Research Institute(KERI)<sup>1,2</sup>, Technology Institute, Sang Won Co., Ltd.<sup>3</sup>)*
153. A-312 Effects of Current and Voltage Harmonics on Distribution Transformer Losses 633  
*M. Shareghi<sup>1</sup>, B.T. Phung<sup>2</sup>, M.S. Naderi<sup>3</sup>, T. R. Blackburn<sup>4</sup>, E. Ambikairajah<sup>5</sup> (School of Electrical Engineering and Telecommunications University of New South Wales Sydney, Australia<sup>1,2,3,4,5</sup>)*
154. A-320 Degree of Polymerization Estimation of Insulation Papers in Power Transformers Based on Load and Temperature Histories in Java-Bali Region of Indonesia National Electric Company 637  
*Hanung N.S.<sup>1</sup>, Suwarno<sup>2</sup>, Nanang H.<sup>3</sup>, Yoshinobu Mizutani<sup>4</sup>, Tsuguhiro Takahashi<sup>5</sup>, Tatsuki Okamoto<sup>6</sup> (School of Electrical Engineering and Informatics, Institut Teknologi Bandung - PT PLN (Persero)<sup>1</sup>, School of Electrical Engineering and Informatics, Institut Teknologi Bandung<sup>2</sup>, School of Electrical Engineering and Informatics, Institut Teknologi Bandung<sup>3</sup>, CRIEPI<sup>4</sup>, CRIEPI<sup>5</sup>, CRIEPI<sup>6</sup>)*
155. A-11 Electric field distribution in 132 kV one piece premolded cable joint structures 643  
*H. A. Illias<sup>1</sup>, Z. H. Lee<sup>2</sup>, A. H. A. Bakar<sup>3</sup>, H. Mokhlis<sup>4</sup>, G. Chen<sup>5</sup>, P. L. Lewin<sup>6</sup> (UMPEDAC Electrical Engineering Department Faculty of Engineering, University of Malaya Kuala Lumpur, Malaysia<sup>1,2,3,4</sup>, The Tony Davies High Voltage Laboratory University of Southampton Southampton, United Kingdom<sup>5,6</sup>)*
156. A-60 Insulation Ageing Diagnosis of XLPE Power Cables under Service Conditions 647  
*Fei Liu<sup>1</sup>, Xingyi Huang<sup>2</sup>, Jing Wang<sup>3</sup>, Pingkai Jiang<sup>4</sup>, (Shanghai Key Lab of Electrical Insulation and Thermal Aging, Department of Polymer Science and Engineering, Shanghai Jiao Tong University<sup>1,2,3,4</sup>)*
157. A-75 Application of Modern Testing and Diagnostic Methods for High Voltage Power Cables 651  
*Edward Gulski<sup>1</sup>, Steve Burks<sup>2</sup>, Piotr Cichecki<sup>3</sup>, Chris Grodzinski<sup>4</sup> (Onsite hv solutions AG<sup>1</sup>, onsite hv solutions Americas Inc<sup>2</sup>, onsite hv solutions Benelux BV<sup>3</sup>, onsite hv solutions Americas Inc<sup>4</sup>)*
158. A-113 Simulation of Partial Discharge Location in Medium-Voltage Power Cables 655  
*Keng-Wei Liang<sup>1</sup>, Chang-Hsing Lee<sup>2</sup>, Min-Yen Chiu<sup>3</sup>, Chen-Li Fan<sup>4</sup>, Yu-Chih<sup>5</sup>, Lin<sup>6</sup> (Power Diagnostic Service Co., Limited<sup>1,2,3</sup>, Taiwan Power Research Institute, Taiwan Power Company<sup>4</sup>, National Synchrotron Radiation Research Center<sup>6</sup>)*
159. A-127 On-site testing and diagnosis of long medium voltage cables 659  
*Rogier Jongen<sup>1</sup>, Ben Quak<sup>2</sup>, Edward Gulski<sup>3</sup>, Piotr Cichecki<sup>4</sup>, Frank de Vries<sup>5</sup> (Seitz Instruments AG<sup>1,2</sup>, Poznan University of Technology<sup>3</sup>, Delft University of Technology<sup>4</sup>, Alliander NV<sup>5</sup>)*
160. A-186 Simulation of Partial Discharge Pulse Propagation in 110kV XLPE Cable 663  
*Hongbo Liu<sup>1</sup>, Huamao Zhan<sup>2</sup>, Chengrong Li<sup>3</sup>, Jingchun Wang<sup>4</sup> (Beijing Area Major Laboratory of High Voltage and EMC, North China Electric Power University<sup>1,2,3,4</sup>, State Key Laboratory of Alternate Electrical Power System with Renewable Energy Sources, North China Electric Power University<sup>1,2,3,4</sup>)*

161. A-241 Analysis and Calculation of Ampacity of 10kV Cables in Pipes under transient conditions 667  
*Yan-ling Zheng<sup>1</sup>, Zhi-liang Xu<sup>2</sup>, Guan-Jun Zhang<sup>3</sup> (Xi'an Jiaotong University<sup>1,2,3</sup>, Baoji University of Arts and Sciences<sup>4</sup>)*
162. A-244 The Design of Temperature Monitoring System for Power Cable Joint 671  
*Chang Wenzhi<sup>1</sup>, Han Xiaohui<sup>2</sup>, Ge Zhendong<sup>3</sup>, Li Chengrong<sup>4</sup> (North China Electric Power University<sup>1</sup>, North China Electric Power University<sup>2</sup>, North China Electric Power University<sup>3</sup>, North China Electric Power University<sup>4</sup>)*
163. B-4 Improvement in Sensitivity of Broadband Impedance Spectroscopy for Locating Degradation in Cable Insulation by Ascending the Measurement Frequency 677  
*Takayuki Yamada<sup>1</sup>, Naoshi Hira<sup>2</sup>, Yoshimichi Ohki<sup>3</sup> (Waseda University<sup>1</sup>, Waseda University<sup>2</sup>, Waseda University<sup>3</sup>)*
164. B-8 Evaluation of Accelerated Ageing Cables Used in Nuclear Power Plant 681  
*Sang-hwa Lee<sup>1</sup>, Jae-do Lee<sup>2</sup>, Moon-young Kim<sup>3</sup>, Hong-seok Jang<sup>4</sup>, Choong-heui Jeong<sup>5</sup> (Korea Institute of Nuclear Safety<sup>1</sup>, Korea Institute of Nuclear Safety<sup>2</sup>, Korea Institute of Nuclear Safety<sup>3</sup>, Korea Institute of Nuclear Safety<sup>4</sup>, Korea Institute of Nuclear Safety<sup>5</sup>)*
165. A-182 Study on the propagation characteristics of partial discharge electromagnetic waves in 252kV GIS 685  
*Tingli Yan<sup>1</sup>, Huamao Zhan<sup>2</sup>, Shusheng Zheng<sup>3</sup>, Bo Liu<sup>4</sup>, Jingchun Wang<sup>5</sup>, Chengrong Li<sup>6</sup>, Lihong Deng<sup>7</sup> (North China Electric Power University<sup>1,2,3,4,5,6</sup>, Urban Construction Design & Research Institute<sup>7</sup>)*
166. A-183 GIS Partial Discharge Severity Assessment: A Digital Image Approach 690  
*ZhiyangJin<sup>1</sup>, BoQi<sup>2</sup>, ChengrongLi<sup>3</sup>, Le Yu<sup>4</sup>, ZhaoliangXing<sup>5</sup>, DangguoXu<sup>6</sup>, ShaoyuLiu<sup>7</sup> (North China Electric Power University<sup>1,2,3,4,5</sup>, North China Electric Power Research Institute<sup>6,7</sup>)*
167. A-187 The Study of Partial Discharge in GIS under Impulse Voltage Based on Time-frequency Analysis 694  
*Zhong Ren<sup>1</sup>, Ming Dong<sup>2</sup>, Ming Ren<sup>3</sup>, Hai-bin Zhou<sup>4</sup>, Jin Miao<sup>5</sup> (State Key Laboratory of Electrical Insulation and Power Equipment, Xi'an Jiaotong University, Xi'an<sup>1,2,3,4,5</sup>)*
168. A-190 Sensitivity Verification and Determination of the Best Location of Various External UHF Sensors for PD Measurement in GIS 698  
*Sriyono<sup>1</sup>, Widya Anggoro Putro<sup>2</sup>, Kichi Nishigouchi<sup>3</sup>, Umar Khayam<sup>4</sup>, Suwarno<sup>5</sup>, Masahiro Kozako<sup>6</sup>, Masayuki Hikita<sup>7</sup>, Koji Urano<sup>8</sup>, Chen Min<sup>9</sup> (PT PLN(Persero)/Indonesia state electricity company<sup>1,2</sup>, ITB<sup>1,2,4,5</sup>, Kyushu Institute of Technology<sup>3,6,7</sup>, SE Technology<sup>8,9</sup>)*
169. A-195 On-line and long-term monitoring and diagnosis system for insulation on switchgear devices by wireless communication technique 702  
*Cheng-Chien Kuo<sup>1</sup>, Hong-Chan Chang<sup>2</sup> (Saint John's University<sup>1</sup>, National Taiwan University of Science and Technology<sup>2</sup>)*
170. A-1 Surveying Compressor C-2501 Vibration Problem By Analysis of Vibration and Its Analytical Report 706  
*Hamidreza Minaiepour<sup>1</sup>, Ehsan Heydari<sup>2</sup>, Hamid Sarabeigi<sup>3</sup> (Marun Petrochemical Company<sup>1</sup>, Marun Petrochemical Company<sup>2</sup>, Marun Petrochemical Company<sup>3</sup>)*

171.	A-3	An application of Particle swarm optimization to the tracking of faulty lines for the monitoring of Outer-race bearing faults <i>Hubert Razik<sup>1</sup>, Mohamed El Kamel Oumaamar<sup>2</sup> (Université Claude Bernard Lyon<sup>1</sup>, Université Mentouri<sup>2</sup>)</i>	710
172.	A-5	Thermal Signatures for Pattern Recognition Approach Applied to Induction Motor Diagnosis <i>O. Olivier<sup>1</sup>, E. Boutleux, G. Clerc<sup>3</sup> (Laboratory Ampere – FRANCE<sup>1</sup>, Laboratory Ampere – FRANCE<sup>2</sup>, Laboratory Ampere – FRANCE<sup>3</sup>)</i>	714
173.	A-49	Dynamic Simulation and Experimental Results of Bearing Faults of Squirrel Cage Induction Motor <i>Ariunbolor Purvee<sup>1</sup>, Gautam Banerjee<sup>2</sup> (School of Mining Engineering, Mongolian University Science and Technology<sup>1</sup>, Longwall Mining Division Central Institute Mining and Fuel Research<sup>2</sup>)</i>	718
174.	A-70	A Novel Aircraft Engine Fault Diagnostic and Prognostic System based on SVM <i>ZeFeng WANG<sup>1</sup>, Jean-Luc ZARADER<sup>2</sup>, Sylvain ARGENTIERI<sup>3</sup> (Institute for Intelligent Systems and Robotics (ISIR); University of Pierre and Marie Curie (PARIS IV)<sup>1,2,3</sup>)</i>	723
175.	A-74	Investigating the causes of body failure of MV electromotor in centrifuge equipment <i>Hamidreza Minaiepour<sup>1</sup>, Ehsan Heydari<sup>2</sup>, Hamid Sarabeigi<sup>3</sup> (Condition Monitoring Department Marun Petrochemical Company<sup>1</sup>, Mechanical Maintenance Department Marun Petrochemical Company<sup>2</sup>, Critical Equipments Maintenance Department Marun Petrochemical Company<sup>3</sup>)</i>	729
176.	A-163	Classification of Temporary Short Circuit in Three Phase Induction Motor Winding Based on Wavelet Transform <i>Dicky Nova Wardana<sup>1</sup>, Dimas Anton Asfani<sup>2</sup>, Ardyono Priyadi<sup>3</sup>, Mauridhi Hery Purnomo<sup>4</sup> (Department of Electrical Engineering, Institut Teknologi Sepuluh Nopember Surabaya, Indonesia<sup>1</sup>, Department of Electrical Engineering, Institut Teknologi Sepuluh Nopember Surabaya, Indonesia<sup>2</sup>, Department of Electrical Engineering, Institut Teknologi Sepuluh Nopember Surabaya, Indonesia<sup>3</sup>, Department of Electrical Engineering, Institut Teknologi Sepuluh Nopember Surabaya, Indonesia<sup>4</sup>)</i>	N/A
177.	A-213	UVLS with Cascade Methode and Sensor to Protect Generator from Over Excitacy <i>Rukmito Ari Ardianto<sup>1</sup> (PT PLN (Persero) - P3B, Sumatera, Padang – West Sumatra – Indonesia<sup>1</sup>)</i>	736
178.	B-7	Partial Discharge Analysis for Predictive Maintenance of Generator of Geothermal Power Plant <i>Djoko Darwanto<sup>1</sup>, Deny Hamdani<sup>2</sup>, Didik Dwi Hariyanto<sup>3</sup>, Otto Hari Karyawan<sup>4</sup> (School of Electrical Engineering and Informatics, Institut Teknologi Bandung<sup>1,2</sup>, PT. Pertamina<sup>3</sup>, Chevron Geothermal Indonesia, Ltd<sup>4</sup>)</i>	740
179.	A-33	A Communication Interference Suppression Method for Ultra High-Frequency Partial Discharge Detection <i>Wang Caixiong<sup>1</sup>, Zhang liangen<sup>2</sup>, Hua Zhenghao<sup>3</sup>, Tang Zhiguo<sup>4</sup>, Chang Wenzhi<sup>5</sup>, Li Chengrong<sup>6</sup> (North China Electric Power University<sup>1,2,3,4,5,6</sup>)</i>	744
180.	A-41	A Feasibility and Method Research on the On-line Monitoring of the Parallel Compensation Capacitors <i>TaoZhao Tao<sup>1</sup>, Liu Yunpeng<sup>2</sup>, Lv Fangcheng<sup>3</sup> (North China Electric Power University<sup>1</sup>, North China Electric Power University<sup>2</sup>, North China Electric Power University<sup>3</sup>)</i>	748

181. A-68 The Monitoring Sensor Unit Design of The Wire Transmission Line Comprehensive State 752  
*Xinbo Huang<sup>1</sup>, Yawei Zhang<sup>2</sup> (College of Electronics and Information, Xi'an Polytechnic University, XPU, Xi'an, China<sup>1,2</sup>)*
182. A-69 Icing Thickness Prediction Model Using BP Artificial Neural Network 758  
*Xinbo Huang<sup>1</sup>, Jiajie Li<sup>2</sup> (College of Electronics and Information, Xi'an Polytechnic University, XPU, Xi'an, China<sup>1,2</sup>)*
183. A-72 Multiprocessor based architecture for On-line Condition Monitoring of Transformers 761  
*Suraj Pardeshi<sup>1</sup>, Ramakant Mahajan<sup>2</sup>, UmaMahesh Pasumarthi<sup>3</sup>, Rohit Kumar Arora<sup>4</sup> (CG Global R&D Center, Kanjur Marg, Mumbat<sup>1,2,3,4</sup>)*
184. A-73 Breakdown Characteristics of Liquid Nitrogen for Transmission-Class Superconducting Electric Equipment 766  
*Woo-Ju Shin<sup>1</sup>, Jae-Sang Hwang<sup>2</sup>, Jae-Kyu Seong<sup>3</sup>, Jong-Geon Lee<sup>4</sup>, Bang-Wook Lee<sup>5</sup> (Department of ElectronicSystems Engineering, Hanyang University<sup>1,2,3,4,5</sup>)*
185. A-85 Effect of humidity and electrode roughness on the AC and impulse breakdown characteristics of dry-air 770  
*Jae-Kyu Seong<sup>1</sup>, Woo-Ju Shin<sup>2</sup>, Jae-Sang Hwang<sup>3</sup>, Jong-Geon Lee<sup>4</sup>, Bang-Wook Lee<sup>5</sup>, Kyung-Bo Seo<sup>6</sup>, Dong-Hoon Jeong<sup>7</sup> (Hanyang University<sup>1,2,3,4,5</sup>, Power & Industrial Systems R&D Center Hyosung Heavy Industry<sup>6,7</sup>)*
186. A-87 Design of Induced Power Apparatus for Monitoring System of Dynamic Increasing Capacity of High-voltage Transmission Lines 774  
*Dai Yuan<sup>1</sup>, Chen Kai<sup>2</sup>, Lin Jie-dong<sup>3</sup>, Cheng Yang-chun<sup>4</sup>, Nie Ming<sup>5</sup>, Wang Wei<sup>6</sup> (<sup>1</sup>Guangdong Power Test & Research Institution, Guangzhou<sup>1,3,5,6</sup>, State Key Laboratory of Alternate Electrical Power System with Renewable Energy Sources, Beijing Key Laboratory of High Voltage and EMC, North China Electric Power University<sup>2,4</sup>)*
187. A-92 Ethernet Communication Based on the IEC61850-line Monitoring of Electrical Equipment IED 778  
*Yunpeng Liu<sup>1</sup>, Hong Wei<sup>2</sup>, Liang Wang<sup>3</sup>, Tao Zhao<sup>4</sup> (North China Electric Power University<sup>1,2,3,4</sup>)*
188. A-98 Accelerated multistress aging of polymer nanocomposites and its condition monitoring 782  
*P. Preetha<sup>1</sup>, M. Joy Thomas<sup>2</sup> (Department of Electrical Engineering Indian Institute of Science<sup>1,2</sup>)*
189. A-109 Error Analysis of Location Algorithm for Partial Discharge in Substation 786  
*Hou Hui-juan<sup>1</sup>, Sheng Ge-hao<sup>2</sup>, Jiang Xiu-chen<sup>3</sup>, Guan Hong<sup>4</sup>, Shao Yu-ying<sup>5</sup> (Shanghai Jiao Tong University<sup>1,2,3</sup>, Shanghai Municipal Electric Power Company<sup>4,5</sup>)*
190. A-131 Review on Software Development for Time-Domain High Voltage Equipment Condition Monitoring 790  
*R. A. Zainir<sup>1</sup>, N. A. Muhamad<sup>2</sup> (Universiti Teknologi Malaysia<sup>1</sup>, Universiti Teknologi Malaysia<sup>2</sup>)*
191. A-141 Frequency Domain Analysis of Electromagnetic Wave Radiated from Partial Discharge 794  
*Zhu Chaojie<sup>1</sup>, Lu Yuncai<sup>2</sup>, Zhang Ziyang<sup>3</sup>, Yin Yi<sup>4</sup> (Department of Electrical Engineering, Shanghai Jiao Tong University<sup>1,2</sup>, Jiangsu Electric Power Company Research Institute<sup>3,4</sup>)*

192.	A-148	Fundamental study of Evaluation Methods of the Deepness of Immersed Water in Pole Mounted Air Switch by Air-coupled Ultrasound Method <i>Tomohiko Nagano<sup>1</sup>, Sinya Ohtsuka<sup>2</sup> (Kyushu Institute of Technology<sup>1</sup>, Kyushu Institute of Technology<sup>2</sup>)</i>	798
193.	A-156	Review and Application of Diagnosis Methods for 22.9kV-y Distribution Systems <i>Oh-myeon Kwon<sup>1</sup>, Byoun-hun Jung<sup>2</sup>, Jong-man Joung<sup>3</sup>, Dong-myung Kim<sup>4</sup> (Facility Diagnosis Center of Korea Electric Power Cooperation (KEPCO), Korea<sup>1,2,3,4</sup>)</i>	802
194.	A-175	Study on Tension detection method for Overhead Transmission Line Based on Spectrum Analysis <i>Hai-bin Zhou<sup>1</sup>, Ming Dong<sup>2</sup>, Ai-ci Qiu<sup>3</sup> (State Key Laboratory of Electrical Insulation and Power Equipment, EEC, Xi'an Jiaotong University<sup>1,2</sup>, Northwest Institute of Nuclear Technology of China<sup>3</sup>)</i>	805
195.	A-236	The Design of Hilbert Fractal Antenna Array for Ultra-High-Frequency Partial Discharge Detection <i>Peng Wang<sup>1</sup>, Jian Li<sup>2</sup>, Tianyan Jiang<sup>3</sup>, Zhiman He<sup>4</sup> (College of Electrical Engineering, Chongqing University<sup>1,2,3,4</sup>)</i>	N/A
196.	A-290	On-line Monitoring and prediction for transmission line sag <i>Ren Lijia<sup>1</sup>, Li Hong<sup>2</sup>, Liu Yan<sup>3</sup> (North Power Supply Company, Shanghai Municipal Electric Power Company<sup>1,2,3</sup>)</i>	813
197.	A-310	Analysis of PD Characteristics depending on Causes of Solid insulated Load Break Switchgear <i>Chan Yong Park<sup>1</sup>, Do Hoon Lee<sup>2</sup>, Jong Ung Choi<sup>3</sup>, Seok Weon Park<sup>4</sup> (LS Industrial System<sup>1</sup>, LS Industrial System<sup>2</sup>, LS Industrial System<sup>3</sup>, LS Industrial System<sup>4</sup>)</i>	818
198.	B-5	Phase angle calculation for UHF Partial Discharge detection in segment acquisition mode <i>Hu Yue<sup>1</sup>, Si Liangqi<sup>2</sup>, Sheng Gehao<sup>3</sup>, Jiang Xiuchen<sup>4</sup>, Wang Hongbin<sup>5</sup>, Zhu Wenjun<sup>6</sup> (Laboratory of Control of Power Transmission and Conversion, Ministry of Education Department of Electrical Engineering, Shanghai Jiao Tong University<sup>1,2,3,4</sup>, Guangdong Electric Power Research Institute<sup>5,6</sup>)</i>	821
199.	B-6	Adaptive Wavelet De-noising Method based on Segmented Processing Technology for PD Location <i>Zhang Tianchen<sup>1</sup>, Hu Yue<sup>2</sup>, Qian Yong<sup>3</sup>, SHENG Gehao<sup>4</sup>, JIANG Xiuchen<sup>5</sup>, MIAO Peiqing<sup>6</sup>, LI Xiuwei<sup>7</sup> (Key Laboratory of Control of Power Transmission and Conversion, Ministry of Education, Department of Electrical Engineering, Shanghai Jiao Tong University<sup>1,2,3,4,5</sup>, Shandong Electric Power Research Institute<sup>4</sup>, Shandong Electric Power Research Institute<sup>6,7</sup>)</i>	825
200.	A-102	Studying the Paper-oil Insulation Aging Models of Power Transformer <i>Yuan Wen<sup>1</sup>, Gong Senlian<sup>2</sup>, Wang Youyuan<sup>3</sup> (State Key Laboratory of Power Transmission Equipment &amp; System Safety and New Technology, Chongqing, China<sup>1,2,3</sup>)</i>	N/A
201.	A-111	Dynamic Out-of-step Simulation and Detection in 150 kV South Sulawesi System <i>H. Wihartady<sup>1</sup>, R. Hutahaean<sup>2</sup>, M. Popov<sup>3</sup>, L. van der Sluis<sup>4</sup>, V. Terzija<sup>5</sup> (PLN<sup>1,2</sup>, Delft Technology University<sup>1,3,4</sup>, The University of Manchester<sup>5</sup>)</i>	833
202.	A-205	Electrical Power Quality Monitoring and Analysis of a Synchrotron Accelerator Facilities <i>Yu-Chih Lin<sup>1</sup>, Yung-Feng Chiu<sup>2</sup>, Tzong-Shyan Ueng<sup>3</sup>, Kung-Cheng Kuo<sup>4</sup>, Jui-Chi Chang<sup>5</sup> (National Synchrotron Radiation Research Center<sup>1,2,3,4,5</sup>)</i>	838

203.	A-242	Condition Monitoring in the Management of Maintenance in a Large Scale Precision CNC Machining Manufacturing Facility <i>N.Ahmed<sup>1</sup>, A.J Day<sup>2</sup>, J.L Victory<sup>3</sup>, L. Zeall<sup>4</sup>, B. Young<sup>5</sup> (University of Bradford, School of Engineering, Design, &amp; Technology, Bradford, UK<sup>1,2</sup>, BAE Systems Ltd Samlesbury Aerodrome, Balderstone<sup>3,4</sup>)</i>	84
204.	A-255	Condition Based Management of Electrical Appliances <i>Pavel Trnka<sup>1</sup>, Michal Svoboda<sup>2</sup>, Jakub Soucek<sup>3</sup> (University of West Bohemia<sup>1</sup>, University of West Bohemia<sup>2</sup>, University of West Bohemia<sup>3</sup>)</i>	846
205.	I-2	Formalization of the Interval Circuit Analysis <i>Nikolay V. Kinsht<sup>1</sup>, Natalia N. Petrunko<sup>2</sup> (Electrophisic and Electropower Lab., Institute of Automation &amp; Control Processes of Far-Eastern Branch of RAS<sup>1,2</sup>)</i>	850
206.	A-235	New Partial Discharge Location Method in Power Transformer based on Acoustic Wave Propagation Characteristics using Numerical Simulation <i>Masahiro Kozako<sup>1</sup>, Hiroki Murayama<sup>2</sup>, Masayuki Hikita<sup>3</sup>, Hidenobu Koide<sup>4</sup>, Kenji Kashine<sup>5</sup>, Itaru Nakamura<sup>6</sup> (Department of Electrical Engineering and Electronics, Kyushu Institute of Technology<sup>1,2,3</sup>, Transformer Division Fuji Electric Corporation<sup>4</sup>, Electrical and Electric Engineering Kagoshima College of Technology<sup>5,6</sup>)</i>	854
207.	J-2	Asset management of wind turbines <i>Chen-li Fan<sup>1</sup>, Yang-lin Zeng<sup>2</sup>, Tsai-Ho Cheng<sup>3</sup> (Taipower Research Institute, TPC<sup>1</sup>, Contron Electric Co.Ltd<sup>2</sup>, Taiwan Power Company<sup>3</sup>)</i>	858
208.	J-3	Use Case Modelling for Risk Based Maintenance Management System <i>Qikai Zhuang<sup>1</sup>, Dhiradj Djairam<sup>2</sup>, Ravish P. Y. Mehairjan<sup>3</sup>, Johan J. Smit<sup>4</sup> (High-voltage Technology and Management, EWI, Delft University of Technology<sup>1,2,3,4</sup>)</i>	862
209.	J-7	Improved Risk Analysis Through Failure Mode Classification According to Occurrence Time <i>Ravish P.Y. Mehairjan<sup>1</sup>, Qikai Zhuang<sup>2</sup>, Dhiradj Djairam<sup>3</sup>, Johan J. Smit<sup>4</sup> (High Voltage Technology &amp; Asset Management, Delft University of Technology<sup>1,2,3,4</sup>)</i>	866
210.	J-8	A Comparative Review of Transformer Reliability on a Individual and Population Scale and an Assessment of Reliability Methodologies <i>B. Patel<sup>1</sup>, Z.D. Wang<sup>2</sup>, J.V. Milanovic<sup>3</sup>, P. Jarman<sup>4</sup> (School of Electrical &amp; Electronic Engineering, The University of Manchester<sup>1,2,3</sup>, National Grid<sup>4</sup>)</i>	870
211.	J-18	A Smart On-line Over-voltage Layered Identification System <i>Du lin<sup>1</sup>, Chen huan<sup>2</sup>, Liu jun<sup>3</sup> (State Key Laboratory of Power Transmission Equipment and System Security and New Technology, Chongqing University<sup>1,2</sup>, Chongqing Power Company<sup>3</sup>)</i>	874
212.	A-6	Leakage Current Monitoring for Silane Epoxy Resin Insulator under Tropical Climate Conditions <i>Abdul Syakur<sup>1</sup>, Hamzah Berahim<sup>2</sup>, Rochmad<sup>3</sup>, Tumiran<sup>4</sup> (Department of Electrical Engineering Gadjah Mada University<sup>1,2</sup>, Department of Chemical Engineering Gadjah Mada University<sup>3,4</sup>)</i>	878
213	K-1	Designing angle bowl of Turbine for Micro-hydro at Tropical Area <i>Lie Jasa<sup>1</sup>, Ardyono Priyadi<sup>2</sup>, Mauridhi Hery Purnomo<sup>3</sup> (Udayana University<sup>1</sup>, Sepuluh Nopember Institute of Technology<sup>2,3</sup>)</i>	882
214.	K-7	Noise and Vibration Survey of ac Filter Capacitors in Feng Xian HVdc Converter Station <i>Zhu Lingyu<sup>1</sup>, Ji Shengchang<sup>2</sup>, Shen Qi<sup>3</sup> (Xi'an Jiaotong University<sup>1,2,3</sup>)</i>	886

215.	A-10	Comparative PD characteristics of pressboard/ mineral oil and pressboard/vegetable oil insulating systems <i>Viet-Hung Dang<sup>1</sup>, A. Beroual<sup>2</sup>, E. A. Al-Ammar<sup>3</sup>, M. Qureshi<sup>2</sup> (Ecole Centrale de Lyon, AMPERE CNRS, 36 avenue Guy de Collongue, 69134 Ecully Cedex, France<sup>1,2</sup>, Saudi Aramco Chair in Electrical Power, Department of Electrical Engineering, King Saud University, Riyadh, Saudi Arabia<sup>3,4</sup>)</i>	890
216.	A-14	Disequilibrium of Moisture In Oil-Pressboard Insulation Under Transient Temperature Condition <i>Wei Wang<sup>1</sup>, Xin Wang<sup>2</sup>, Zhiqing Ma<sup>3</sup>, Chengrong Li<sup>4</sup>, Shaoyu Liu<sup>5</sup>, Yanwei Wu<sup>6</sup>, Zhen Hao<sup>7</sup>, Jixian Ma<sup>8</sup>, Kaihua Long<sup>9</sup> (Beijing key laboratory of HV &amp; EMC, State key laboratory of alternate electrical power system with renewable energy sources, North China electric power university<sup>1,2,3,4</sup>, High voltage research institute, North China electric power research institute<sup>5,6,7,8,9</sup>)</i>	894
217.	A-15	Distribution Of Moisture In Oil Immersed Pressboard Under Transient Temperature Condition <i>Wei Wang<sup>1</sup>, Zhiqing Ma<sup>2</sup>, Xin Wang<sup>3</sup>, Chengrong Li<sup>4</sup>, Jixian Ma<sup>5</sup>, Kaihua Long<sup>6</sup>, Zhen Hao<sup>7</sup>, Shaoyu Liu<sup>8</sup>, Yanwei Wu<sup>9</sup> (Beijing key laboratory of HV &amp; EMC, State key laboratory of alternate electrical power system with renewable energy sources, North China electric power university<sup>1,2,3,4</sup>, High voltage research institute, North China electric power research institute<sup>5,6,7,8,9</sup>)</i>	897
218.	A-18	The Criteria of Dissolved Gas Analysis in Natural Ester Fluid <i>Dongjin, Kweon<sup>1</sup>, Kyosun, Koo<sup>2</sup> (Power System Laboratory KEPCO Research Institute<sup>1,2</sup>)</i>	901
219.	A-22	Analysis of Partial Discharge Phenomena of Twisted Pairs for Inverter-Fed Motor under Square Impulse Voltage <i>Huihui Xu<sup>1</sup>, Guangning Wu<sup>2</sup>, Yiqiang Zhang<sup>3</sup>, Yang Luo<sup>4</sup>, Kaijiang Cao<sup>5</sup> (School of Electrical Engineering, Southwest Jiaotong University, Chengdu<sup>1,2,3,4,5</sup>)</i>	N/A
220.	A-23	A Review of Condition Monitoring of Underground Power Cables <i>Ammar Anwar Khan<sup>1</sup>, Nazar Malik<sup>2</sup>, Abdulrehman Al-Arainy<sup>3</sup>, Saad Alghuwainem<sup>4</sup> (Saudi Aramco Chair in Electrical Power, Department of Electrical Engineering, College of Engineering, King Saud University<sup>1,2,3,4</sup>)</i>	909
221.	A-25	The Investigation on dispersion of characteristic parameters for assessment of insulating state and economic feasibility in oil-paper insulation diagnosis <i>Wen Cao<sup>1</sup>, Wei Shen<sup>2</sup>, Xuetao Shi<sup>3</sup>, Baosheng He<sup>4</sup>, Kai Wu<sup>5</sup> (State Key Lab. of Elect. Insulat. and Power Equipment, Xi'an Jiaotong University<sup>1,3,4,5</sup>, Shaanxi Electric Power Research Institute, Shaanxi Electric Power Corporation<sup>2</sup>)</i>	913
222.	A-26	Monitoring of 420 kV XLPE Cable System in Underground Tunnel <i>D. Gieselbrecht<sup>1</sup>, W. Koltunowicz<sup>2</sup>, A. Obralic<sup>3</sup>, T. Ritz<sup>4</sup>, P. Christensen<sup>5</sup>, B. Schneider<sup>6</sup>, K. H. Cohnen<sup>7</sup> (OMICRON Energy Solutions, Berlin, Germany<sup>1,2,3,4</sup>, nkt cables a/s, Brøndby, Denmark<sup>5,6</sup>, nkt cables, Cologne, Germany<sup>7</sup>)</i>	917
223.	A-34	Frequency Domain Measurement as Quality And Diagnostic Tool for Power Transformers <i>P.K. Poovamma<sup>1</sup>, T.R. Afzal Ahmed<sup>2</sup>, C. Viswanatha<sup>3</sup>, K. Mallikarjunappa<sup>4</sup> (Central Power Research Institute<sup>1,2,3,4</sup>)</i>	N/A
224.	A135	Monitoring of Transformer Winding Deformation by CPRA Method <i>V.Rusov<sup>1</sup>, S.Zhivodernikov<sup>2</sup> (Vibrocenter Perm, Russia<sup>1</sup>, Vibrocenter Perm, Russia<sup>2</sup>)</i>	925

225. A-56 Standardization of DGA Interpretation Techniques using Fuzzy Logic Approach 929  
*S. Hmood<sup>1</sup>, A. Abu-Siada<sup>2</sup>, Mohammad A.S. Masoum<sup>3</sup>, Syed M. Islam<sup>4</sup> (Electrical and Computer Engineering Department, Curtin University, WA<sup>1,2,3,4</sup>)*
226. A-99 Analyze of the corona loss characteristics of the contamination conductor in a small cage N/A  
*Yunpeng Liu<sup>1</sup>, Guoyang Zhou<sup>2</sup>, Lei Zhu<sup>3</sup>, Yuehan Li<sup>4</sup> (Department of Electrical Engineering, North China Electric Power University, Baoding, China<sup>1,2,3,4</sup>)*
227. A-124 Solubility Study of Different Gases in Mineral and Ester-based Transformer Oils 937  
*A. Müller<sup>1</sup>, M. Jovalekic<sup>2</sup>, S. Tenbohlen<sup>3</sup> (Institute of Power Transmission and High Voltage Technology, University of Stuttgart, Stuttgart, Germany<sup>1,2,3</sup>)*
228. A-126 Safety Risk Analysis of insulators in Electric transmission Line Based on Fuzzy Fault Tree Method 941  
*Wang Kai<sup>1</sup>, Deng Yu-rong<sup>2</sup>, Zhu Shi-yang<sup>3</sup>, Wang You-yuan<sup>4</sup> (Guangxi Guangxi Power Grid Electric Power Research Institute, Nanning 530023, China<sup>1,2,3</sup>, State Key Laboratory of Power Transmission Equipment & System Security and New Technology, Chongqing 400044, China<sup>4</sup>)*
229. A-151 Intelligent Fault Diagnosis for On-line Condition Monitoring in Smart Distribution Networks 946  
*Murtaza Hashmi<sup>1</sup>, Seppo Hänninen<sup>2</sup>, Matti Lehtonen<sup>3</sup> (Energy System Knowledge Centre, VTT Technical Research Centre of Finland, Finland<sup>1,2</sup>, Department of Electrical Engineering, School of Electrical Engineering, Aalto University, Finland<sup>3</sup>)*
230. A-160 Power Transformer Incipient Faults Diagnosis Using Dissolved Gas Analysis and Rough Set 950  
*Noor Akhmad Setiawan<sup>1</sup>, Sarjiya<sup>2</sup>, Zenith Adhiarga<sup>3</sup> (Electrical Engineering and Information Technology Department, Universitas Gadjah Mada, Indonesia<sup>1,2,3</sup>)*
231. A-192 PD Pattern of Various Defects Measured by UHF External Sensor on 66 kV GIS Model 954  
*Widya Anggoro Putro<sup>1</sup>, Sriyono<sup>2</sup>, K. Nishigouci<sup>3</sup>, Umar Khayam<sup>4</sup>, Suwarno<sup>5</sup>, Masahiro Kozako<sup>6</sup>, Masayuki Hikita<sup>7</sup>, Koji Urano<sup>8</sup>, Chen Min<sup>9</sup> (School of Electrical Engineering and Informatics, Bandung Institute of Technology, Indonesia<sup>1,2,4,5</sup>, Department of Electrical Engineering, Kyushu, Institute of Technology, Japan<sup>3,6,7</sup>, PT PLN (Persero), Indonesia<sup>1,2</sup>, SE Technology, Hongkong<sup>8,9</sup>)*
232. A-194 Influence of the Structure Dimension of GIS on the Partial Discharge 958  
*Dengwei Ding<sup>1</sup>, Wensheng Gao<sup>2</sup>, Weidong Liu<sup>3</sup> (State Key Laboratory of Control and Simulation of Power System and Generation Equipment, Department of Electrical Engineering, Tsinghua University, Beijing, 100084, China<sup>1,2,3</sup>)*
233. A-199 Classification of Partial Discharge events in GILBS using Discrete Wavelet Transform and Probabilistic Neural Networks 963  
*Ming-Shou Su<sup>1</sup>, Jiann-Fuh Chen<sup>2</sup>, Chien-Yi Chen<sup>3</sup>, Cheng-Chi Tai<sup>4</sup>, Yu-Hsun Lin<sup>5</sup> (Department of Electrical Engineering National Cheng Kung University, Tainan, Taiwan<sup>1,2,3,4</sup>, National Penghu University of Science and Technology, Penghu, Taiwan<sup>5</sup>)*
234. A-211 Estimation of Transmission Line Parameters Single-Core XLPE Cables Considering Semiconducting layer 967  
*Yan Li<sup>1</sup>, Peter A. A. F. Wouters<sup>2</sup>, Paul Wagenaars<sup>3</sup>, Peter C. J. M. van der Wielen<sup>4</sup>, E. Fred Steennis<sup>5</sup> (Electrical Energy Systems, Eindhoven University of Technology, Eindhoven, the Netherlands<sup>1,2</sup>, DNV KEMA Energy & Sustainability Arnhem, the Netherlands<sup>3,4,5</sup>)*



235.	A-216	Influence of Partial Discharge on Breakdown of Air-Polymer Composite <i>Eka Putra Waldi (Department Electrical Engineering, Andalas University, Indonesia)</i>	971
236.	A-220	Vibration Characteristics during Mechanism Endurance Test of a High Voltage Circuit Breaker <i>Wenpeng Zhang<sup>1</sup>, Yonggang Guan<sup>2</sup>, Weidong Liu<sup>3</sup>, Cheng Tang<sup>4</sup>, Junhui Wu<sup>5</sup>, Jianying Zhong<sup>6</sup>, Zhiyong Yang<sup>7</sup> (Department of Electrical Engineering, Tsinghua University, Beijing, China<sup>1,2,3</sup>, Pinggao-Tsinghua Electric Research Center, Henan Pinggao Electric Co., LTD, Pingdingshan, China<sup>4,5,6,7</sup>)</i>	975
237.	A-227	UHF Sensor Array for Partial Discharge Location in Transformers <i>H.H. Sinaga<sup>1</sup>, B.T. Phung<sup>2</sup>, T.R. Blackburn<sup>3</sup> (University of New South Wales, School of Electrical Engineering and Telecommunications<sup>1,2,3</sup>)</i>	979
238.	A-240	Recovery Experience of Power Equipment from Tsunami Disaster <i>M. Sasaki<sup>1</sup>, K. Ito<sup>2</sup>, Y. Adachi<sup>3</sup>, N. Fuse<sup>4</sup>, Y. Kabasawa<sup>5</sup>, T. Takahashi<sup>6</sup>, Y. Hori<sup>7</sup>, K. Adachi<sup>8</sup>, T. Okamoto<sup>9</sup> (Shin-Sendai Thermal Power Plant, Tohoku Electric Power Co., Sendai, Japan<sup>1,2,3</sup>, Electric Power Engineering Research Laboratory, Central Research Institut of Electric Power Industry, Yokosuka, Japan<sup>4,5,6,7,8,9</sup>)</i>	983
239.	A-261	Electric Material Model Aging for Online Diagnostic Systems <i>Michal Svoboda<sup>1</sup>, Pavel Trnka<sup>2</sup>, Jakub Soucek<sup>3</sup> (Department of technologies and measurement, University of West Bohemia, Pilsen, Czech Republic<sup>1,2,3</sup>)</i>	987
240.	A-270	PD Monitoring and diagnosis of Power Transformer On-Line and on site <i>Xu Chunshe<sup>1</sup>, Zhang Guanjun<sup>2</sup>, Sun Zhenquan<sup>3</sup> (School of Electrical Engineering, Xi'an Jiaotong University, Xi'an, China<sup>1,2</sup>, R&amp;D center of smart distribution grid, SHAANXI REGIONAL ELECTRIC POWER GROUP CO., LTD, Xi'an, China<sup>3</sup>)</i>	N/A
241.	C-8	Failure Analysis of Cable Accessories Using Finite Element Method Magnetics (FEMM) Software <i>Aziz Suhaimi<sup>1</sup>, Huzainie Shafi Abd Halim<sup>2</sup> (Failure Investigation, TNBR QATS Sdn. Bhd., Malaysia<sup>1</sup>, Transmission and Distribution, TNB Research Sdn Bhd., Malaysia<sup>2</sup>)</i>	995
242.	A-400	<i>Distributed Fault Location Based on Comprehensive Analysis of Fault Current</i> <i>Yadong Liu<sup>1</sup>, Gehao Sheng<sup>2</sup>, Xiaojun Shen<sup>3</sup>, Xiuchen Jiang<sup>4</sup>, Xuri Sun<sup>5</sup>, Shiqiang Wang<sup>6</sup>, Weiwei Yang<sup>7</sup> (Shanghai Jiao Tong University, Shanghai, China<sup>1,2,3,4</sup>, Liaocheng Electric Power Company, Liaocheng, Shandong, China<sup>5,6</sup>, Northeast Power Grid Corporation, Shenyang, Liaoning, China<sup>7</sup>)</i>	999
243.	B-10	Statistical Analysis of Partial Discharge Characteristics for Predictive Maintenance of Generator of Geothermal Power Plant <i>Djoko Darwanto<sup>1</sup>, Didik Dwi Hariyanto<sup>2</sup>, Otto Hari Karyawan<sup>3</sup>, Deny Hamdani<sup>4</sup> (School of Electrical Engineering and Informatics, Institut Teknologi Bandung, Indonesia<sup>1,4</sup>, PT. Pertamina, Indonesia<sup>2</sup>, Chevron Geothermal Indonesia, Ltd, Indonesia<sup>3</sup>)</i>	1003
244.	B-11	The Characteristics Of Soil Which Is Treated By Salt Solution, And Water As The Basic of Grounding Diagnostics. <i>Anggoro B<sup>1</sup>, Irman D. B.<sup>2</sup> (Electrical Power Engineering Research Division, School of Electrical Engineering &amp; Informatics, Bandung Institute of Technology, Indonesia<sup>1</sup>, Electrical Power Engineering Research Division, Electrical Engineering Department, National Institute of Technology, Indonesia<sup>2</sup>)</i>	1007

245.	B-12	The Concept of Grounding Impedance Diagnostics Method <i>Anggoro B. (Electrical Power Engineering Research Division, School of Electrical Engineering &amp; Informatics, Bandung Institute of Technology, Indonesia)</i>	1013
246.	A-209	Identification of joints affected by water ingress in complex hybrid MV cable networks <i>Tobias Neier<sup>1</sup>, Alexander Gerstner<sup>2</sup>, Martin Jenny<sup>3</sup> (Technical Advisor - Application Engineering, BAUR Prüf- und Messtechnik GmbH, Hong Kong – Asia Pacific<sup>2</sup>, Product Management, BAUR Prüf- und Messtechnik GmbH, Sulz, Austria<sup>2,3</sup>)</i>	1018
247.	C-7	Simulation of Propagation Characteristics in Three-Phase-Type GIS <i>Haifeng Ye<sup>1</sup>, Yong Qian<sup>2</sup>, Gehao<sup>3</sup>, Sheng<sup>4</sup>, Yue Hu<sup>5</sup>, Xiuchen Jiang<sup>6</sup>, Jing Chen<sup>7</sup>, WanJian Bai<sup>8</sup> (Shanghai Jiao Tong University<sup>1,2,3,4,5,6</sup>, Heze Electric Power Company<sup>7,8</sup>)</i>	1023
248.	C-9	Induced Voltage Analysis with Adjacent Phases of the Three-limb and Five-limb Transformers <i>Jong-man Joung<sup>1</sup>, Chul-bae Park<sup>2</sup>, Han-hong Kim<sup>3</sup>, Dong-yeol Shin<sup>4</sup>, Dong-myung Kim<sup>5</sup> (Facility Diagnosis Center of Korea Electric Power Cooperation (KEPCO)<sup>1,2,3,5</sup>, KEPCO Research Institute<sup>4</sup>)</i>	1029
249.	C-10	Principal Failure Cases on Distribution Switchgear using in the 22.9kV-y Distribution System <i>Tae-Ho Kwon<sup>1</sup>, Chong-Eun Cho<sup>2</sup>, Jong-Man Joung<sup>3</sup>, Dong-Myung Kim<sup>4</sup> (Facility Diagnosis Center, Korea Electric Power Corporation <sup>1,2,3,4</sup>)</i>	1032
250.	C-11	Electrical Steels and Power Transformer Cores in Deep Saturation <i>Q. Tang<sup>1</sup>, Z.D. Wang<sup>2</sup>, P. Jarman<sup>3</sup> (School of Electrical and Electronic Engineering, The University of Manchester, Manchester, M13 9PL, UK<sup>1,2</sup>, National Grid, National Grid House, Warwick Technology Park, Warwick, CV34 6DA, UK <sup>3</sup>)</i>	1035
251.	C-12	Investigation on Electrical Characteristics of HDPE Mixed with EVA Applied for Recycleable Power Cable Insulation <i>Jung-Hun Kwon<sup>1</sup>, Min-Hye Park<sup>2</sup>, Kee-Joe Lim<sup>3</sup>, Hyung-Kyu Lee<sup>4</sup> (Department of Electrical Engineering, CBNU, Cheongju, Republic of Korea<sup>1,2,3</sup>, Department of Electrical Engineering, Chungju National University, Chungju, Republic of Korea<sup>4</sup>)</i>	1039
252.	C-15	Study on Characteristics and Detection of DC Arc Fault in Power Electronics System <i>Liu Yuan<sup>1</sup>, Ji Shengchang<sup>2</sup>, Wang Jin<sup>3</sup>, Yao Xiu<sup>4</sup>, Zhu Yeye<sup>5</sup> (State key laboratory of electrical insulation and power equipment School of Electrical Engineering, Xi'an Jiaotong University<sup>1,2,5</sup>, High Voltage and Power Electronics Lab, Ohio State University, Columbus OH43210, USA<sup>3,4</sup>)</i>	1043
253.	C-25	The Effects of Coupling Agents on the electrical and mechanical Properties of Polyimide/ TiO <sub>2</sub> Hybrid Films <i>Xiaoxu Liu<sup>1</sup>, Jinghua Yin<sup>2</sup>, Minghua Chen<sup>3</sup> (School of Applied Science, Harbin University of Science and Technology<sup>1,2</sup>, Center for engineering training and basic experimentation, Heilongjiang Institutes of Science and Technology<sup>1,3</sup>)</i>	N/A
254.	D-6	Distribution of electric field in medium voltage cable joint geometry <i>H. A. Illias<sup>1</sup>, Z. H. Lee<sup>2</sup>, A. H. A. Bakar<sup>3</sup>, H. Mokhlis<sup>4</sup>, A. Mohd Ariffin<sup>5</sup> (UMPEDAC, Electrical Engineering Department, Faculty of Engineering, University of Malaya, Kuala Lumpur, Malaysia <sup>1,2,3,4</sup>, College of Engineering, Universiti Tenaga Nasional, Selangor, Malaysia <sup>5</sup>)</i>	1051

255. D-11 Characteristics on Surface flashover of polyethylene nanocomposites film in vacuum 1055  
*Weiwang Wang<sup>1</sup>, Shengtao Li<sup>2</sup>, Fan Tang<sup>3</sup>, Jianying Li<sup>4</sup> (State Key Laboratory of Electrical Insulation and Power Equipment, Xian Jiaotong University<sup>1,2,3,4</sup>)*
256. D-13 The Study of The Arcing Phenomena of The Mineral Oil Using The Rod - Plane Electrode Configuration 1059  
*N. Pattanadech<sup>1</sup>, F. Pratomosiw<sup>2</sup>, B. Wieser<sup>3</sup>, M. Muhr<sup>4</sup>, M. Baur<sup>5</sup>, (Institute of High Voltage Engineering and System, Management. Inffeldgasse 18, A - 8010 Graz<sup>1,2,3,4</sup>, Baur Prüf- und Messtechnik GmbH, Raiffeisenstr. 8, A - 6832 Sulz, Austria<sup>5</sup>)*
257. D-19 Role of Insulating Barriers during Electrical Treeing in Composite Dielectrics Using Partial Discharge Signature Analysis Based on Adaptive Probabilistic Neural Network 1063  
*S. Venkatesh<sup>1</sup>, S. Mohamed Ghouse<sup>2</sup>, P.V. Ramamoorthi<sup>3</sup>, S. Natarajan<sup>4</sup> (School of EEE, SASTRA University, Thanjavur, India<sup>1,2,3,4</sup>)*
258. D-20 Evaluation of Compression Behaviors of Oil-immersed Insulating Pressed-boards for Transformers 1067  
*Hisashi Morooka<sup>1</sup>, Akira Yamagishi<sup>2</sup>, Hideyuki Miyahara<sup>3</sup>, Hiroyuki Sampel<sup>4</sup>, Masaru Kashiwakura<sup>5</sup>, Yukiyasu Shirasaka<sup>6</sup> (Dept. of Transmission & Distribution, Hitachi Research Lab., Hitachi, Ltd.<sup>1</sup>, High Voltage Switchgear & Transformer Business Division, Hitachi Works, Power Systems Company, Hitachi, Ltd.<sup>2,3,4,5,6</sup>)*
259. D-23 Property Modification of SiR-EPDM Blends by Electron Beam Irradiation 1071  
*Dr. V. Rajini<sup>1</sup>, R. Deepalaxmi<sup>2</sup> (Department of EEE, SSN College of Engineering, Kalavakkam, Chennai, Tamilnadu, India<sup>1,2</sup>)*
260. D-31 Preliminary Research on the influence of electrostatic precipitation on the anti-corona discharge of HVDC composite insulators N/A  
*Ying Liang<sup>1</sup>, Yunpeng Liu<sup>2</sup>, Xiaohui Yang<sup>3</sup>, Wenyi Guo<sup>4</sup> (Hebei Provincial Key Laboratory of Power Transmission Equipment Security Defense, North China Electric Power University, Baoding, China<sup>1,2,3</sup>, Electric Power Research Institute National Engineering Laboratory, China Southern Power Grid Co. Ltd, Guangzhou, China<sup>4</sup>)*
261. D-32 Study on Corona-resistance Property of HTV Silicone Rubber Material N/A  
*Xiaohui Yang<sup>1</sup>, Ying Liang<sup>2</sup>, Yunpeng Liu<sup>3</sup>, Wenyi Guo<sup>4</sup> (Hebei Provincial Key Laboratory of Power Transmission Equipment Security Defense, North China Electric Power University, Baoding, China<sup>1,2,3</sup>, Electric Power Research Institute National Engineering Laboratory, China Southern Power Grid Co. Ltd, Guangzhou, China<sup>4</sup>)*
262. D-35 Temperature effect of space charge distribution in cross-linked polyethylene 1085  
*Li Lan<sup>1</sup>, Jiandong Wu<sup>2</sup>, Yi Yin<sup>3</sup>, Ulf. H. Nilsson<sup>4</sup>, Hakan Lennartsson<sup>5</sup>, Alex Zhou<sup>6</sup> (The department of Electrical Engineering, Shanghai Jiao Tong University, Shanghai, China<sup>1,2,3</sup>, Borealis AB, Stenungsund, Sweden<sup>4</sup>, Borouge HongKong, HongKong, China<sup>5</sup>, Borouge Shanghai, Shanghai, China<sup>6</sup>)*
263. D-41 Thermal Conductivity and Dielectric Properties of Epoxy Composites with Hyperbranched Polymer Modified Boron Nitride Nanoplatelets 1089  
*Xingyi Huang<sup>1</sup>, Peng Peng<sup>2</sup>, Wenyi Peng<sup>3</sup>, Jinhong Yu<sup>4</sup>, Fei Liu<sup>5</sup>, Pingkai Jiang<sup>6</sup> (Shanghai Jiao Tong University<sup>1,2,3,4,5,6</sup>)*

264.	D-43	DC Degradation of ZnO Varistor and Its Restorability by Heat-Treatment <i>Xuetong Zhao<sup>1</sup>, Jianying Li<sup>2</sup>, Shengtao Li<sup>3</sup> (State Key Laboratory of Electrical Insulation and Power Equipment, Xi'an Jiaotong University<sup>1,2,3</sup>)</i>	1093
265.	D-45	The Electric Field Distribution in Oil-paper Insulation under Combined AC-DC Voltage <i>Hao Wu<sup>1</sup>, ChengRong Li<sup>2</sup>, Bo Qi<sup>3</sup>, XiaoLin Zhao<sup>4</sup>, JinZhuang.Lv<sup>5</sup>, LinJie Zhao<sup>6</sup> (Beijing Key Laboratory of High Voltage &amp; EMC, North China Electric Power University<sup>1,2,3,4</sup>, EHV Power Transmission Company, China Southern Power Grid<sup>5</sup>, Electric Power Research Institute, China Southern Power Grid<sup>6</sup>)</i>	1097
266.	D-53	Development of Measurement System for Secondary Electron Emission Yield of Insulating Materials for Spacecraft Materials <i>Kazuaki Shibuya<sup>1</sup>, Kazufumi Nomura<sup>2</sup>, Hiroaki Miyake<sup>3</sup>, Yasuhiro Tanaka<sup>4</sup>, Masamichi Ohira<sup>5</sup>, Teppei Okumura<sup>6</sup>, Masato Takahashi<sup>7</sup> (Tokyo City University<sup>1,2,3,4</sup>, JAXA<sup>5,6,7</sup>)</i>	1102
267.	D-54	Breakdown characteristics of thermally degraded oil-impregnated insulation <i>Lukasz Chmura<sup>1</sup>, P.H.F. Morshuis<sup>2</sup>, E. Gulski<sup>3</sup>, J.J. Smit<sup>4</sup> (High Voltage Technology and Management, Delft University of Technology<sup>1,2,3,4</sup>)</i>	1106
268.	D-59	The thermal conductivity and electrical strength of epoxy resin with different filler content of micro and nano alumina <i>Wang Qi<sup>1</sup>, Li Zhe<sup>2</sup>, Wu Jiandong<sup>3</sup>, Yin Yi<sup>4</sup> (The Department of Electrical Engineering, Shanghai Jiao Tong University<sup>1,2,3,4</sup>)</i>	1110
269.	D-64	Investigation on Electroluminescence as Pre-Breakdown Phenomenon within Dielectric Materials used for Cable Insulation <i>A. Mohd Ariffin<sup>1</sup>, N. Mat Tajudin<sup>2</sup>, H. A. Illias<sup>3</sup> (Dept. of Electrical Power, Universiti Tenaga Nasional<sup>1,2</sup>, Electrical Engineering Department, UMPEDAC, Faculty of Engineering, University of Malaya<sup>3</sup>)</i>	1114
270.	D-66	The Development of TSC Measurement System and its Application <i>Cong Li<sup>1</sup>, Fangcheng Lv<sup>2</sup>, Hong Wei<sup>3</sup>, Ying Liang<sup>4</sup>, Yunpeng Liu<sup>5</sup>, Tao Zhao<sup>6</sup>, Wenyi Guo<sup>7</sup> (North China Electric Power University, Baoding, China<sup>1,2,3,4,5,6</sup>, China Southern Power Grid Co. Ltd, Guangzhou, China<sup>7</sup>)</i>	N/A
271.	D-68	Mechanism of Brittle Fracture by Acid in Nonceramic Insulator <i>Tae-Hwa Lee<sup>1</sup>, Han-Goo Cho<sup>2</sup> (Nano Fusion Technology Research Center, Korea Electrotechnology Research Institute (KERI), Changwon, KOREA<sup>1,2</sup>)</i>	N/A
272.	D-75	A modified Electrical conductivity model for insulating oil-based nanofluids <i>Jin Miao<sup>1</sup>, Ming Dong<sup>2</sup>, Liang-Ping Shen<sup>3</sup> (State Key Laboratory of Electrical Insulation for Power Equipment, EEC, Xi'an Jiaotong University<sup>1,2</sup>, Faculty of Physics and Electronic Technology, Hubei University<sup>3</sup>)</i>	1126
273.	D-76	Identify Moisture Distribution in Multilayer Oil-immersed Paper by Frequency Domain Spectroscopy <i>Hua-dong Peng<sup>1</sup>, Ming Dong<sup>2</sup>, Xue-zhou Wu<sup>3</sup>, Yuan Liu<sup>4</sup> (State Key Laboratory of Electrical Insulation and Power Equipment, EEC, Xi'an Jiaotong University<sup>1,2,3,4</sup>, Chongqing Electric Power Research Institute<sup>1</sup>)</i>	1130
274.	D-89	Partial Discharge Inceptions and Patterns in arc Experienced Transformer Oils <i>Suwarno<sup>1</sup>, Santosh<sup>2</sup> (School of Electrical Engineering and Informatics, Institut Teknologi Bandung<sup>1,2</sup>)</i>	1134

275.	D-90	Dielectric Properties of Silicone Oil, Natural Ester, and Mineral Oil under Accelerated Thermal Aging <i>Suwarno<sup>1</sup>, T. Widy Nugraha<sup>2</sup>, PC Didit HS<sup>3</sup>, Suharto<sup>4</sup> (School of Electrical Engineering and Informatics, Institut Teknologi Bandung, Bandung, Indonesia<sup>1,2</sup>, PLN Research and Development Center, PT. PLN Persero, Jakarta, Indonesia<sup>3,4</sup>)</i>	1139
276.	D-91	Improving outdoor Insulator performances installed at coastal area using Silicone Rubber Coating <i>Suwarno<sup>1</sup>, Ario Basuki<sup>2</sup>, F. Lendy<sup>3</sup>, Sumedi<sup>4</sup> (School of Electrical Engineering and Informatics, Institut Teknologi Bandung<sup>1,2,3,4</sup>)</i>	1143
277.	E-3	Hydrolysis Process in PLN P3BJB Transformers as an Effect of Oil Insulation Oxidation <i>Harry Gumilang<sup>1</sup> (Asset Management, Substation Maintenance System Development, PT PLN (PERSERO) P3B Jawa Bali, Indonesia<sup>1</sup>)</i>	1147
278.	E-5	Development of Remaining Life Estimation for MV PILC due to Electrical Stress using Statistical Method <i>Zairul Aida Abu Zarim<sup>1</sup>, Tashia Marie Anthony<sup>2</sup> (HV Cable Diagnostics, TNB Research Sdn. Bhd, Kajang, Malaysia<sup>1,2</sup>)</i>	1151
279.	E-6	Operational Condition Assessment of In-Service Distribution Transformers <i>N. Azis<sup>1</sup>, D. Zhou<sup>2</sup>, Z.D. Wang<sup>3</sup>, D. Jones<sup>4</sup>, B. Wells<sup>5</sup>, G.M. Wallwork<sup>6</sup> (The University of Manchester, Manchester M13 9PL, United Kingdom<sup>1,2,3</sup>, Electricity North West, Cheshire WA3 XG, United Kingdom<sup>4,5,6</sup>)</i>	1156
280.	E-8	Degradation Characteristic Analysis of Lithium Polymer Battery in Hybrid Vehicle <i>Kang-Won, Lee<sup>1</sup>, Jai-Kyun, Mok<sup>2</sup> (Korea Railroad Research Institute, Uiwangsi, Korea<sup>1,2</sup>)</i>	N/A
281.	E-10	Application of Time Domain Reflectometry Technique in Detecting Water Tree Degradation within Polymeric-Insulated Cable <i>A. Mohd Ariffin<sup>1</sup>, T. M. Kuan<sup>2</sup>, S. Sulaiman<sup>3</sup>, H. A. Illias<sup>4</sup> (Dept. of Electrical Power, Universiti Tenaga Nasional<sup>1,2,3</sup>, Electrical Engineering Department, UMPEDAC, Faculty of Engineering, University of Malaya<sup>4</sup>)</i>	1163
282.	E-19	Current Harmonic Analysis of Electronics Loads on Induction Generator <i>Waluyo<sup>1</sup>, Siti Saodah<sup>2</sup>, Jaka Nurahmat<sup>3</sup> (Department of Electrical Engineering, National Institute of Technology, Bandung, Indonesia<sup>1</sup>, Department of Energy Conversion Engineering, Bandung State Polytechnic, Bandung, Indonesia<sup>2</sup>, Alumnus from Department of Electrical Engineering, National Institute of Technology, Bandung, Indonesia<sup>3</sup>)</i>	1167
283.	G-1	Fiber-Optic Vibration Sensor for Physical Security System <i>Tatsuya Kumagai<sup>1</sup>, Shinobu Sato<sup>2</sup>, Teruyuki Nakamura<sup>3</sup> (Hitachi Cable, Ltd., Japan<sup>1,2,3</sup>)</i>	1171
284.	G-6	Microwave-based detection of internal defects in composite insulators for outdoor application <i>B. Lutz<sup>1</sup>, L. Cheng<sup>2</sup>, Z. Guan<sup>3</sup>, L. Wang<sup>4</sup> (Laboratory of Advanced Technology of Electrical Engineering and Energy, Graduate School at Shenzhen, Tsinghua University<sup>1,2,3,4</sup>)</i>	1175

285. G-12 One Novel Type of UHF Antenna for Locating Partial Discharge and Simulation of UHF Signal Propagation within Transformer 1179  
*ZHU Chaojie<sup>1</sup>, LU Yuncal<sup>2</sup>, FEI Yijun<sup>3</sup>, YIN Yi<sup>4</sup> (Department of Electrical Engineering, Shanghai Jiao Tong University, Shanghai, China <sup>1,4</sup>, Jiangsu Electric Power Company Research Institute, Nanjing, China<sup>2,3</sup>)*
286. G-17 Finite Element Simulation Based Sensitivity Analysis of UHF Sensing Modes for PD Detection 1183  
*LI Sufe<sup>1</sup>, HU Yue<sup>2</sup>, YE Haifeng<sup>3</sup>, SHENG Gehao<sup>4</sup>, JIANG Xiuchen<sup>5</sup>, BAI Wangjian<sup>6</sup>, CHEN Jing<sup>7</sup> (Key Laboratory of Control of Power Transmission and Conversion, Ministry of Education, Department of Electrical Engineering, Shanghai Jiao Tong University<sup>1,2,3,4,5</sup>, Heze Power Supply Company<sup>6,7</sup>)*
287. G-18 Optical and Electric Diagnostics of DBD Plasma Jet in Atmospheric Pressure Argon 1187  
*Zhiyuan Hao<sup>1</sup>, Shengchang Ji<sup>2</sup>, Lipeng Zhong<sup>3</sup>, Wene Ren<sup>4</sup> (State Key Lab of Electrical Insulation and Power Equipment, School of Electrical Engineering, Xi'an Jiaotong University<sup>1,2,3</sup>, Insulation Technique Institution, School of Electrical Engineering, Xi'an Jiaotong University<sup>4</sup>)*
288. G-21 The Estimation of Insulation on MV Cables Using The VLF  $\tan\delta$  Diagnostic Measurement 1191  
*Sung-min, Kim<sup>1</sup>, Beong-suk, Kim<sup>2</sup>, Jang-seob Lim<sup>3</sup>, Jin Lee<sup>4</sup>, Yeon-ha Jung<sup>5</sup>, Tae-wan Kim<sup>6</sup>, Won-suck Choi<sup>7</sup>, Kun-ho Lee<sup>8</sup> (The Head Office, KEPCO, SEOUL, KOREA<sup>1,2</sup>, Electric Power Corporation Research Institute, KEPCO, DAE-JEON, KOREA<sup>5,7</sup>, Division of MEC Engineering, Mok-Po National Maritime University, MOK-PO, KOREA<sup>3,6,8</sup>, Dept of Electrical Engineering, Mok-Po National University, MOK-PO, KOREA<sup>4</sup>)*
289. G-23 Feasibility Study on a New Visualization Technique of Discharge-emitted Electromagnetic Waves with Time-domain Measurements 1197  
*Hiroki Shibata<sup>1</sup>, Toshitake Umegane<sup>2</sup>, Shinya Ohtsuka<sup>3</sup> (Department of Electrical Engineering and Electronics, Kyushu Institute of Technology<sup>1,2,3</sup>)*
290. G-25 Development of a Condition Monitoring System Using an Air-pack Type Pressure Sensor for Bedridden Patients in a Supine Position 1201  
*Harutoyo Hirano<sup>1</sup>, Yusuke Komatsu<sup>2</sup>, Abdugheni Kutluk<sup>3</sup>, Yuichi Kurita<sup>4</sup>, Shigeyuki Kojima<sup>5</sup>, Yumi Ogura<sup>6</sup>, Etsunori Fujita<sup>7</sup>, Ryuji Nakamura<sup>8</sup>, Noboru Saeki<sup>9</sup>, Masashi Kawamoto<sup>10</sup>, Masao Yoshizumi<sup>11</sup>, Toshio Tsuji<sup>12</sup> (Graduate School of Engineering, Hiroshima University<sup>1,2</sup>, Xinjiang Medical University<sup>3</sup>, Faculty of Engineering, Hiroshima University<sup>4</sup>, DELTA TOOLING Co., LTD.<sup>5,6,7</sup>, Institute of Biomedical & Health Sciences, Hiroshima University<sup>8,9,10,11</sup>, Faculty of Engineering, Hiroshima University<sup>12</sup>)*
291. G-39 A New Method for On-Line Monitoring of Bushings and Partial Discharges of Power Transformers 1205  
*Maik Koch<sup>1</sup>, Michael Kruger<sup>2</sup> (Omicron Energy Solutions, Berlin, Germany<sup>1</sup>, Omicron Electronics, Klaus, Austria<sup>2</sup>)*
292. G-40 An all-fiber electric field sensor based on tapered fiber-slab waveguide coupler 1209  
*Shaofei Dong<sup>1</sup>, Chunyang Han<sup>2</sup>, Hui Ding<sup>3</sup>, Xianli Li<sup>4</sup>, Xiaofeng Qi<sup>5</sup> (State Key Laboratory of Electrical Insulation and Power Equipment, Xi'an Jiaotong University<sup>1,2,3,4,5</sup>)*
293. H-1 Identification of Optimal Polymeric Blend for Cables using Particle Swarm Optimization Method 1213  
*R. Deepalaxmi<sup>1</sup>, V.Rajini<sup>2</sup>, M.Balaji<sup>3</sup> (Department of EEE, SSN College of Engineering, Kalavakkam, Chennai, Tamilnadu, India <sup>1,2,3</sup>)*

294. H-4 Comparison of Some Neural Network Algorithms Used in Prediction of XLPE HV Insulation Properties Under Thermal Aging 1218  
*L. Boukezzi<sup>1</sup>, A.Boubakeur<sup>2</sup> (Materials Science and Informatics Laboratory, MSIL, Djelfa University, Algeria<sup>1</sup>, L.R.E./High voltage laboratory of ENP, ENP of Algiers, Algeria<sup>2</sup>)*
295. H-5 The Influence Estimation of Aging Factor in MV Cable Using Weibull Distribution and Neural Networks 1223  
*Sung-min, Kim<sup>1</sup>, Beong-suk, Kim<sup>2</sup>, Jang-seob Lim<sup>3</sup>, Jin Lee<sup>4</sup>, Yeon-ha Jung<sup>5</sup>, Tae-wan Kim<sup>6</sup>, Won-suck Choi<sup>7</sup>, Kun-ho Lee<sup>8</sup> (The Head Office, KEPCO, SEOUL, KOREA<sup>1,2</sup>, Electric Power Corporation Research Institute, KEPCO, DAE-JEON, KOREA<sup>5,7</sup>, Division of MEC Engineering, Mok-Po National Maritime University, MOK-PO, KOREA<sup>3,6,8</sup>, Dept of Electrical Engineering, Mok-Po National University, MOK-PO, KOREA<sup>4</sup>)*
296. K-12 Application of Passive Filters to Mitigate Power Quality Problems Caused by Induction Furnaces 1227  
*Muhammad Rehan Arif<sup>1</sup>, Farhan Mahmood<sup>2</sup>, Murtaza Hashmi<sup>3</sup>, Seppo Hänninen<sup>4</sup> (Electrical Engineering Department, University of Engineering and Technology, Lahore, Pakistan<sup>1,2</sup>, Energy Systems Knowledge Centre, VTT Technical Research Centre of Finland, Finland<sup>3,4</sup>)*
297. K-18 An Approach of Generator Coherency for Underfrequency Load Shedding and Islanding Mechanism: Study on Sulawesi Selatan-Tenggara-Barat (Sulselrabar) System, Sulawesi, Indonesia 1231  
*Fathin Saifur Rahman<sup>1</sup>, Nanang Hariyanto<sup>2</sup>, Muhammad Nurdin<sup>3</sup> (School of Electrical Engineering and Informatics, Institut Teknologi Bandung, Bandung, Indonesia<sup>1,2,3</sup>)*
298. K-19 The Performance Of Lightning Protection System on 275 Kv Transmission Lines Siguragura-Kuala Tanjung, North Sumatra, Indonesia 1236  
*Reynaldo Zoro<sup>1</sup>, Fri Murdiya<sup>2</sup> (Power Engineering Research Division, School of Electrical Engineering and Informatics, Institute of Technology Bandung (ITB) Bandung<sup>1</sup>, Electrical Engineering, University of Riau, Pekanbaru<sup>2</sup>)*
299. C-5 Electrical Insulation Evaluation of Crosslinked Polyethylene Nanocomposite Blended with ZnO 1242  
*Yu-Min Kim<sup>1</sup>, Young-Kwng Cha<sup>2</sup>, Kee-Joe Lim<sup>3</sup>, Jin-Ho Nam<sup>4</sup>, Gun-Ju Lee<sup>5</sup> (Department of Electrical Engineering, CBNU, Cheongju, Republic of Korea<sup>1,2,3</sup>, R&D Center, LS Cable, Anyang, Republic of Korea<sup>4,5</sup>)*
300. A134 Comparison Data of Transformer's Oil Water Content Analysis Obtained by Different Methods 1246  
*M.Anikeeva<sup>1</sup>, R.Arbusov<sup>2</sup>, Y.Bodnya<sup>3</sup>, S.Zhivodernikov<sup>4</sup> (Electrogridservice, Novosibirsk, Russia<sup>1,2,3,4</sup>)*
301. C-23 Partial Discharge Properties and Dissolved Gas Analysis of Ricinus Oils as Biodegradable Liquid Insulating Materials 1249  
*Umar Khayam, Suwarno, Abdul Rajab (Institut Teknologi Bandung, Jl. Ganesha 10 Bandung 40132, Indonesia)*
302. D-80 Rotating Characteristics Of Electric Field Vector In Three-Phase Power Apparatus 1253  
*Umar Khayam (School of Electrical Engineering and Informatics, Institut Teknologi Bandung, Indonesia)*